
WB microscopic bridge → slab theorem (exact-cell hierarchy)
Published WB condensation generators + Sec. VI B artwork
WB-LR RETIRED exact finite-cell patches (no catalog-touch exemption)
Finite cell catalog ⇒ Δ_cell = O(1) (lem:wb-cell-locality)
GF(2) derivation H_end=[1 1], H_mid=[1 1 1] ker + 110 pass-through 101/011 attachments
VI B items 3–8 catalog r_inc^(∞)=1, r_inc^(G)=2 max wt 6; CSS; reflections exact patch classification
PROOF-CRITICAL exact GF(2) word cert A_int p=0, B p=w 16/16 PASS (R=2)
Prefix parity even words 2..8 + stress refinement row-space IDs
STRESS ONLY (demoted) R=2/R=3 exterior bulk bullet/plus SM cross-check
Combinatorial incidence (wb_catalog_utils; no pymatching) wb_bridge_claim_status.csv
Theorem thm:slab-resolved inputs ONLY: (i) Δ_cell; (ii) H_end/H_mid incl. 110; (iii) Sec. VI B first/middle/last exact-cell certificates + prefix
DERIVED / PROVED HERE
PUBLISHED SOURCE (cited)
MACHINE AUDIT LEDGER
No residual un-audited LR assumption beyond transcribed WB cells. Bullet/plus = SM only.