
Top-nσ
P-less
Min-p
Top-H
Top-k
Top-p
as good as at T = 1
Coding agents (SWE-bench Verified)
Qwen3.5-9B, 100 issues
Qwen3.5-27B, 50 issues
Qwen3.5-35B-A3B, 50 issues
Qwen3.5-9B, 100 fresh
Qwen3.5-27B, 100 fresh
Qwen3.5-35B-A3B, 100 fresh
Long reasoning
LiveCodeBench v6, Qwen3.8-27B
LiveCodeBench v6, Qwen3.6-27B
AIME + HMMT 2025–26, 6 models
AIME 2025–26 + MATH-500 L5, 4 models
Long writing
Arena-Write, healthy texts, 9 models
LongBench-Write score, 8 models
WritingBench critic, 6 models
Forced 16K fiction, first window, 10 models
LongProc procedural output, 6 models
Long-context reading
LongBench v2 (up to 120K), 6 models
Needle retrieval at 1M tokens, 4 models
T = 2
T = 2
T = 2
T = 2
T = 2
T = 2
T = 1.3
T = 1.3
T = 1.3
T = 1.3
T = 2
T = 2
T = 2
T = 2
T = 1.5
T = 1.5
T = 1.5
0%
25%
50%
75%
100%
125%
150%
Score at high temperature, as a share of the same sampler's score at T = 1