



# Multi select dropdown to select Deepeval metrics in RAG Test Case Generator



localhost:3000

### Navigation

- Convert to JSON
  - Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
  - Create and manage embeddings
- Query Preprocessing
  - Transform & expand queries
- Vector Search
  - Semantic vector search
- BM25 Search
  - Keyword-based search
- Hybrid Search
  - Combined BM25 + Vector
- Score Fusion
  - BM25+Vector fusion re-ranking
- Summarize & Dedup
  - AI summarization & deduplication
- Prompt & Schema**
  - Configure prompt templates & JSON schemas
- Settings
  - Configure environment

RAG Demo v1.2  
Enterprise Edition

### RAG Pipeline

Home > Prompt & Schema

Configure prompt templates & JSON schemas

ICEPOT Framework Enabled: This manager now uses the ICEPOT methodology for structured prompt engineering: Instruction, Context, Examples, Persona, Output, Tone

#### Test Case Quality Metrics Evaluation

Evaluate generated test cases using DeepEval metrics including faithfulness, answer relevancy, contextual precision/recall, and hallucination detection.

Select Test Case to Evaluate: Share Diagnostic Report via WhatsApp ->...  
Select Metrics: answer\_relevancy

Available: 15 test cases **EVALUATE**

#### Evaluation Results for: Share Diagnostic Report via WhatsApp - Positive Flow

1 Metrics Evaluated

##### ANSWER RELEVANCY

100.0%

The score is 1.00 because the response perfectly matched the request with no irrelevant content, demonstrating a spot-on answer!

Quality Summary  
Average Score: 100.0% Evaluated At: 11:48:36 PM

Network: 1,000 ms, 2,000 ms, 3,000 ms, 4,000 ms, 5,000 ms, 6,000 ms, 7,000 ms

Request Payload

```
{...}
context: [...]
expected_output: "Share Diagnostic Report via WhatsApp"
metric: ["answer_relevancy"]
output: "{\n  \"testCaseId\": \"TC_6355\"\n}"
query: "Module: Patient Communication & Support"
```

localhost:3000

### Navigation

- Convert to JSON
  - Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store
  - Create and manage embeddings
- Query Preprocessing
  - Transform & expand queries
- Vector Search
  - Semantic vector search
- BM25 Search
  - Keyword-based search
- Hybrid Search
  - Combined BM25 + Vector
- Score Fusion
  - BM25+Vector fusion re-ranking
- Summarize & Dedup
  - AI summarization & deduplication
- Prompt & Schema**
  - Configure prompt templates & JSON schemas
- Settings
  - Configure environment

RAG Demo v1.2  
Enterprise Edition

### Prompt Template & JSON Schema Manager

Configure and test AI prompt templates and JSON schemas for healthcare test cases

ICEPOT Framework Enabled: This manager now uses the ICEPOT methodology for structured prompt engineering: Instruction, Context, Examples, Persona, Output, Tone

#### Test Case Quality Metrics Evaluation

Evaluate generated test cases using DeepEval metrics including faithfulness, answer relevancy, contextual precision/recall, and hallucination detection.

Select Test Case to Evaluate: Share Report Exceeding Attachment Size Limit ->...  
Select Metrics: answer\_relevancy, contextual\_precision, contextual\_recall

Available: 15 test cases **EVALUATE**

#### Evaluation Results for: Share Report Exceeding Attachment Size Limit - Edge Case

3 Metrics Evaluated

##### ANSWER RELEVANCY

100.0%

The score is 1.00 because the response fully addressed the request with no irrelevant content, which is excellent!

##### CONTEXTUAL PRECISION

0.0%

The score is 0.00 because the only retrieved node (rank 1) is irrelevant: "The context only lists navigation paths for diagnostic and diet checklist reports in e.g., "Diagnostic & Imaging report", "Reports - Clinical Reports - Diet Checklist Report" and does not mention sharing reports via WhatsApp, attachment size limits, or edge cases, so it is not useful for the expected output." No relevant nodes appear, so the contextual precision remains at zero.

##### CONTEXTUAL RECALL

0.0%

The score is 0.00 because sentence 1 cannot be linked to any node in retrieval context, such as node 1 (AHCSummary), which does not mention the phrase.

Network: 100,000 ms, 200,000 ms, 300,000 ms, 400,000 ms, 500,000 ms, 600,000 ms, 700,000 ms

Request Payload

```
{...}
eval: [{"metric_name": "answer_relevancy", "error": null, "explanation": "The score is 1.00 because the response fully addressed the request with no irrelevant content, which is excellent!"}]
eval: [{"metric_name": "contextual_precision", "error": null, "explanation": "The score is 0.00 because the only retrieved node (rank 1) is irrelevant: \"The context only lists navigation paths for diagnostic and diet checklist reports in e.g., \"Diagnostic & Imaging report\", \"Reports - Clinical Reports - Diet Checklist Report\" and does not mention sharing reports via WhatsApp, attachment size limits, or edge cases, so it is not useful for the expected output.\" No relevant nodes appear, so the contextual precision remains at zero."}]
eval: [{"metric_name": "contextual_recall", "error": null, "explanation": "The score is 0.00 because sentence 1 cannot be linked to any node in retrieval context, such as node 1 (AHCSummary), which does not mention the phrase."}]
total_usage: {prompt_tokens: 4567, completion_tokens: 1234}
```

7 requests | 15.6 kB transferred

localhost:3000

**Navigation**

- Convert to JSON  
Upload and convert Excel files (Test Cases or User Stories)
- Embeddings & Store  
Create and manage embeddings
- Query Preprocessing  
Transform & expand queries
- Vector Search  
Semantic vector search
- BM25 Search  
Keyword-based search
- Hybrid Search  
Combined BM25 + Vector
- Score Fusion  
BM25+Vector fusion re-ranking
- Summarize & Dedup  
AI summarization & deduplication
- Prompt & Schema**  
Configure prompt templates & JSON schemas
- Settings  
Configure environment

**RAG Pipeline**

Home > Prompt & Schema

Select Test Case to Evaluate: Share Diagnostic Report via WhatsApp... | Select Metrics: answer\_relevancy, contextual\_precision... | Available: 15 test cases | **EVALUATE**

**✓ Evaluation Results for: Share Diagnostic Report via WhatsApp – Positive Flow** | 5 Metrics Evaluated

**ANSWER RELEVANCY** | 100.0%

The score is 1.00 because the output was completely relevant to the request, with no extraneous statements, so it cannot be higher.

**CONTEXTUAL PRECISION** | 100.0%

The score is 1.00 because the only node (rank 1) is relevant – its reason states "The context mentions diagnostic reports (e.g., "Diagnostic & Imaging report" and "Reports - Clinical Reports - Diet Checklist Report"), which is relevant to the task of sharing a diagnostic report, even though it does not reference WhatsApp specifically" – there are no irrelevant nodes to outrank it.

**CONTEXTUAL RECALL** | 0.0%

The score is 0.00 because sentence 1 cannot be linked to any node in retrieval context, which does not mention sharing or WhatsApp.

**FAITHFULNESS** | 0.0%

The score is 0.00 because the actual output includes a test case ID, module name, title, description, preconditions, test steps, expected results, priority, test type, risk level, linked user stories, source citations, compliance notes, and estimated execution time, none of which are present in the retrieval context.

**HALLUCINATION** | 100.0%

The score is 0.00 because the actual output aligns with the context and there are no contradictions.

**Network**

Filter: All | Fetch/XHR | Doc | CSS | JS | Font | Img | Media | Manifest | Socket | Wasm

Other: 50,000 ms | 100,000 ms | 150,000 ms | 200,000 ms | 250,000 ms | 300,000 ms | 350,000 ms

Name: eval | Headers | Payload | Preview >>

```
{
  "results": [
    {
      "metric_name": "answer_relevancy",
      "score": 1.0,
      "explanation": "The score is 1.00 because the output was completely relevant to the request, with no extraneous statements, so it cannot be higher."
    },
    {
      "metric_name": "contextual_precision",
      "score": 1.0,
      "explanation": "The score is 1.00 because the only node (rank 1) is relevant – its reason states \"The context mentions diagnostic reports (e.g., \"Diagnostic & Imaging report\" and \"Reports - Clinical Reports - Diet Checklist Report\"), which is relevant to the task of sharing a diagnostic report, even though it does not reference WhatsApp specifically\" – there are no irrelevant nodes to outrank it."
    },
    {
      "metric_name": "contextual_recall",
      "score": 0.0,
      "explanation": "The score is 0.00 because sentence 1 cannot be linked to any node in retrieval context, which does not mention sharing or WhatsApp."
    },
    {
      "metric_name": "faithfulness",
      "score": 0.0,
      "explanation": "The score is 0.00 because the actual output includes a test case ID, module name, title, description, preconditions, test steps, expected results, priority, test type, risk level, linked user stories, source citations, compliance notes, and estimated execution time, none of which are present in the retrieval context."
    },
    {
      "metric_name": "hallucination",
      "score": 0.0,
      "explanation": "The score is 0.00 because the actual output aligns with the context and there are no contradictions."
    }
  ],
  "total_usage": {
    "prompt_tokens": 8989,
    "completion_tokens": 150
  }
}
```

## Exact Match:

**Testleaf Evaluation Suite**

Single Evaluation | Batch Evaluation | Multi-Turn Evaluation | Golden Dataset | Custom Metrics (C-Eval)

☒ All | ☐ Faithfulness | ☐ Answer relevancy | ☐ Contextual precision | ☐ Contextual recall | ☐ Contextual relevancy

☒ Exact match | ☐ PII leakage | ☐ Bias | ☐ Hallucination | ☐ Toxicity

**Query/User Input \***

What is your refund window?

**LLM Output/Actual Output From LLM \***

Our refund window is 30 days from purchase

**Expected Output \* (Required For Contextual Precision And Contextual Recall Metrics)**

Our refund window is 30 days from purchase

**Retrieval From RAG Or From Document**

Context 1

**+ Add Context**

**Click for Evaluation**

**Response**

HTML Report | Excel Report

0 tokens | 0 in | 0 out | \$0.0000

**METRIC**

**EXACT MATCH**

**SCORE**

**1.0000**

**VERDICT**

**EXACT\_MATCH**

localhost:5174

Testleaf Evaluation Suite

Single Evaluation Batch Evaluation Multi-Turn Evaluation Golden Dataset Custom Metrics (C-Eval)

Metrics

☒ All ☐ Faithfulness ☐ Answer relevancy ☐ Contextual precision ☐ Contextual recall ☐ Contextual relevancy

☒ Exact match ☐ PII leakage ☐ Bias ☐ Hallucination ☐ Toxicity

Query/User Input \*

What is your refund window?

LLM Output/Actual Output From LLM \*

Our refund window is 30 days from purchase

Expected Output \* (Required For Contextual Precision And Contextual Recall Metrics)

Our return window is 30 days from the date of purchase

Retrieval From RAG Or From Document

Context 1

+ Add Context

Click for Evaluation

Response

HTML Report Excel Report

0 tokens 0 in 0 out \$0.0000

METRIC: EXACT MATCH

SCORE: 0.0000

VERDICT: MISMATCH

EXPLANATION

The actual and expected outputs are different.

EVALUATION INPUT

Query: What is your refund window?

Output: Our refund window is 30 days from purchase

## Contextual Relevancy:

localhost:5174

Testleaf Evaluation Suite

Single Evaluation Batch Evaluation Multi-Turn Evaluation Golden Dataset Custom Metrics (C-Eval)

Metrics

☒ All ☐ Faithfulness ☐ Answer relevancy ☐ Contextual precision ☐ Contextual recall ☒ Contextual relevancy

☐ Exact match ☐ PII leakage ☐ Bias ☐ Hallucination ☐ Toxicity

Query/User Input \*

Can I use the software for commercial purposes?

LLM Output/Actual Output From LLM \*

Yes, the software can be used for commercial purposes under the Enterprise plan.

Retrieval From RAG Or From Document \*

The Enterprise plan allows commercial use. The Starter plan is for personal use only.

+ Add Context

Click for Evaluation

Response

HTML Report Excel Report

1,806 tokens 1,118 in 688 out \$0.0012

METRIC: CONTEXTUAL RELEVANCY

SCORE: 1.0000

VERDICT: RELEVANT

EXPLANATION

The score is 1.00 because the context directly answers the query, e.g., "The Enterprise plan allows commercial use." and "The Starter plan is for personal use only." Great relevance!

EVALUATION INPUT

localhost:5174

Testleaf Evaluation Suite

Single Evaluation Batch Evaluation Multi-Turn Evaluation Golden Dataset Custom Metrics (G-Eval)

☒ All ☐ Faithfulness ☐ Answer relevancy ☐ Contextual precision ☐ Contextual recall ☒ Contextual relevancy

☐ Exact match ☐ PII leakage ☐ Bias ☐ Hallucination ☐ Toxicity

Query/User Input \*

Can I use the software for commercial purposes?

LLM Output/Actual Output From LLM \*

Yes, you can use it for free.

Retrieval From RAG Or From Document \*

The Enterprise plan is not free.

It is for commercial use only.

The Starter plan is for personal use only.

+ Add Context

Click for Evaluation

Response

HTML Report Excel Report

3,622 tokens 1 2,515 in 1 1,107 out \$0.0024

| METRIC               | SCORE  | VERDICT |
|----------------------|--------|---------|
| CONTEXTUAL RELEVANCY | 0.6667 | PARTIAL |

EXPLANATION

The score is 0.67 because the context includes a directly relevant line "It is for commercial use only." that answers the question, but also contains irrelevant

## Chrome Extension Implementation using rewind.ai

Google

+

Google Search I'm Feeling Lucky

Google offered in: हिन्दी বাংলা తెలుగు मराठी தமிழ் ગુજરાતી ಕನ್ನಡ മലയാളം ਪੰਜਾਬੀ

Code Generator

Target Language: Selenium Java

Capture Mode: ☒ Selected Element ☐ Entire DOM

Select Elements Finish Selection 1 element selected

Generate Code

Capture Entire Page DOM

Code will appear here...

Copy Code

←→↻google.com

AboutStore

Google

+hello testing

Google SearchI'm Feeling Lucky

Google offered in: हिन्दी বাংলা తెలుగు मराठी தமிழ் ગુજરાતી ಕನ್ನಡ മലയാളം

Code Generator

Target Language:

Selenium Java

Capture Mode:

☒ Selected Element☐ Entire DOM

Select ElementsFinish Selection4 elements selected

Generate Code

Capture Entire Page DOM

```
'''java
import org.junit.jupiter.api.*;
import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.*;

import java.time.Duration;

public class GoogleSearchTest {

    private WebDriver driver;
    private WebDriverWait wait;

    @BeforeEach
    public void setup() {
        // Assuming chromedriver is in PATH
        driver = new ChromeDriver();
        wait = new WebDriverWait(driver, Duration.of
Seconds(10));
```