

# WorkSheet#1

MJ MADAYAG

2024-09-04

## Worksheet 1

no 1

a.

```
age <- c(34, 28, 22, 36, 27, 18, 52, 39, 42, 29,  
35, 31, 27, 22, 37, 34, 19, 20, 57, 49, 50, 37, 46, 25, 17, 37, 42, 53, 41,  
51, 35, 24, 33, 41)  
  
length(age)
```

```
## [1] 34
```

b.

```
## [1] 34
```

2

Find the reciprocal of the value for age.

```
age_reciprocal <- 1/age  
  
print(age_reciprocal)  
  
## [1] 0.02941176 0.03571429 0.04545455 0.02777778 0.03703704 0.05555556  
## [7] 0.01923077 0.02564103 0.02380952 0.03448276 0.02857143 0.03225806  
## [13] 0.03703704 0.04545455 0.02702703 0.02941176 0.05263158 0.05000000  
## [19] 0.01754386 0.02040816 0.02000000 0.02702703 0.02173913 0.04000000  
## [25] 0.05882353 0.02702703 0.02380952 0.01886792 0.02439024 0.01960784  
## [31] 0.02857143 0.04166667 0.03030303 0.02439024
```

```
## 3. Assign also new_age <- (age,, 0, age).
```

```
new_age <- c(age, 0, age)  
print(new_age)
```

```
## [1] 34 28 22 36 27 18 52 39 42 29 35 31 27 22 37 34 19 20 57 49 50 37 46 25 17  
## [26] 37 42 53 41 51 35 24 33 41 0 34 28 22 36 27 18 52 39 42 29 35 31 27 22 37  
## [51] 34 19 20 57 49 50 37 46 25 17 37 42 53 41 51 35 24 33 41
```

```
## it combined the vector "age" twice and added a 0 in the middle.
```

```

## 4. Sort the values for age

sort(age)

## [1] 17 18 19 20 22 22 24 25 27 27 28 29 31 33 34 34 35 35 36 37 37 37 39 41 41
## [26] 42 42 46 49 50 51 52 53 57

## it sorted the age value from lowest to highest

## 5. Find the minimum and maximum value for age.

min(age)

## [1] 17

max(age)

## [1] 57

## it finds out which number is the highest and the lowest within the "age" vector

## 6. Set up a vector named data, consisting of
## A.
data <- c(2.4, 2.8, 2.1, 2.5, 2.4, 2.2, 2.5,
2.3, 2.5, 2.3, 2.4, 2.7)
length(data)

## [1] 12

## B.
data <- c(2.4, 2.8, 2.1, 2.5, 2.4, 2.2, 2.5,
2.3, 2.5, 2.3, 2.4, 2.7)
length(data)

## [1] 12

## 7. Generate a new vector for data where you double every value chuchu

new_vector <- data*2
print(new_vector)

## [1] 4.8 5.6 4.2 5.0 4.8 4.4 5.0 4.6 5.0 4.6 4.8 5.4

## 8. Generate a sequence of the following scenario: 8.1

int1_1to100 <- seq(1,100)
print(int1_1to100)

## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
## [19] 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36
## [37] 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54
## [55] 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72
## [73] 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90
## [91] 91 92 93 94 95 96 97 98 99 100

## 8.2

num20to60 <- seq (20,60)
num20to60

```

```
## [1] 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44
## [26] 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60
```

```
## 8.3
```

```
num20_60 <- seq (20,60)
mean(num20_60)
```

```
## [1] 40
```

```
## 8.4
```

```
numbahs <- seq (51, 91)
sum(numbahs)
```

```
## [1] 2911
```

```
## 8.5
```

```
##
```

```
int_2 <- seq (1,1000)
```

```
print(int_2)
```

```
## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14
## [15] 15 16 17 18 19 20 21 22 23 24 25 26 27 28
## [29] 29 30 31 32 33 34 35 36 37 38 39 40 41 42
## [43] 43 44 45 46 47 48 49 50 51 52 53 54 55 56
## [57] 57 58 59 60 61 62 63 64 65 66 67 68 69 70
## [71] 71 72 73 74 75 76 77 78 79 80 81 82 83 84
## [85] 85 86 87 88 89 90 91 92 93 94 95 96 97 98
## [99] 99 100 101 102 103 104 105 106 107 108 109 110 111 112
## [113] 113 114 115 116 117 118 119 120 121 122 123 124 125 126
## [127] 127 128 129 130 131 132 133 134 135 136 137 138 139 140
## [141] 141 142 143 144 145 146 147 148 149 150 151 152 153 154
## [155] 155 156 157 158 159 160 161 162 163 164 165 166 167 168
## [169] 169 170 171 172 173 174 175 176 177 178 179 180 181 182
## [183] 183 184 185 186 187 188 189 190 191 192 193 194 195 196
## [197] 197 198 199 200 201 202 203 204 205 206 207 208 209 210
## [211] 211 212 213 214 215 216 217 218 219 220 221 222 223 224
## [225] 225 226 227 228 229 230 231 232 233 234 235 236 237 238
## [239] 239 240 241 242 243 244 245 246 247 248 249 250 251 252
## [253] 253 254 255 256 257 258 259 260 261 262 263 264 265 266
## [267] 267 268 269 270 271 272 273 274 275 276 277 278 279 280
## [281] 281 282 283 284 285 286 287 288 289 290 291 292 293 294
## [295] 295 296 297 298 299 300 301 302 303 304 305 306 307 308
## [309] 309 310 311 312 313 314 315 316 317 318 319 320 321 322
## [323] 323 324 325 326 327 328 329 330 331 332 333 334 335 336
## [337] 337 338 339 340 341 342 343 344 345 346 347 348 349 350
## [351] 351 352 353 354 355 356 357 358 359 360 361 362 363 364
## [365] 365 366 367 368 369 370 371 372 373 374 375 376 377 378
## [379] 379 380 381 382 383 384 385 386 387 388 389 390 391 392
## [393] 393 394 395 396 397 398 399 400 401 402 403 404 405 406
## [407] 407 408 409 410 411 412 413 414 415 416 417 418 419 420
## [421] 421 422 423 424 425 426 427 428 429 430 431 432 433 434
## [435] 435 436 437 438 439 440 441 442 443 444 445 446 447 448
## [449] 449 450 451 452 453 454 455 456 457 458 459 460 461 462
## [463] 463 464 465 466 467 468 469 470 471 472 473 474 475 476
```

```
## [477] 477 478 479 480 481 482 483 484 485 486 487 488 489 490
## [491] 491 492 493 494 495 496 497 498 499 500 501 502 503 504
## [505] 505 506 507 508 509 510 511 512 513 514 515 516 517 518
## [519] 519 520 521 522 523 524 525 526 527 528 529 530 531 532
## [533] 533 534 535 536 537 538 539 540 541 542 543 544 545 546
## [547] 547 548 549 550 551 552 553 554 555 556 557 558 559 560
## [561] 561 562 563 564 565 566 567 568 569 570 571 572 573 574
## [575] 575 576 577 578 579 580 581 582 583 584 585 586 587 588
## [589] 589 590 591 592 593 594 595 596 597 598 599 600 601 602
## [603] 603 604 605 606 607 608 609 610 611 612 613 614 615 616
## [617] 617 618 619 620 621 622 623 624 625 626 627 628 629 630
## [631] 631 632 633 634 635 636 637 638 639 640 641 642 643 644
## [645] 645 646 647 648 649 650 651 652 653 654 655 656 657 658
## [659] 659 660 661 662 663 664 665 666 667 668 669 670 671 672
## [673] 673 674 675 676 677 678 679 680 681 682 683 684 685 686
## [687] 687 688 689 690 691 692 693 694 695 696 697 698 699 700
## [701] 701 702 703 704 705 706 707 708 709 710 711 712 713 714
## [715] 715 716 717 718 719 720 721 722 723 724 725 726 727 728
## [729] 729 730 731 732 733 734 735 736 737 738 739 740 741 742
## [743] 743 744 745 746 747 748 749 750 751 752 753 754 755 756
## [757] 757 758 759 760 761 762 763 764 765 766 767 768 769 770
## [771] 771 772 773 774 775 776 777 778 779 780 781 782 783 784
## [785] 785 786 787 788 789 790 791 792 793 794 795 796 797 798
## [799] 799 800 801 802 803 804 805 806 807 808 809 810 811 812
## [813] 813 814 815 816 817 818 819 820 821 822 823 824 825 826
## [827] 827 828 829 830 831 832 833 834 835 836 837 838 839 840
## [841] 841 842 843 844 845 846 847 848 849 850 851 852 853 854
## [855] 855 856 857 858 859 860 861 862 863 864 865 866 867 868
## [869] 869 870 871 872 873 874 875 876 877 878 879 880 881 882
## [883] 883 884 885 886 887 888 889 890 891 892 893 894 895 896
## [897] 897 898 899 900 901 902 903 904 905 906 907 908 909 910
## [911] 911 912 913 914 915 916 917 918 919 920 921 922 923 924
## [925] 925 926 927 928 929 930 931 932 933 934 935 936 937 938
## [939] 939 940 941 942 943 944 945 946 947 948 949 950 951 952
## [953] 953 954 955 956 957 958 959 960 961 962 963 964 965 966
## [967] 967 968 969 970 971 972 973 974 975 976 977 978 979 980
## [981] 981 982 983 984 985 986 987 988 989 990 991 992 993 994
## [995] 995 996 997 998 999 1000
```

```
length (int_2)
```

```
## [1] 1000
```

```
## 8.5
```

```
## A
```

```
N8.1 <- length(int1_1to100)
```

```
N8.2 <- length(num20_60)
```

```
N8.3 <- length(num20to60)
```

```
N8.4 <- length(numbahs)
```

```
fin_length <- N8.1 + N8.2 + N8.3 + N8.4
```

```
fin_length
```

```
## [1] 223
## 8.5 B

N8.1 <- length(int1_1to100)
N8.2 <- length(num20_60)
N8.3 <- length(num20to60)
N8.4 <- length(numbahs)

fin_length <- N8.1 + N8.2 + N8.3 + N8.4

fin_length

## [1] 223
## 8.5 C

new_max <- int_2[1:10]
new_max

## [1] 1 2 3 4 5 6 7 8 9 10
## 9
Filter(function(i) { all(i %% c(3,5,7) != 0) }, seq(100))

## [1] 1 2 4 8 11 13 16 17 19 22 23 26 29 31 32 34 37 38 41 43 44 46 47 52 53
## [26] 58 59 61 62 64 67 68 71 73 74 76 79 82 83 86 88 89 92 94 97
## every number divisible by 3,5 and 7 is excluded
## 10

backwards <- seq(100, 1)
print(backwards)

## [1] 100 99 98 97 96 95 94 93 92 91 90 89 88 87 86 85 84 83
## [19] 82 81 80 79 78 77 76 75 74 73 72 71 70 69 68 67 66 65
## [37] 64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47
## [55] 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29
## [73] 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11
## [91] 10 9 8 7 6 5 4 3 2 1
## 11
multi <- (1:25)
multi <- multi [multi %% 3 == 0 | multi %% 5 == 0]
length(multi)

## [1] 12
multi

## [1] 3 5 6 9 10 12 15 18 20 21 24 25
## 11
## A.
N10 <- length(backwards)
N11 <- length(multi)
final_pts <- N10 + N11

final_pts
```

```

## [1] 112
## 11
## B.
N10 <- length(backwards)
N11 <- length(multi)
final_pts <- N10 + N11

final_pts

## [1] 112
## 12
## x <- {0 + x + 5 + }

## ERROR occured
## 13
score <- c(72, 86, 92, 63, 88, 89, 91, 92, 75,
75, 77)

print(score[2])

## [1] 86
print(score[3])

## [1] 92
## 14 A.
a <- c(1,2,NA,4,NA,6,7)

print(a,na.print="-999")

## [1] 1 2 -999 4 -999 6 7
## 14 B.
a <- c(1,2,NA,4,NA,6,7)

print(a,na.print="-999")

## [1] 1 2 -999 4 -999 6 7
## "na.print" calls to the "NA" within the "a" vector and changed its value
## 15

name = readline(prompt="Input your name: ")

## Input your name:
age = readline(prompt="Input your age: ")

## Input your age:
print(paste("My name is",name, "and I am",age ,"years old."))

## [1] "My name is and I am years old."

```

```
print(R.version.string)
```

```
## [1] "R version 4.4.1 (2024-06-14)"
```