```
1  "E:\1 □□□□\3 □□□□□\1 □□□□□□□\1 □□□□□□□□□\1_□□□□□□_□□□□\1_LW_□□□□2\6 □□□□\2 python code\01_My_Python_Code\Scripts\python.
   exe" "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\pydevconsole.py" --mode=client --port=17115
2
3  import sys; print('Python %s on %s' % (sys.version, sys.platform))
4  sys.path.extend(['E:\\1 □□□□\\3 □□□□□\\1 □□□□□□□\\1 □□□□□□□□□\\1_□□□□□□_□□□□\\1_LW_□□□□2\\6 □□□□\\2 python code\\
   01_My_Python_Code', 'E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/
   01_My_Python_Code'])
5
6  PyDev console: starting.
7
8  Python 3.9.7 (tags/v3.9.7:1016ef3, Aug 30 2021, 20:19:38) [MSC v.1929 64 bit (AMD64)] on win32
9  >>> runfile('E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
   main_BACASP_official_gurobi.py', wdir='E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python
   code/01_My_Python_Code')
10 Backend TkAgg is interactive backend. Turning interactive mode on.
11 Start.....
12
13 This is the  R_8_6 _standerd_test.xlsx  optimization results solved by Gurobi
14
15 Set parameter TimeLimit to value 1200
16 Set parameter MIPGap to value 0.005
17
18
19
20 Problem status =  9 , is NOT Optimal
21
22 Problem has 2  objectives
23 Gurobi found  0  solutions
24 Traceback (most recent call last):
25   File "<input>", line 1, in <module>
26   File "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\_pydev_bundle\pydev_umd.py", line 198, in runfile
27     pydev_imports.execfile(filename, global_vars, local_vars) # execute the script
28   File "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\_pydev_imps\_pydev_execfile.py", line 18, in execfile
29     exec(compile(contents+"\n", file, 'exec'), glob, loc)
30   File "E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
   main_BACASP_official_gurobi.py", line 517, in <module>
31     = Deter_Model.get_solution()
32   File "E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
   main_BACASP_official_gurobi.py", line 419, in get_solution
33     sol_F_max = self.F_max.x
34   File "src\\gurobipy\\var.pxi", line 125, in gurobipy.Var.__getattr__
35   File "src\\gurobipy\\var.pxi", line 153, in gurobipy.Var.getAttr
36   File "src\\gurobipy\\attrutil.pxi", line 103, in gurobipy._getattr
37 AttributeError: Unable to retrieve attribute 'x'
38
```