```
 1  "E:\1 □□□□\3 □□□□□\1 □□□□□□□\1 □□□□□□□□□\1_□□□□□□_□□□□\1_LW_□□□□2\6 □□□□\2 python code\01_My_Python_Code\Scripts\python.
    exe" "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\pydevconsole.py" --mode=client --port=52637
 2
 3  import sys; print('Python %s on %s' % (sys.version, sys.platform))
 4  sys.path.extend(['E:\\1 □□□□\3 □□□□□\\1 □□□□□□□\\1 □□□□□□□□□\\1_□□□□□□_□□□□\\1_LW_□□□□2\\6 □□□□\\2 python code\\
    01_My_Python_Code', 'E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/
    01_My_Python_Code'])
 5
 6  PyDev console: starting.
 7
 8  Python 3.9.7 (tags/v3.9.7:1016ef3, Aug 30 2021, 20:19:38) [MSC v.1929 64 bit (AMD64)] on win32
 9  >>> runfile('E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
    main_BACASP_official_gurobi.py', wdir='E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python
    code/01_My_Python_Code')
10  Backend TkAgg is interactive backend. Turning interactive mode on.
11  Start.....
12
13  This is the  R_7_6 _standerd_test.xlsx  optimization results solved by Gurobi
14
15  Set parameter TimeLimit to value 1200
16  Set parameter MIPGap to value 0.005
17
18
19
20  Problem status =  9 , is NOT Optimal
21
22  Problem has 2  objectives
23  Gurobi found  0  solutions
24  Traceback (most recent call last):
25    File "<input>", line 1, in <module>
26    File "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\_pydev_bundle\pydev_umd.py", line 198, in runfile
27      pydev_imports.execfile(filename, global_vars, local_vars) # execute the script
28    File "D:\Python\Pycharm\setroute\PyCharm Community Edition 2021.2.3\plugins\python-ce\helpers\pydev\_pydev_imps\_pydev_execfile.py", line 18, in execfile
29      exec(compile(contents+"\n", file, 'exec'), glob, loc)
30    File "E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
    main_BACASP_official_gurobi.py", line 517, in <module>
31      = Deter_Model.get_solution()
32    File "E:/1 □□□□/3 □□□□□/1 □□□□□□□/1 □□□□□□□□□/1_□□□□□□_□□□□/1_LW_□□□□2/6 □□□□/2 python code/01_My_Python_Code/
    main_BACASP_official_gurobi.py", line 419, in get_solution
33      sol_F_max = self.F_max.x
34    File "src\\gurobipy\\var.pxi", line 125, in gurobipy.Var.__getattr__
35    File "src\\gurobipy\\var.pxi", line 153, in gurobipy.Var.getAttr
36    File "src\\gurobipy\\attrutil.pxi", line 103, in gurobipy._getattr
37  AttributeError: Unable to retrieve attribute 'x'
38
```