




DevOps Tools e Cloud Computing


•CHECKPOINT 02




Criando uma nova conexão no Workbench.




Dando título para a conexão.




Testando a conexão.




Nova conexão foi criado com sucesso.




Adicionando um novo banco de dados.




Nomeando o banco de dados.




Tornando o BD criado padrão.




Criando um novo usuário para este Schema.




Configurando o usuário.



Configurando como um DBA.



Adicionando privilégios ao usuário



Privilégios:

Query 1Administration - Users and Privil...

Delivery

Users and Privileges

User Accounts

User	From Host
(1) <anonymous>	%
newuser	%
pma	localhost
root	127.0.0.1
root	::1
root	localhost

Details for account newuser@%

Login

Account Limits

Administrative Roles

Schema Privileges

Schema	Privileges
%	CREATE TEMPORARY TABLES, EXECUTE, SELECT, SHOW VIEW

Schema and Host fields may use % and _ wildcards.
The server will match specific entries before wildcarded ones.

The user 'newuser'@'%' will have the following access rights to any schema:

Object Rights

☒ SELECT

☐ INSERT

☐ UPDATE

☐ DELETE

☒ EXECUTE

☒ SHOW VIEW

DDL Rights

☐ CREATE

☐ ALTER

☐ REFERENCES

☐ INDEX

☐ CREATE VIEW

☐ CREATE ROUTINE

☐ ALTER ROUTINE

☐ EVENT

☐ DROP

☐ TRIGGER

Other Rights

☐ GRANT OPTION

☒ CREATE TEMPORARY TABLES

☐ LOCK TABLES

Revoke All Privileges

Delete Entry

Add Entry...

Unselect All

Select "ALL"

Add Account


Delete

Refresh

Revert

Apply

Criando...



Configurando o usuário criado anteriormente.

Welcome to MySQL Workbench

MySQL Connections

Local instance MySQL80

root
localhost:3307

MySQL XAMPP

root
127.0.0.1:3306

Manage Server Connections

MySQL Connections

- Local instance MySQL80
- MySQL XAMPP
- Delivery

Connection Name:

Connection Method: Method to use to connect to the RDBMS

Parameters SSL Advanced

Hostname: Port: Name or IP address of the server host - and TCP/IP port.

Username: Name of the user to connect with.

Password: The user's password. Will be requested later if it's not set.

Default Schema: The schema to use as default schema. Leave blank to select it later.

New Delete Duplicate Move Up Move Down Test Connection Close

Configurado

Welcome to MySQL

MySQL Workbench is the official graphical user interface for MySQL. It allows you to create and browse your database schemas, work with data, design and run SQL queries to work with stored data. It also allows you to connect to other database vendors to your MySQL database.

[Browse Documentation >](#)

[Read the](#)


MySQL XAMPP

root
127.0.0.1:3306


Delivery

delivery
127.0.0.1:3306


Criando o MER.




Renomeando para o Schema criado.




Adicionando um novo diagrama.



Criando tabelas do MER



Criando os relacionamentos.



MER CONCLUIDO!

