

```

13 {
14     Ссылка: 3
15     public partial class Form1 : Form
16     {
17         Ссылка: 1
18         public Form1()
19         {
20             InitializeComponent();
21             LoadData();
22         }
23
24         Ссылка: 1
25         private void Form1_Load(object sender, EventArgs e)
26         {
27         }
28
29         Ссылка: 1
30         private void LoadData() {
31             string connectionString = "Data Source=DESKTOP-U1U3DFA;Initial Catalog=loli;" + "Integrated Security=true;";
32             SqlConnection myConnection = new SqlConnection(connectionString);
33
34             myConnection.Open();
35
36             string query = "SELECT * FROM Faculties ORDER BY fac_id";

```

```

26     private void LoadData() {
27         string connectionString = "Data Source=DESKTOP-U1U3DFA;Initial Catalog=loli;" + "Integrated Security=true;";
28         SqlConnection myConnection = new SqlConnection(connectionString);
29
30         myConnection.Open();
31
32         string query = "SELECT * FROM Faculties ORDER BY fac_id";
33
34         SqlCommand command = new SqlCommand(query, myConnection);
35         SqlDataReader reader = command.ExecuteReader();
36
37         List<string[]> data = new List<string[]>();
38         while (reader.Read())
39         {
40             data.Add(new string[3]);
41             data[data.Count - 1][0] = reader["fac_id"].ToString();
42             data[data.Count - 1][1] = reader["fac_name_full"].ToString();
43             data[data.Count - 1][2] = reader["fac_name_abbr"].ToString();
44         }
45         reader.Close();
46         myConnection.Close();
47
48         foreach (string[] s in data)
49             dataGridView1.Rows.Add(s);
50     }
51
52     Ссылка: 1
53     private void button1_Click(object sender, EventArgs e)
54     {
55         string facNameFull = textBox1.Text;
56         string facNameAbbr = textBox2.Text;
57
58         string connectionString = "Data Source=DESKTOP-U1U3DFA;Initial Catalog=loli;" + "Integrated Security=true;";
59         using (SqlConnection myConnection = new SqlConnection(connectionString))

```

```

53     private void button1_Click(object sender, EventArgs e)
54     {
55         string facNameFull = textBox1.Text;
56         string facNameAbbr = textBox2.Text;
57
58         string connectionString = "Data Source=DESKTOP-U1U3DFA;Initial Catalog=loli;" + "Integrated Security=true;";
59         using (SqlConnection myConnection = new SqlConnection(connectionString))
60         {
61             myConnection.Open();
62             string query = "SELECT * FROM FacultiesTist2 ORDER BY fac_id";
63             using (SqlCommand command = new SqlCommand(query, myConnection))
64             {
65                 command.Parameters.AddWithValue("@fullName", facNameFull);
66                 command.Parameters.AddWithValue("@abbr", facNameAbbr);
67
68                 int nowId = Convert.ToInt32(command.ExecuteScalar());
69
70                 dataGridView1.Rows.Add(new object[] { nowId, facNameFull, facNameAbbr });
71             }
72         }
73         textBox1.Clear();
74         textBox2.Clear();
75     }
76 }
77
78

```

