# **Linux Practical Exam**

1. Write a command to create new folder

mkdir foldername

```
helly@sf-cpu-383:~$ mkdir linux
helly@sf-cpu-383:~$ ls
3.txt Documents File1 hgg Music OnTime_Logs snap test.txt
bhg Downloads Form linux musichardlink Pictures Templates Videos
Desktop f helly ls new Public test2 模板
```

2. Write a command to find the current path of the folder

pwd

```
helly@sf-cpu-383:~$ pwd
/home/helly
helly@sf-cpu-383:~$ _
```

3. Write a command to move into new created folder

cd foldername

```
helly@sf-cpu-383:~$ cd linux
helly@sf-cpu-383:~/linux$ _
```

4. Write a command to create new file

touch filename

```
helly@sf-cpu-383:~/linux$ touch linux1.txt
helly@sf-cpu-383:~/linux$ ls
linux1.txt
helly@sf-cpu-383:~/linux$ _
```

5. Write a command to add some content in a file

cat > filename - It will overwrite.

cat >> filename - It will append content.

vi filename – Using Vim/Vi editor

```
helly@sf-cpu-383:~/linux$ cat > linux1.txt
Hello
```

```
helly@sf-cpu-383:~/linux$ cat > linux1.txt
Hello
helly@sf-cpu-383:~/linux$ cat >> linux1.txt
Hello 2
helly@sf-cpu-383:~/linux$ cat linux1.txt
Hello
Hello 2
```

```
helly@sf-cpu-383:~/linux$ echo "Same line" >> linux1.txt
helly@sf-cpu-383:~/linux$ cat linux1.txt
Hello
Hello 2
Same line
helly@sf-cpu-383:~/linux$ printf "Same line2" >> linux1.txt
helly@sf-cpu-383:~/linux$ cat linux1.txt
Hello
Hello 2
Same line
Same line2helly@sf-cpu-383:~/linux$ _
```

6. Write a command to find a specific word from a file

cat filename | grep word

```
helly@sf-cpu-383:~/linux$ cat linux1.txt | grep Same Same line
Same line
helly@sf-cpu-383:~/linux$ _
```

Vim editor - /word

7. Write a command to find the size of a file

Is -Ith

```
helly@sf-cpu-383:~$ ls -lth
total 80K
drwxrwsr-x 2 helly installation 4.0K Mar 27 10:11 linux
drwxrwsr-x 34 helly installation 4.0K Mar 27 09:59 OnTime_Logs
```

Here, 4.0K is the size of the directory.

8. Write a command to rename that file

mv filename newname

```
helly@sf-cpu-383:~/linux$ ls
linux1.txt linux.txt
helly@sf-cpu-383:~/linux$ mv linux1.txt linux_temp.txt
helly@sf-cpu-383:~/linux$ ls
linux_temp.txt linux.txt
helly@sf-cpu-383:~/linux$ _
```

9. Write a command to make a copy of a file with another name

cp filename newname

```
helly@sf-cpu-383:~/linux$ ls
linux_temp.txt linux.txt
helly@sf-cpu-383:~/linux$ ls -l
total 8
-rw-rw-r-- 1 helly installation 69 Mar 27 10:21 linux_temp.txt
-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt
helly@sf-cpu-383:~/linux$ cp linux_temp.txt copy_linux.txt
helly@sf-cpu-383:~/linux$ ls -l
total 12
-rw-rw-r-- 1 helly installation 69 Mar 27 10:32 copy_linux.txt
-rw-rw-r-- 1 helly installation 69 Mar 27 10:21 linux_temp.txt
-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt
helly@sf-cpu-383:~/linux$ _
```

#### 10. write a command to show the list of files in folder

```
Is -p | grep -v [*/]
```

```
helly@sf-cpu-383:~$ ls -p | grep -v [*/]
3.txt
bhg
f
File1
helly
hgg
ls
musichardlink
new
test.txt
```

## Is -I | grep "^-"

```
helly@sf-cpu-383:~$ ls -l | grep "^-"

-rwxrwxrwx 1 helly installation 23 Mar 24 10:31 3.txt

-rw-rw-r-- 1 helly installation 5 Mar 23 18:06 bhg

-rw-rw-r-- 1 helly installation 0 Mar 21 12:09 f

-rw-rw-r-- 1 helly installation 7 Mar 24 11:45 File1

-rw-rw-r-- 1 helly installation 15 Mar 24 11:12 helly

-rw-rw-r-- 1 helly installation 0 Mar 23 18:08 hgg

-rw-rw-r-- 1 helly installation 1234 Mar 24 10:59 ls

-rw-rw-r-- 1 helly installation 22 Mar 23 18:21 new

-rw-rw-r-- 1 helly installation 0 Mar 24 16:34 test.txt
```

#### 11. Write a command to move that file to desktop

my filename destination

```
helly@sf-cpu-383:~/linux$ ls
copy_linux.txt fol linux_temp.txt linux.txt
helly@sf-cpu-383:~/linux$ mv copy_linux.txt ../Desktop
helly@sf-cpu-383:~/linux$ ls
fol linux_temp.txt linux.txt
helly@sf-cpu-383:~/linux$ cd ../Desktop
helly@sf-cpu-383:~/Desktop$ ls
copy_linux.txt 'GIT Pracs' 'Git Practical Exam' gittest revert Test
helly@sf-cpu-383:~/Desktop$ _
```

### 12. Write a command to change permissions of the file

chmod u=rwx filename (For owner(u), group(g), others(o),all(a)) chmod u-x filename / chmod u+x filename

#### 13. Write a command to delete file

rm filename

```
helly@sf-cpu-383:~/linux$ ls -l

total 12

drwxrwsr-x 2 helly installation 4096 Mar 27 10:39 fol

-rwxrw-r-- 1 helly installation 69 Mar 27 10:21 linux_temp.txt

-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt

helly@sf-cpu-383:~/linux$ rm linux_temp.txt

helly@sf-cpu-383:~/linux$ ls -l

total 8

drwxrwsr-x 2 helly installation 4096 Mar 27 10:39 fol

-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt

helly@sf-cpu-383:~/linux$ _
```

#### 14. Write a command to delete created folder

rmdir foldername / rm -r foldername

```
helly@sf-cpu-383:~/linux$ ls -l
total 8
drwxrwsr-x 2 helly installation 4096 Mar 27 10:39 fol
-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt
helly@sf-cpu-383:~/linux$ rmdir fol
helly@sf-cpu-383:~/linux$ ls -l
total 4
-rw-rw-r-- 1 helly installation 10 Mar 24 18:39 linux.txt
helly@sf-cpu-383:~/linux$ _
```

15. Write a command to command to find a any file on local machine

find / -name filename

find / -name filename -type f (for only files, d - directories)

```
helly@sf-cpu-383:~/Documents$ find . -name index.html
./Helly/Source Code/jQuery/CSC/index.html
./Helly/Source Code/jQuery/Traffic/index.html
./Helly/Source Code/Calculator/index.html
./Helly/Source Code/SPA/index.html
./Helly/Source Code/JS/index.html
./Helly/Source Code/Email/index.html
./Helly/Source Code/Diary_Form/Form/index.html
./Helly/Source Code/HTML_All_Tags/HTML_All_Tags/index.html
./Helly/Source Code/CRUD/index.html
./Helly/Source Code/Flipkart/index.html
helly@sf-cpu-383:~/Documents$
```

16. Write a command to create a zip of files from specific path on local machine

zip -r zipfilename dirpath\_to\_zip

```
helly@sf-cpu-383:-$ ls

3.txt Documents File1 hgg Music OnTime_Logs snap test.txt

bhg Downloads Form Linux musichardlink Pictures Templates Videos
Desktop f helly ls new Public test2 模板

helly@sf-cpu-383:-$ zip -r ZipofDocuments ./Documents

    zip warning: name not matched: ./Documents/Helly/Source Code/test2/test-sym.txt

    adding: Documents/ (stored 0%)
    adding: Documents/Helly/ (stored 0%)
    adding: Documents/Helly/Source Code/ jQuery/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/remotes/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/remotes/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/remotes/origin/ (stored 0%)
    adding: Documents/Helly/Source Code/jQuery/.git/refs/remotes/origin/csc (stored 0%)
```

```
helly@sf-cpu-383:~$ ls
3.txt f linux OnTime_Logs test2
bhg File1 ls Pictures test.txt
Desktop Form Music Public Videos
Documents helly musichardlink snap ZipofDocuments.zip
Downloads hgg new Templates 模板
```

#### 17. Write a command to unzip

#### unzip zipfilename

```
helly@sf-cpu-383:~/Downloads$ unzip img.zip
Archive: img.zip
replace img/calc.png? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: img/calc.png
replace img/close_icon.png? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: img/close_icon.png
replace img/function_icon.png? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: img/function_icon.png
replace img/icon 2.png? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: img/icon 2.png
replace img/trigo_icon.png? [y]es, [n]o, [A]ll, [N]one, [r]ename: y
extracting: img/trigo_icon.png
```

#### 18. Write a command to download file from specific location on the internet

wget url

```
helly8sf-cpu-383:-/Downloads\( ) wget https://thumbs.dreamstime.com/b/beautiful-rain-forest-ang-ka-nature-trail-doi-inthanon-national-park-thailand-36703721.jpg
--2023-03-27 11:27:49- https://thumbs.dreamstime.com/b/beautiful-rain-forest-ang-ka-nature-trail-doi-inthanon-national-park-thailand-36703721.jpg
Resolving thumbs.dreamstime.com (thumbs.dreamstime.com)|192.229.144.114|:443... connected.
HTTP request sent, awating response... 200 OK
Length: 185325 (181K) [image/jpeg]
Saving to: 'beautiful-rain-forest-ang-ka-nature-trail-doi-inthanon-national-park-thailand-36703721.jpg'
beautiful-rain-fore 100X[============] 180.98K -.-K8/s in 0.03s

2023-03-27 11:27:49 (5.91 MB/s) - 'beautiful-rain-forest-ang-ka-nature-trail-doi-inthanon-national-park-thailand-36703721.jpg' saved [185325/185325]
helly8sf-cpu-383:-/Downloads\( ) s
beautiful-rain-forest-ang-ka-nature-trail-doi-inthanon-national-park-thailand-36703721.jpg 'Intermediate + Answers) - Cambridge English Grammar In Use (1).rtf'
bootstrap-3.3.7 file
font-awesone-4.7.0
helly8sf-cpu-383:-/Downloads\( ) s
ing ing.zip 'The Linux Command Line.pdf'
```

19. Write command to see last 10 lines of a file.

tail filename

```
helly@sf-cpu-383:~/linux$ tail linux.txt
LIne 8
LIne 9
LIne 10
LIne 11
LIne 12
LIne 13
LIne 13
LIne 14
LIne 15
LIne 16
LIne 17
```

20. Write command to see history of a file.

stat filename

```
helly@sf-cpu-383:~/linux$ stat linux.txt
File: linux.txt
Size: 137 Blocks: 8 IO Block: 4096 regular file
Device: fd01h/64769d Inode: 1330796 Links: 1
Access: (0664/-rw-rw-r--) Uid: (1002/ helly) Gid: (1002/installation)
Access: 2023-03-27 11:31:15.821943781 +0530
Modify: 2023-03-27 11:31:09.781972663 +0530
Change: 2023-03-27 11:31:09.781972663 +0530
Birth: 2023-03-24 18:39:32.567077233 +0530
helly@sf-cpu-383:~/linux$ _
```