

Name:			
01			

UNIT EXAM

Unit 2 Linear motion and waves

Time permitted: 70 minutes

	Section	Number of questions	Marks available	Marks achieved
A	Multiple choice	30	30	
В	Short answer	8	40	
	Total		70	

Grade: ____

Scale:

A+	66-70	A	60-65	В	50-59	C	40-49	D	35-39	E	21-34	UG	0-20

Comments:




Section A Multiple choice (30 marks)

Section A consists of 30 questions, each worth one mark. Each question has only one correct answer. Circle the correct answer. Attempt all questions. Marks will not be deducted for incorrect answers. You are advised to spend no more than 30 minutes on this section.

For all questions, the acceleration due to gravity at Earth's surface $g = 9.8 \,\mathrm{m}^{-2}$ and the speed of light in a vacuum is 3.00×10^8 .

- 1 Which of the following is a vector quantity?
 - **A** Distance
 - **B** Displacement
 - **C** Speed
 - **D** Kinetic energy
- 2 A snail is placed 10 cm from the top of a vertically sided bottle. It slips down another 5 cm before someone pushes it up to the top. Find its displacement and the distance it has travelled, counting upwards as positive.
 - A Displacement 0 cm, distance travelled 20 cm
 - **B** Displacement 15 cm, distance travelled 10 cm
 - C Displacement 10 cm, distance travelled 20 cm
 - **D** Displacement $-10 \, \text{cm}$, distance travelled 15 cm
- **3** What is the average acceleration if a skateboarder increases her speed from $2.0 \,\mathrm{m \ s^{-1}}$ to $3.5 \,\mathrm{m \ s^{-1}}$ in $0.5 \,\mathrm{s}$?
 - **A** $0.75 \,\mathrm{m \, s^{-2}}$
 - **B** $1.5 \,\mathrm{m \, s^{-2}}$
 - $C 2.0 \,\mathrm{m\,s^{-2}}$
 - **D** $3.0 \,\mathrm{m}\,\mathrm{s}^{-2}$
- 4 How would you find the velocity of an object from its displacement-time graph?
 - **A** Find the area under the graph.
 - **B** Find the height of the graph at that point.
 - **C** Find the difference between heights at the start and end of the graph.
 - **D** Find the gradient of the graph at that point.

5 What distance has the particle in the graph below travelled?



- **A** 0 m
- **B** 4.0 m
- **C** 14 m
- **D** 28 m

6 Which of the following would be most realistic for a driver having to stop suddenly?

- **A** Braking distance = reaction distance + stopping distance
- **B** Reaction distance = braking distance + stopping distance
- **C** Stopping distance = reaction distance + braking distance
- **D** Stopping distance = speed \times (reaction time + stopping time)
- **7** Which of the following is a non-contact force?
 - A A horse pulling a cart
 - **B** Magnetic technology lifting a train
 - **C** The force of the floor on a table
 - **D** The force of the anchor chain on a ship

8 Which of Newton's laws applies when you pull on a spring to extend it and at the same time feel it pulling on your hand?


- A Newton's first law
- **B** Newton's second law
- **C** Newton's third law
- **D** Newton's law of gravitation

9 Which of Newton's laws applies to explain that the Voyager probe is still travelling in a straight line at a constant velocity?

- A Newton's first law
- **B** Newton's second law
- **C** Newton's third law
- **D** Newton's law of gravitation



10 A force acts on a 100 kg mass, as shown in the diagram below. What is the vertical component of the force?



- **A** $F \sin \theta$
- **B** $F\cos\theta$
- **C** $F \tan \theta$
- **D** 9.8 *F*

11 A 60 kg man is parachuting vertically down from an aeroplane. What is his acceleration when the upwards air resistance is 288 N? Use $g = 9.8 \,\mathrm{m \, s^{-2}}$.

- **A** $4.9 \,\mathrm{m}\,\mathrm{s}^{-2}$
- **B** $5.0 \,\mathrm{m \, s^{-2}}$
- $C 7.5 \,\mathrm{m \, s^{-2}}$
- **D** $9.8 \,\mathrm{m \, s^{-2}}$

12 A satellite orbits Earth at a constant speed. Which statement is true?

- **A** There is no force on the satellite.
- **B** The gravitational force on the satellite is balanced by the centrifugal force.
- **C** The net force on the satellite is zero.
- **D** The velocity is changing in direction due to the external force of gravity.

13 A force of 20 N accelerates a 15 kg mass over 8 m. What is its increase in energy?

- **A** 120 J
- **B** 160 J
- **C** 300 J
- **D** 480 J

14 What is the kinetic energy of a 10 kg mass travelling at $8 \,\mathrm{m \, s^{-1}}$?

- **A** 40 J
- **B** 80 J
- **C** 320 J
- **D** 640 J




15 W	that is the momentum of a 10 kg mass travelling at 8 ms -?
A	40 J
В	80 J
С	320 J
D	640 J
16 W	That is the gain in potential energy if a 10 kg mass is raised 4 m?
Α	40 J
В	80 J
С	98 J
D	392 J
17 W	Thy do brakes get hot when they are used to stop a car?
A	The work done by the brakes produces heat energy.
В	Kinetic energy is converted to heat energy.
С	Potential energy is converted to heat energy.
D	The momentum of the car is transferred to the particles in the brakes.
18 W	That is the power involved if a 200 N force acts on a body moving at $8\mathrm{ms^{-1}}$ in the direction of motion?
Α	800 W
В	1200 W
С	1600 W
D	3200 W
19 W	That is the impulse involved if a 50 N force acts for 6 s on a 12 kg body in the direction of motion?
A	36 N m
В	72 N m
С	300 N m
D	600 N m
20 W	That is the change in velocity if a 50 N force acts for 6 s on a 12 kg body in the direction of motion?
Α	$25\mathrm{ms^{-1}}$
В	$30{\rm ms^{-1}}$
С	$72{ m m}{ m s}^{-1}$
D	$300{\rm ms^{-1}}$



- 21 Which one of the following is true of mechanical waves?
 - A Matter is being transmitted in the direction of the wave.
 - **B** Energy is being transmitted in the direction of the wave.
 - **C** Waves can be represented by a ray drawn parallel to the wave fronts.
 - **D** Mechanical waves are the only form of energy that can travel through space.
- **22** What is the period of a wave?
 - A The distance between two crests of the wave
 - **B** The time between two crests passing
 - **C** The largest distance of a particle from its mean position
 - **D** The number of crests that pass in a fixed time
- 23 Which of the following is not true of longitudinal waves?
 - **A** The particles move back and forth in the direction of energy transfer.
 - **B** Sound waves are an example of longitudinal waves.
 - **C** Longitudinal waves have areas of compression and rarefaction.
 - **D** The particles move perpendicularly to the direction the wave is travelling.
- **24** If a car sounded its horn when stationary, and again when moving rapidly toward you, what would be the difference in sound?
 - **A** When the car is moving toward you the sound would be higher pitched.
 - **B** When the car is moving toward you the sound would be lower pitched.
 - **C** When the car is moving toward you the sound would be louder.
 - **D** There would be no difference between the two sounds.
- 25 What is diffraction of waves?
 - A Waves spread into a space beyond a gap or an obstacle.
 - **B** Waves bend (change direction) when entering a different medium.
 - **C** Waves can be reflected.
 - **D** The speed of waves changes when entering a different medium.
- **26** Which of the following is true about light?
 - **A** Light is a longitudinal wave.
 - **B** Light is a transverse wave.
 - **C** Light is a stream of infinitesimal particles called photons.
 - **D** Light sometimes behaves like a wave and sometimes like particles.



- 27 Which of the following types of electromagnetic radiation has the lowest frequency?
 - A visible light
 - **B** radio waves
 - C γ rays
 - **D** infra-red light
- 28 Which of the following is the angle of incidence?



- A Angle A
- **B** Angle B
- **c** Angle C
- **D** Angle D
- **29** What is Snell's law, if i = angle of incidence and r = angle of refraction?
 - $\mathbf{A} \quad i = r$
 - $\mathbf{B} = \frac{i}{r}$ is constant.
 - **c** $\frac{\sin i}{\sin r}$ is constant.
 - **D** $\frac{\cos i}{\cos r}$ is constant.
- **30** The refractive index of water is 1.33 and the refractive index of flint glass is 1.65. What is the refractive index of flint glass relative to water?
 - **A** 0.32
 - **B** 0.81
 - **C** 1.24
 - **D** 1.46



Section B Short answer (40 marks)

Section B consists of 8 questions. Write your answers in the spaces provided. You are advised to spend 40 minutes on this section.

- 1 A small rocket of mass 1.5 kg is powered by a force of 21 N which acts for 10 s.
 - a What impulse is provided by the net force on the rocket?

b Find the rocket's momentum the instant the force is no longer acting on the rocket.

c Find the rocket's velocity and kinetic energy at this point.

d How much higher will the rocket rise?

e How much work has been done by the net force on the rocket?




Ų	N	
	f	Use the result in part e to find the total height the rocket will reach.
	g	Show that the total energy at the point in part c (potential and kinetic) is equal to the potential energy at its highest point.
		(10 marks)
2		small rocket of mass 1.5 kg is at rest in space and contains 300g of propellant. The explosive propellant is orced away from the rocket, at an average velocity of 60m s^{-1} .
	а	Find the final velocity of the rocket.



b Explain how Newton's third law applies to this situation.


(3 marks)

3 A person is pulling on a 75 kg crate on a rough surface with a rope, as shown in the diagram.



a Show all forces acting on the crate.







5		in a swimming pool. The distance from top (crest) to bottom (trough) is ng produced every 4 s. The waves take 20 s to travel the 50 m length of the
	a the amplitude of the waves.	
	b the period and frequency of	the waves.
	c the distance apart of each wa	ve.
6		(5 marks)
	speed of sound in the room is 3	30 m s ⁻¹ . owing the nodes and antinodes.
	a Draw the viorating string, si	owing the nodes and antimodes.
	b What is the frequency of the	third harmonic?
	c What is the wavelength of th	e third harmonic?



	d What is the speed of the waves in the string?	
	e If the upper limit of human hearing is 20 kHz, which is the lowest harmonic that can be heard?	
7	A certain substance has a refractive index of 1.24. a What is the critical angle for light travelling through this substance to the interface with the air	6 marks)
	b If the speed of light in a vacuum is 3.00×10^8 , what is the speed of light in this substance?	
8	A convex lens has a focal length of 10 cm. An object 2 cm high sits 15 cm to the left of the lens. Desthe image in terms of: a whether it is real or vertical and its orientation	2 marks) scribe
	b its position	
	c its size and the magnification.	

(4 marks)