

```
hemap@Hemapriyaa MINGW64 ~  
$ cd ~/GitDemo  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ echo "This is a log file" >> sample.log  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ mkdir log  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ echo "This is inside the log folder" >> log/activity.log  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ git status  
On branch main  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    log/  
    sample.log  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ echo "*.log" >> .gitignore  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ echo "log/" >> .gitignore  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ cat .gitignore  
*.log  
log/  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ git status  
On branch main  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    .gitignore  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ git add .gitignore  
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it  
  
hemap@Hemapriyaa MINGW64 ~/GitDemo (main)  
$ git commit -m "week-6"
```

```

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ git commit -m "week-6"
[main 69217a7] week-6
1 file changed, 2 insertions(+)
create mode 100644 .gitignore

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cp .gitignore ~/CTS-DigitalNurture/WEEK-6/
cp: cannot create regular file '/c/Users/hemap/CTS-DigitalNurture/WEEK-6/': No such file or directory

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ ls ~/CTS-DigitalNurture
ls: cannot access '/c/Users/hemap/CTS-DigitalNurture': No such file or directory

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cd~
bash: cd~: command not found

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cd ~

hemap@Hemapriyaa MINGW64 ~
$ git clone https://github.com/Hema-priyaa/CTS-DigitalNurture.git
Cloning into 'CTS-DigitalNurture'...
remote: Enumerating objects: 298, done.
remote: Counting objects: 100% (298/298), done.
remote: Compressing objects: 100% (261/261), done.
remote: Total 298 (delta 122), reused 127 (delta 24), pack-reused 0 (from 0)
Receiving objects: 100% (298/298), 12.52 MiB | 8.90 MiB/s, done.
Resolving deltas: 100% (122/122), done.

hemap@Hemapriyaa MINGW64 ~
$ ls ~/CTS-DigitalNurture
DSA.pdf                               Slf4JBasics.pdf                'WEEK- 5'/'
DesignPatternPrinciples.pdf          'Spring Core and Maven - Mandatory Hands On.pdf' 'WEEK-1'/'
JUnitBasics.pdf                      'WEEK- 2'/'                    'WEEK-6'/'
MockitoBasics.pdf                   'WEEK- 3'/'
PLSQL-Excercise.pdf                  'WEEK- 4'/'

hemap@Hemapriyaa MINGW64 ~
$ cd ~/GitDemo

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cp .gitignore ~/CTS-DigitalNurture/WEEK-6/

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cp sample.log ~/CTS-DigitalNurture/WEEK-6/

```

```

hemap@Hemapriyaa MINGW64 ~/GitDemo (main)
$ cd ~/CTS-DigitalNurture

hemap@Hemapriyaa MINGW64 ~/CTS-DigitalNurture (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    WEEK-6/.gitignore

nothing added to commit but untracked files present (use "git add" to track)

hemap@Hemapriyaa MINGW64 ~/CTS-DigitalNurture (main)
$ git add WEEK-6/.gitignore
warning: in the working copy of 'WEEK-6/.gitignore', LF will be replaced by CRLF the next time Git touches it

hemap@Hemapriyaa MINGW64 ~/CTS-DigitalNurture (main)
$ git commit -m "week-6"
[main 43a5074] week-6
1 file changed, 2 insertions(+)
create mode 100644 WEEK-6/.gitignore

hemap@Hemapriyaa MINGW64 ~/CTS-DigitalNurture (main)
$ git push origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 403 bytes | 201.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Hema-priyaa/CTS-DigitalNurture.git
25a04e7..43a5074 main -> main

```