VELOOP REWARDS

DATA ANALYST INTERNSHIP — TASK 01

Product Analytics, Data Readiness & Data Management Blueprint

Prepared from	Assignment PDF and VELOOP_Task01.xlsx supplied for review
Review date	17 October 2026
Submission type	Analytics design and data-readiness specification
Evidence status	Proposed requirements are separated from verified facts

Submission integrity note

This report does not present fictional VELOOP performance statistics. The source workbook includes proposed analytics specifications, dictionaries, KPI definitions, data-quality checks and a logical model. The raw simulated working datasets listed in the assignment were not present in the files reviewed; therefore dataset-dependent profiling and measured issue counts remain incomplete.

Companion file: VELOOP_Task01_Final_Submission.xlsx

1. Executive Summary

The objective of this work is to define an analytics foundation for VELOOP Rewards: the data the product should collect, how events and transactions should be structured, how data quality should be checked, what management should measure, and what Engineering should implement. The assignment explicitly requires careful distinction between verified product facts, proposed requirements, assumptions and simulated data.

What was reviewed

The assignment PDF and the supplied Excel workbook were reviewed. The workbook contains product mapping and analytics gaps, a data coverage matrix, user analytics, earning/reward analytics, wallet/withdrawal analytics, referral and task analytics, a data dictionary, event dictionary, KPI catalogue, profiling and quality sheets, an assumption register, a logical data model and an ER diagram sheet.

Workbook count checks

Area	Current row count	Assignment minimum	Interpretation
Data Dictionary	76 entries	75+ fields	Count threshold met; field-level quality still needs review.
Event Dictionary	36 entries	25+ events	Count threshold met; trigger/schema consistency needs review.
KPI Catalogue	31 entries	30+ KPIs	Count threshold met; definitions and formulas need validation.

Key limitation

The raw simulated datasets expected by the assignment (Users, Task Activity, Rewards, Wallet, Withdrawals, Referrals, Feature Events and Messy Data) were not included in the files reviewed. Actual record counts, date ranges, unique-ID counts, duplicate rates, missing-value rates and affected-record counts cannot be computed without those files.

Recommended priorities

1. Obtain the expected simulated datasets and run repeatable profiling. 2. Confirm feature implementation status with official product documentation or the product owner. 3. Approve stable identifiers and event schema. 4. Define authoritative reward and wallet transaction outcomes. 5. Validate KPI formulas and cohort rules. 6. Implement automated data-quality checks. 7. Review dashboard requirements and handoff criteria with Engineering and Product.

2. Data Design and Measurement Recommendations

Product and event coverage

Use a consistent event envelope with event_name, event_id, event_timestamp, user_id when known, session_id where appropriate, feature/module, platform, source_system and schema_version. Maintain separate events for user actions, system actions and business outcomes. For example, task completion is not equivalent to a reward being credited; reward credit should be recorded only after the authoritative backend/ledger outcome succeeds.

User and engagement analytics

Define a stable user identifier and document the rules for active users, activation, onboarding and retention before publishing KPIs. Registration source, device/platform, lifecycle timestamps and qualifying activity events should be collected only where justified. Avoid unnecessary personal information in analytics datasets.

Earning, rewards and external dependencies

Track earning activity through discovery, start, completion, validation and reward outcome. Record failed, abandoned, rejected and system-error outcomes using an agreed taxonomy; do not invent internal failure codes. Where ads, surveys, offers, games or external tracking providers are involved, account for delayed callbacks and outcomes outside VELOOP's direct control.

Wallet and withdrawals

Use a transaction-level model containing transaction_id, user_id, timestamp, transaction type, amount, unit, status, source, reference ID and reversal/correction linkage where applicable. Model withdrawal request, processing, completion, rejection and reversal as distinguishable states. Reconcile ledger outcomes rather than inferring success from a button click or frontend message.

Data quality and governance

Proposed automated checks include required and unique identifiers, allowed status values, timestamp validity and ordering, referential integrity, duplicate event delivery, amount/unit validation, schema drift and reconciliation exceptions. Access should follow least privilege, analytics identifiers should be pseudonymous where appropriate, and retention/change-control rules should be documented by the responsible owners.

Dashboard blueprint

Recommended dashboard views are Executive Overview; Acquisition & Activation; Engagement & Retention; Earning Funnel; Wallet & Withdrawals; Referral Performance; and Data Quality & Readiness. Each view should show metric definitions, source, refresh time and an unavailable-data state until approved data is connected.

3. Readiness, Risks and Next Actions

Current readiness

The workbook is a structured design draft with several required specification areas present. Count thresholds for the data dictionary, event dictionary and KPI catalogue are met by row count. This does not independently prove that each field, event or KPI is complete, non-duplicative, implementable or validated against a real dataset.

Items still blocked or requiring confirmation

Item	Status	Next action
Simulated data profiling	Blocked — raw data not supplied	Request datasets; calculate rows, columns, date ranges, uniqueness, duplicates and missin
Measured data-quality audit	Design present; counts unavailable	Run checks against the datasets and preserve reproducible evidence.
Product implementation facts	To Be Verified	Confirm feature list, actual states and event support with official source/product owner.
ER/logical model	Review required	Validate PK/FK and cardinalities against agreed entities; remove unsupported relationships.
KPI definitions	Review required	Agree grain, denominator, time zone, cohort windows, exclusions and owners.
Dashboard and engineering handoff	Proposed	Review specifications with Product, Engineering and Analytics; add approved owners and re

Conclusion

The work provides a foundation for VELOOP's future analytics implementation and identifies the evidence needed to complete the data-readiness assessment. The highest-priority gap is the absence of raw simulated datasets, which prevents measured profiling and quality findings. Until the datasets and product confirmations are available, proposed designs should remain clearly labelled Proposed or To Be Verified. No fictional result should be represented as actual VELOOP performance.

Companion workbook contents

The updated workbook includes the original working tabs plus a Read Me index, Source Register, Dashboard Blueprint, Developer Handoff, Pipeline & Governance Proposal, Implementation Backlog, Readiness Assessment and Executive Summary. Use the workbook as the detailed specification artifact and this report as the consolidated narrative summary.

References: (1) VELOOP Rewards Data Analyst Internship — Task 01 assignment PDF supplied by the user. (2) VELOOP_Task01.xlsx supplied by the user. No external product facts were added.