

Lot Screening Report

Report Reference ID: RPT-D3D55142B1
Generated: 2026-10-03T17:48:43.354078+00:00
Part Number: DEMO-PN
Lot ID: DEMO-COMPLETE-01
Date Code: 2601
Manufacturer: Northvale Semiconductor
Test Date: not recorded at ingestion
Lot Status: COMPLETE

Methodology

Parts were screened using two complementary modules. Module A flags components that are statistically anomalous relative to their own lot, even when every reading is inside the part's datasheet limit, combining a robust per-parameter z-score, Minimum Covariance Determinant (MCD) distance and an ECOD outlier score. The detector also supports an Isolation Forest score from a pooled cross-lot reference, but the live pipeline supplies no such reference, so that score does not contribute in this build; a REJECT verdict requires corroboration from an explainable detector (z-score or MCD). Module B forecasts each part's 168-hour reading from its 0h/24h readings and flags early rejection against a calibrated safety slope, where trained for the part's parameter; it declines to forecast, rather than guess, for any parameter outside the three it was trained on. The FN:FP cost ratio and PDA threshold used below are disclosed, adjustable defaults, not values derived from field failure data - see the system's Settings screen for their current values.

Summary

Quantity Screened: 77
Quantity Flagged: 15
PDA Result: 0.0779
Overall Lot Disposition: REJECT

Delta-Data Table

Component	Param	Unit	0h	24h	d24h	96h	d96h	168h	d168h	Verdict
DEMO-COMPLETE-01	Temp	uA	6.1	6.39	0.29	6.68	0.58	6.54	0.44	WATCH
DEMO-COMPLETE-01	Temp	nA	2.46	2.5	0.04	2.62	0.16	2.63	0.17	WATCH
DEMO-COMPLETE-01	Temp	ns	4.497	4.576	0.079	4.579	0.082	4.67	0.173	WATCH
DEMO-COMPLETE-01	Temp	uA	6.72	7.36	0.64	7.5	0.78	7.16	0.44	PASS
DEMO-COMPLETE-01	Temp	nA	3.59	3.8	0.21	3.9	0.31	3.96	0.37	PASS
DEMO-COMPLETE-01	Temp	ns	3.55	3.632	0.082	3.62	0.07	3.66	0.11	PASS
DEMO-COMPLETE-01	Temp	uA	5.72	6.13	0.41	6.48	0.76	6.38	0.66	PASS
DEMO-COMPLETE-01	Temp	nA	3.21	3.36	0.15	3.54	0.33	3.5	0.29	PASS
DEMO-COMPLETE-01	Temp	ns	3.745	3.89	0.145	3.869	0.124	3.898	0.153	PASS
DEMO-COMPLETE-01	Temp	uA	7.47	7.46	-0.01	7.69	0.22	7.67	0.2	PASS
DEMO-COMPLETE-01	Temp	nA	3.08	3.32	0.24	3.36	0.28	3.45	0.37	PASS
DEMO-COMPLETE-01	Temp	ns	3.939	4.034	0.095	4.11	0.171	4.144	0.205	PASS
DEMO-COMPLETE-01	Temp	uA	6.06	6.87	0.81	10.93	4.87	15.22	9.16	REJECT
DEMO-COMPLETE-01	Temp	nA	3.73	3.88	0.15	5.5	1.77	7.21	3.48	REJECT
DEMO-COMPLETE-01	Temp	ns	3.366	3.429	0.063	3.724	0.358	4.218	0.852	REJECT
DEMO-COMPLETE-01	Temp	uA	5.17	5.33	0.16	5.64	0.47	5.57	0.4	PASS
DEMO-COMPLETE-01	Temp	nA	4.48	4.63	0.15	4.68	0.2	4.68	0.2	PASS

DEMO-COMPLE	TestPage0005	ns	3.423	3.482	0.059	3.498	0.075	3.565	0.142	PASS
DEMO-COMPLE	TestPage0006	uA	5.43	5.88	0.45	6.15	0.72	6.04	0.61	PASS
DEMO-COMPLE	TestPage0006	nA	3.04	3.26	0.22	3.28	0.24	3.36	0.32	PASS
DEMO-COMPLE	TestPage0006	ns	3.898	4.022	0.124	3.965	0.067	4.052	0.154	PASS
DEMO-COMPLE	TestPage0007	uA	6.2	6.11	-0.09	6.79	0.59	6.58	0.38	WATCH
DEMO-COMPLE	TestPage0007	nA	4.45	4.72	0.27	4.96	0.51	5.05	0.6	WATCH
DEMO-COMPLE	TestPage0007	ns	3.117	3.192	0.075	3.18	0.063	3.257	0.14	WATCH
DEMO-COMPLE	TestPage0008	uA	5.95	5.81	-0.14	6.36	0.41	6.04	0.09	PASS
DEMO-COMPLE	TestPage0008	nA	2.6	2.95	0.35	3.06	0.46	3.16	0.56	PASS
DEMO-COMPLE	TestPage0008	ns	3.5	3.596	0.096	3.594	0.094	3.677	0.177	PASS
DEMO-COMPLE	TestPage0009	uA	6.07	6.22	0.15	6.42	0.35	6.54	0.47	PASS
DEMO-COMPLE	TestPage0009	nA	2.85	3.09	0.24	3.19	0.34	3.04	0.19	PASS
DEMO-COMPLE	TestPage0009	ns	4.204	4.378	0.174	4.427	0.223	4.354	0.15	PASS
DEMO-COMPLE	TestPage0010	uA	5.79	5.51	-0.28	5.87	0.08	5.65	-0.14	PASS
DEMO-COMPLE	TestPage0010	nA	3.79	3.94	0.15	3.92	0.13	4.08	0.29	PASS
DEMO-COMPLE	TestPage0010	ns	3.41	3.542	0.132	3.554	0.144	3.59	0.18	PASS
DEMO-COMPLE	TestPage0011	uA	6.26	6.37	0.11	6.87	0.61	6.49	0.23	PASS
DEMO-COMPLE	TestPage0011	nA	3.48	3.62	0.14	3.82	0.34	3.72	0.24	PASS
DEMO-COMPLE	TestPage0011	ns	3.893	3.922	0.029	3.91	0.017	3.966	0.073	PASS
DEMO-COMPLE	TestPage0012	uA	6.49	6.28	-0.21	6.94	0.45	6.54	0.05	PASS
DEMO-COMPLE	TestPage0012	nA	2.96	3.12	0.16	3.26	0.3	3.22	0.26	PASS
DEMO-COMPLE	TestPage0012	ns	3.601	3.747	0.146	3.711	0.11	3.757	0.156	PASS
DEMO-COMPLE	TestPage0013	uA	7.2	7.33	0.13	7.43	0.23	7.44	0.24	PASS
DEMO-COMPLE	TestPage0013	nA	3.86	3.9	0.04	3.95	0.09	3.97	0.11	PASS
DEMO-COMPLE	TestPage0013	ns	3.79	3.839	0.049	3.814	0.024	3.918	0.128	PASS
DEMO-COMPLE	TestPage0014	uA	4.6	4.62	0.02	5.12	0.52	4.93	0.33	WATCH
DEMO-COMPLE	TestPage0014	nA	2.8	2.69	-0.11	2.98	0.18	2.79	-0.01	WATCH
DEMO-COMPLE	TestPage0014	ns	3.72	3.818	0.098	3.852	0.132	3.87	0.15	WATCH
DEMO-COMPLE	TestPage0015	uA	5.45	5.51	0.06	5.82	0.37	5.78	0.33	PASS
DEMO-COMPLE	TestPage0015	nA	3.98	4.13	0.15	4.13	0.15	4.18	0.2	PASS
DEMO-COMPLE	TestPage0015	ns	3.361	3.454	0.093	3.495	0.134	3.511	0.15	PASS
DEMO-COMPLE	TestPage0016	uA	7.28	7.2	-0.08	7.61	0.33	7.52	0.24	PASS
DEMO-COMPLE	TestPage0016	nA	3.26	3.34	0.08	3.58	0.32	3.46	0.2	PASS
DEMO-COMPLE	TestPage0016	ns	3.706	3.877	0.171	3.911	0.205	3.913	0.207	PASS
DEMO-COMPLE	TestPage0017	uA	6.44	6.45	0.01	6.94	0.5	6.87	0.43	PASS
DEMO-COMPLE	TestPage0017	nA	2.5	2.65	0.15	2.78	0.28	2.71	0.21	PASS
DEMO-COMPLE	TestPage0017	ns	3.414	3.592	0.178	3.663	0.249	3.722	0.308	PASS
DEMO-COMPLE	TestPage0018	uA	6.75	6.87	0.12	7.02	0.27	6.84	0.09	PASS
DEMO-COMPLE	TestPage0018	nA	3.6	3.85	0.25	3.9	0.3	4.05	0.45	PASS
DEMO-COMPLE	TestPage0018	ns	3.816	3.908	0.092	3.878	0.062	3.921	0.105	PASS
DEMO-COMPLE	TestPage0019	uA	5.86	5.74	-0.12	6.24	0.38	6.07	0.21	PASS
DEMO-COMPLE	TestPage0019	nA	3.77	3.89	0.12	3.95	0.18	3.95	0.18	PASS
DEMO-COMPLE	TestPage0019	ns	3.701	3.724	0.023	3.719	0.018	3.754	0.053	PASS
DEMO-COMPLE	TestPage0020	uA	5.77	5.49	-0.28	5.9	0.13	5.76	-0.01	PASS
DEMO-COMPLE	TestPage0020	nA	2.64	2.74	0.1	2.85	0.21	2.69	0.05	PASS

DEMO-COMPLE	TestPage0020	ns	3.928	4.096	0.168	4.077	0.149	4.136	0.208	PASS
DEMO-COMPLE	TestPage0021	uA	6.27	6.24	-0.03	6.45	0.18	6.29	0.02	PASS
DEMO-COMPLE	TestPage0021	nA	4.29	4.51	0.22	4.74	0.45	4.79	0.5	PASS
DEMO-COMPLE	TestPage0021	ns	3.626	3.644	0.018	3.673	0.047	3.721	0.095	PASS
DEMO-COMPLE	TestPage0022	uA	6	5.95	-0.05	6.24	0.24	6.5	0.5	PASS
DEMO-COMPLE	TestPage0022	nA	4.52	4.46	-0.06	4.7	0.18	4.63	0.11	PASS
DEMO-COMPLE	TestPage0022	ns	3.905	4.038	0.133	3.995	0.09	4.045	0.14	PASS
DEMO-COMPLE	TestPage0023	uA	6.09	7.19	1.1	7.74	1.65	7.82	1.73	REJECT
DEMO-COMPLE	TestPage0023	nA	3.73	4.27	0.54	4.74	1.01	4.88	1.15	REJECT
DEMO-COMPLE	TestPage0023	ns	4.08	4.307	0.227	4.417	0.337	4.459	0.379	REJECT
DEMO-COMPLE	TestPage0024	uA	7.21	7.2	-0.01	7.93	0.72	7.98	0.77	PASS
DEMO-COMPLE	TestPage0024	nA	3.4	3.52	0.12	3.76	0.36	3.78	0.38	PASS
DEMO-COMPLE	TestPage0024	ns	3.462	3.54	0.078	3.502	0.04	3.561	0.099	PASS
DEMO-COMPLE	TestPage0025	uA	6	5.86	-0.14	6.16	0.16	5.96	-0.04	PASS
DEMO-COMPLE	TestPage0025	nA	2.71	2.89	0.18	3	0.29	3.02	0.31	PASS
DEMO-COMPLE	TestPage0025	ns	4.147	4.272	0.125	4.225	0.078	4.312	0.165	PASS
DEMO-COMPLE	TestPage0026	uA	7.78	8.42	0.64	8.78	1	8.36	0.58	PASS
DEMO-COMPLE	TestPage0026	nA	3.94	3.98	0.04	4.17	0.23	3.89	-0.05	PASS
DEMO-COMPLE	TestPage0026	ns	3.847	3.926	0.079	3.97	0.123	3.961	0.114	PASS
DEMO-COMPLE	TestPage0027	uA	6.25	6.33	0.08	6.77	0.52	6.49	0.24	PASS
DEMO-COMPLE	TestPage0027	nA	4.04	4.51	0.47	4.46	0.42	4.63	0.59	PASS
DEMO-COMPLE	TestPage0027	ns	3.724	3.834	0.11	3.901	0.177	3.951	0.227	PASS
DEMO-COMPLE	TestPage0028	uA	6.84	6.81	-0.03	6.95	0.11	6.71	-0.13	PASS
DEMO-COMPLE	TestPage0028	nA	3.05	3.16	0.11	3.29	0.24	3.32	0.27	PASS
DEMO-COMPLE	TestPage0028	ns	3.713	3.785	0.072	3.816	0.103	3.793	0.08	PASS
DEMO-COMPLE	TestPage0029	uA	5.62	5.97	0.35	6.67	1.05	6.26	0.64	PASS
DEMO-COMPLE	TestPage0029	nA	3.1	3.17	0.07	3.21	0.11	3.19	0.09	PASS
DEMO-COMPLE	TestPage0029	ns	4.013	4.142	0.129	4.139	0.126	4.165	0.152	PASS
DEMO-COMPLE	TestPage0030	uA	5.18	4.96	-0.22	5.37	0.19	5.19	0.01	PASS
DEMO-COMPLE	TestPage0030	nA	3.12	3.4	0.28	3.62	0.5	3.54	0.42	PASS
DEMO-COMPLE	TestPage0030	ns	3.866	3.902	0.036	3.901	0.035	3.925	0.059	PASS
DEMO-COMPLE	TestPage0031	uA	10.35	10.39	0.04	10.87	0.52	10.61	0.26	WATCH
DEMO-COMPLE	TestPage0031	nA	3.18	3.29	0.11	3.51	0.33	3.33	0.15	WATCH
DEMO-COMPLE	TestPage0031	ns	3.803	3.852	0.049	3.839	0.036	3.872	0.069	WATCH
DEMO-COMPLE	TestPage0032	uA	6.41	6.62	0.21	6.83	0.42	6.51	0.1	PASS
DEMO-COMPLE	TestPage0032	nA	2.93	3.23	0.3	3.35	0.42	3.49	0.56	PASS
DEMO-COMPLE	TestPage0032	ns	4.095	4.3	0.205	4.298	0.203	4.38	0.285	PASS
DEMO-COMPLE	TestPage0033	uA	5.13	5.3	0.17	5.74	0.61	5.55	0.42	PASS
DEMO-COMPLE	TestPage0033	nA	3.89	4.05	0.16	4.24	0.35	4.36	0.47	PASS
DEMO-COMPLE	TestPage0033	ns	3.528	3.571	0.043	3.588	0.06	3.647	0.119	PASS
DEMO-COMPLE	TestPage0034	uA	6.59	6.54	-0.05	7.31	0.72	7.25	0.66	WATCH
DEMO-COMPLE	TestPage0034	nA	3.19	3.33	0.14	3.36	0.17	3.31	0.12	WATCH
DEMO-COMPLE	TestPage0034	ns	4.607	4.704	0.097	4.717	0.11	4.8	0.193	WATCH
DEMO-COMPLE	TestPage0035	uA	6.57	6.87	0.3	6.94	0.37	7.04	0.47	WATCH
DEMO-COMPLE	TestPage0035	nA	3.68	3.85	0.17	3.97	0.29	4.05	0.37	WATCH

DEMO-COMPLE	TestPage0035	ns	3.159	3.248	0.089	3.266	0.107	3.325	0.166	WATCH
DEMO-COMPLE	TestPage0036	uA	7.95	8.43	0.48	8.86	0.91	8.6	0.65	PASS
DEMO-COMPLE	TestPage0036	nA	3.08	3.26	0.18	3.34	0.26	3.19	0.11	PASS
DEMO-COMPLE	TestPage0036	ns	3.619	3.734	0.115	3.763	0.144	3.783	0.164	PASS
DEMO-COMPLE	TestPage0037	uA	7.72	7.66	-0.06	8.11	0.39	8.05	0.33	PASS
DEMO-COMPLE	TestPage0037	nA	3.3	3.24	-0.06	3.43	0.13	3.54	0.24	PASS
DEMO-COMPLE	TestPage0037	ns	3.429	3.538	0.109	3.546	0.117	3.555	0.126	PASS
DEMO-COMPLE	TestPage0038	uA	6.33	6.29	-0.04	6.39	0.06	6.23	-0.1	PASS
DEMO-COMPLE	TestPage0038	nA	3.41	3.45	0.04	3.6	0.19	3.67	0.26	PASS
DEMO-COMPLE	TestPage0038	ns	3.364	3.485	0.121	3.487	0.123	3.555	0.191	PASS
DEMO-COMPLE	TestPage0039	uA	6.17	6.63	0.46	6.95	0.78	6.79	0.62	PASS
DEMO-COMPLE	TestPage0039	nA	3.21	3.3	0.09	3.48	0.27	3.45	0.24	PASS
DEMO-COMPLE	TestPage0039	ns	3.731	3.82	0.089	3.793	0.062	3.848	0.117	PASS
DEMO-COMPLE	TestPage0040	uA	8.11	8.54	0.43	8.8	0.69	8.98	0.87	PASS
DEMO-COMPLE	TestPage0040	nA	3.19	3.17	-0.02	3.35	0.16	3.35	0.16	PASS
DEMO-COMPLE	TestPage0040	ns	3.688	3.758	0.07	3.788	0.1	3.824	0.136	PASS
DEMO-COMPLE	TestPage0041	uA	5.8	5.8	0	6.57	0.77	6.66	0.86	PASS
DEMO-COMPLE	TestPage0041	nA	3.62	3.76	0.14	3.84	0.22	3.92	0.3	PASS
DEMO-COMPLE	TestPage0041	ns	3.712	3.814	0.102	3.799	0.087	3.853	0.141	PASS
DEMO-COMPLE	TestPage0042	uA	5.95	5.92	-0.03	6.24	0.29	5.86	-0.09	WATCH
DEMO-COMPLE	TestPage0042	nA	5.15	5.07	-0.08	5.43	0.28	5.37	0.22	WATCH
DEMO-COMPLE	TestPage0042	ns	3.671	3.739	0.068	3.747	0.076	3.784	0.113	WATCH
DEMO-COMPLE	TestPage0043	uA	7.51	7.78	0.27	8.33	0.82	8.18	0.67	PASS
DEMO-COMPLE	TestPage0043	nA	3.68	3.92	0.24	4.01	0.33	3.89	0.21	PASS
DEMO-COMPLE	TestPage0043	ns	3.458	3.552	0.094	3.5	0.042	3.611	0.153	PASS
DEMO-COMPLE	TestPage0044	uA	5.98	6.06	0.08	6.21	0.23	6.3	0.32	PASS
DEMO-COMPLE	TestPage0044	nA	2.3	2.55	0.25	2.56	0.26	2.59	0.29	PASS
DEMO-COMPLE	TestPage0044	ns	4.03	4.104	0.074	4.117	0.087	4.125	0.095	PASS
DEMO-COMPLE	TestPage0045	uA	6	6.2	0.2	6.53	0.53	6.14	0.14	WATCH
DEMO-COMPLE	TestPage0045	nA	2.29	2.5	0.21	2.75	0.46	2.64	0.35	WATCH
DEMO-COMPLE	TestPage0045	ns	3.831	3.969	0.138	3.998	0.167	4.02	0.189	WATCH
DEMO-COMPLE	TestPage0046	uA	5.68	5.62	-0.06	5.85	0.17	5.74	0.06	PASS
DEMO-COMPLE	TestPage0046	nA	3.55	3.59	0.04	3.55	0	3.55	0	PASS
DEMO-COMPLE	TestPage0046	ns	3.727	3.781	0.054	3.829	0.102	3.877	0.15	PASS
DEMO-COMPLE	TestPage0047	uA	7.56	7.9	0.34	8.52	0.96	8.36	0.8	PASS
DEMO-COMPLE	TestPage0047	nA	2.65	2.79	0.14	2.86	0.21	2.88	0.23	PASS
DEMO-COMPLE	TestPage0047	ns	4.193	4.295	0.102	4.281	0.088	4.335	0.142	PASS
DEMO-COMPLE	TestPage0048	uA	6.29	6.44	0.15	6.97	0.68	6.66	0.37	PASS
DEMO-COMPLE	TestPage0048	nA	3.49	3.54	0.05	3.74	0.25	3.73	0.24	PASS
DEMO-COMPLE	TestPage0048	ns	3.45	3.492	0.042	3.481	0.031	3.559	0.109	PASS
DEMO-COMPLE	TestPage0049	uA	5.93	6.22	0.29	6.98	1.05	6.8	0.87	PASS
DEMO-COMPLE	TestPage0049	nA	4.14	4.31	0.17	4.45	0.31	4.64	0.5	PASS
DEMO-COMPLE	TestPage0049	ns	3.779	3.9	0.121	3.889	0.11	3.939	0.16	PASS
DEMO-COMPLE	TestPage0050	uA	8.59	9.26	0.67	9.77	1.18	9.9	1.31	REJECT
DEMO-COMPLE	TestPage0050	nA	2.9	2.95	0.05	3.15	0.25	2.99	0.09	REJECT

DEMO-COMPLE	TestPage0050	ns	3.653	3.751	0.098	3.736	0.083	3.821	0.168	REJECT
DEMO-COMPLE	TestPage0051	uA	6.88	6.87	-0.01	7.38	0.5	7.37	0.49	PASS
DEMO-COMPLE	TestPage0051	nA	3.28	3.41	0.13	3.62	0.34	3.65	0.37	PASS
DEMO-COMPLE	TestPage0051	ns	3.946	3.983	0.037	3.994	0.048	4.033	0.087	PASS
DEMO-COMPLE	TestPage0052	uA	6.92	7.35	0.43	7.69	0.77	7.26	0.34	PASS
DEMO-COMPLE	TestPage0052	nA	3.67	3.91	0.24	4.14	0.47	4.15	0.48	PASS
DEMO-COMPLE	TestPage0052	ns	4.074	4.164	0.09	4.185	0.111	4.181	0.107	PASS
DEMO-COMPLE	TestPage0053	uA	5.32	5.28	-0.04	5.61	0.29	5.45	0.13	PASS
DEMO-COMPLE	TestPage0053	nA	3	3.12	0.12	3.26	0.26	3.38	0.38	PASS
DEMO-COMPLE	TestPage0053	ns	3.484	3.598	0.114	3.645	0.161	3.706	0.222	PASS
DEMO-COMPLE	TestPage0054	uA	5.67	6.05	0.38	6.38	0.71	6.2	0.53	PASS
DEMO-COMPLE	TestPage0054	nA	3.06	3.05	-0.01	3.21	0.15	3.03	-0.03	PASS
DEMO-COMPLE	TestPage0054	ns	3.414	3.483	0.069	3.516	0.102	3.546	0.132	PASS
DEMO-COMPLE	TestPage0055	uA	7.92	8.1	0.18	8.34	0.42	7.97	0.05	PASS
DEMO-COMPLE	TestPage0055	nA	2.76	2.72	-0.04	2.86	0.1	2.84	0.08	PASS
DEMO-COMPLE	TestPage0055	ns	4.149	4.238	0.089	4.191	0.042	4.229	0.08	PASS
DEMO-COMPLE	TestPage0056	uA	7.91	8.02	0.11	8.35	0.44	8.41	0.5	PASS
DEMO-COMPLE	TestPage0056	nA	3.82	3.9	0.08	4.05	0.23	3.95	0.13	PASS
DEMO-COMPLE	TestPage0056	ns	3.776	3.823	0.047	3.819	0.043	3.871	0.095	PASS
DEMO-COMPLE	TestPage0057	uA	4.67	4.74	0.07	4.92	0.25	4.61	-0.06	WATCH
DEMO-COMPLE	TestPage0057	nA	3.4	3.55	0.15	3.64	0.24	3.66	0.26	WATCH
DEMO-COMPLE	TestPage0057	ns	3.757	3.789	0.032	3.788	0.031	3.851	0.094	WATCH
DEMO-COMPLE	TestPage0058	uA	4.92	4.9	-0.02	5.25	0.33	5.08	0.16	PASS
DEMO-COMPLE	TestPage0058	nA	3.9	4.04	0.14	4.25	0.35	4.32	0.42	PASS
DEMO-COMPLE	TestPage0058	ns	3.598	3.719	0.121	3.719	0.121	3.774	0.176	PASS
DEMO-COMPLE	TestPage0059	uA	9.47	9.41	-0.06	9.8	0.33	9.71	0.24	REJECT
DEMO-COMPLE	TestPage0059	nA	3.59	3.64	0.05	3.77	0.18	3.79	0.2	REJECT
DEMO-COMPLE	TestPage0059	ns	3.956	4.116	0.16	4.161	0.205	4.194	0.238	REJECT
DEMO-COMPLE	TestPage0060	uA	7.05	7.59	0.54	8.11	1.06	7.58	0.53	PASS
DEMO-COMPLE	TestPage0060	nA	3.31	3.39	0.08	3.39	0.08	3.39	0.08	PASS
DEMO-COMPLE	TestPage0060	ns	4.062	4.101	0.039	4.131	0.069	4.171	0.109	PASS
DEMO-COMPLE	TestPage0061	uA	5.73	5.79	0.06	6.27	0.54	6.1	0.37	PASS
DEMO-COMPLE	TestPage0061	nA	3.73	3.8	0.07	3.81	0.08	3.89	0.16	PASS
DEMO-COMPLE	TestPage0061	ns	4.095	4.199	0.104	4.23	0.135	4.223	0.128	PASS
DEMO-COMPLE	TestPage0062	uA	6.25	6.35	0.1	6.91	0.66	6.48	0.23	PASS
DEMO-COMPLE	TestPage0062	nA	2.87	2.93	0.06	3.01	0.14	3.05	0.18	PASS
DEMO-COMPLE	TestPage0062	ns	3.853	4.008	0.155	3.994	0.141	4.063	0.21	PASS
DEMO-COMPLE	TestPage0063	uA	6.15	6.37	0.22	6.41	0.26	6.69	0.54	PASS
DEMO-COMPLE	TestPage0063	nA	3.39	3.76	0.37	3.79	0.4	3.82	0.43	PASS
DEMO-COMPLE	TestPage0063	ns	3.994	4.087	0.093	4.121	0.127	4.117	0.123	PASS
DEMO-COMPLE	TestPage0064	uA	7.25	6.67	-0.58	7.43	0.18	6.84	-0.41	PASS
DEMO-COMPLE	TestPage0064	nA	2.92	3	0.08	3.06	0.14	2.98	0.06	PASS
DEMO-COMPLE	TestPage0064	ns	4.204	4.235	0.031	4.28	0.076	4.301	0.097	PASS
DEMO-COMPLE	TestPage0065	uA	6.39	6.6	0.21	6.69	0.3	6.91	0.52	PASS
DEMO-COMPLE	TestPage0065	nA	4.25	4.72	0.47	4.76	0.51	4.65	0.4	PASS

DEMO-COMPLETE-01-0000	Prop_0000	ns	3.875	3.99	0.115	4.04	0.165	4.062	0.187	PASS
DEMO-COMPLETE-01-0001	iddq_0001	uA	7.3	9.15	1.85	11.14	3.84	11.49	4.19	REJECT
DEMO-COMPLETE-01-0002	Tea_0002	nA	2.8	3.1	0.3	3.43	0.63	3.5	0.7	REJECT
DEMO-COMPLETE-01-0003	Prop_0003	ns	4.114	4.467	0.353	4.627	0.513	4.725	0.611	REJECT
DEMO-COMPLETE-01-0004	iddq_0004	uA	8.27	8.71	0.44	9.1	0.83	9.19	0.92	PASS
DEMO-COMPLETE-01-0005	Tea_0005	nA	2.73	2.73	0	2.94	0.21	2.76	0.03	PASS
DEMO-COMPLETE-01-0006	Prop_0006	ns	3.849	3.984	0.135	4.035	0.186	4.048	0.199	PASS
DEMO-COMPLETE-01-0007	iddq_0007	uA	7.77	8.45	0.68	8.64	0.87	9.04	1.27	PASS
DEMO-COMPLETE-01-0008	Tea_0008	nA	2.83	3.03	0.2	3.17	0.34	3.09	0.26	PASS
DEMO-COMPLETE-01-0009	Prop_0009	ns	3.997	4.121	0.124	4.065	0.068	4.123	0.126	PASS
DEMO-COMPLETE-01-0010	iddq_0010	uA	6.46	6.43	-0.03	6.81	0.35	6.38	-0.08	PASS
DEMO-COMPLETE-01-0011	Tea_0011	nA	3.26	3.59	0.33	3.61	0.35	3.58	0.32	PASS
DEMO-COMPLETE-01-0012	Prop_0012	ns	3.323	3.475	0.152	3.433	0.11	3.476	0.153	PASS
DEMO-COMPLETE-01-0013	iddq_0013	uA	6.48	6.67	0.19	6.78	0.3	6.64	0.16	PASS
DEMO-COMPLETE-01-0014	Tea_0014	nA	3.13	3.25	0.12	3.41	0.28	3.35	0.22	PASS
DEMO-COMPLETE-01-0015	Prop_0015	ns	3.766	3.845	0.079	3.831	0.065	3.836	0.07	PASS
DEMO-COMPLETE-01-0016	iddq_0016	uA	7.2	7.23	0.03	7.5	0.3	7.6	0.4	PASS
DEMO-COMPLETE-01-0017	Tea_0017	nA	2.78	2.75	-0.03	3.03	0.25	2.91	0.13	PASS
DEMO-COMPLETE-01-0018	Prop_0018	ns	3.868	4.049	0.181	4.049	0.181	4.121	0.253	PASS
DEMO-COMPLETE-01-0019	iddq_0019	uA	5.63	5.4	-0.23	5.87	0.24	5.67	0.04	PASS
DEMO-COMPLETE-01-0020	Tea_0020	nA	3.67	4.3	0.63	4.34	0.67	4.42	0.75	PASS
DEMO-COMPLETE-01-0021	Prop_0021	ns	3.375	3.466	0.091	3.454	0.079	3.514	0.139	PASS
DEMO-COMPLETE-01-0022	iddq_0022	uA	6.35	7.2	0.85	7.23	0.88	7.61	1.26	REJECT
DEMO-COMPLETE-01-0023	Tea_0023	nA	5.02	5.4	0.38	5.72	0.7	5.46	0.44	REJECT
DEMO-COMPLETE-01-0024	Prop_0024	ns	3.829	3.982	0.153	4.021	0.192	4.041	0.212	REJECT
DEMO-COMPLETE-01-0025	iddq_0025	uA	6.81	6.59	-0.22	7.39	0.58	6.65	-0.16	PASS
DEMO-COMPLETE-01-0026	Tea_0026	nA	3.66	3.7	0.04	3.88	0.22	3.72	0.06	PASS
DEMO-COMPLETE-01-0027	Prop_0027	ns	3.694	3.821	0.127	3.788	0.094	3.83	0.136	PASS
DEMO-COMPLETE-01-0028	iddq_0028	uA	6.76	6.7	-0.06	7.21	0.45	7.11	0.35	PASS
DEMO-COMPLETE-01-0029	Tea_0029	nA	4.04	4.04	0	4.27	0.23	4.2	0.16	PASS
DEMO-COMPLETE-01-0030	Prop_0030	ns	3.785	3.906	0.121	3.892	0.107	4.046	0.261	PASS
DEMO-COMPLETE-01-0031	iddq_0031	uA	6.94	7.01	0.07	7.48	0.54	7.39	0.45	PASS
DEMO-COMPLETE-01-0032	Tea_0032	nA	2.93	3.08	0.15	3.18	0.25	3.14	0.21	PASS
DEMO-COMPLETE-01-0033	Prop_0033	ns	3.493	3.613	0.12	3.602	0.109	3.666	0.173	PASS

Flagged Parts - Explanation and Disposition

DEMO-COMPLETE-01-0000 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0000: prop_delay at 168h is 2.5 robust-sigma above lot median. Predicted 168h drift is under the calibrated safety slope by 70%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0004 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0004: iddq at 168h is 8.3 robust-sigma above lot median. Predicted 168h drift exceeds the calibrated safety slope by 103%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0007 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0007: prop_delay at 96h is 2.3 robust-sigma below lot median. Predicted 168h

drift is under the calibrated safety slope by 79%. Primary driver: 0h-to-24h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0014 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0014: iddq at 24h is 1.9 robust-sigma below lot median (median = 6.45 uA, value = 4.62 uA). Predicted 168h drift is under the calibrated safety slope by 80%. Primary driver: 0h baseline value.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0023 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0023: prop_delay at 96h is 1.9 robust-sigma above lot median. Predicted 168h drift exceeds the calibrated safety slope by 29%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0031 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0031: iddq at 0h is 4.3 robust-sigma above lot median (median = 6.33 uA, value = 10.35 uA). Predicted 168h drift is under the calibrated safety slope by 74%. Primary driver: 0h baseline value.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0034 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0034: prop_delay at 168h is 3.0 robust-sigma above lot median. Predicted 168h drift is under the calibrated safety slope by 73%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0035 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0035: prop_delay at 0h is 2.1 robust-sigma below lot median (median = 3.766 ns, value = 3.159 ns). Predicted 168h drift is under the calibrated safety slope by 71%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0042 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0042: leakage at 0h is 3.1 robust-sigma above lot median (median = 3.3 nA, value = 5.15 nA). Predicted 168h drift is under the calibrated safety slope by 83%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0045 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0045: leakage at 0h is 1.7 robust-sigma below lot median (median = 3.3 nA, value = 2.29 nA). Predicted 168h drift is under the calibrated safety slope by 70%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0050 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0050: iddq at 168h is 3.1 robust-sigma above lot median. Predicted 168h drift is under the calibrated safety slope by 58%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0057 (iddq) - WATCH

Explanation: Part DEMO-COMPLETE-01-0057: iddq at 96h is 2.1 robust-sigma below lot median. Predicted 168h drift is under the calibrated safety slope by 90%. Primary driver: 0h baseline value.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0059 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0059: iddq at 0h is 3.3 robust-sigma above lot median (median = 6.33 uA, value = 9.47 uA). Predicted 168h drift is under the calibrated safety slope by 83%. Primary driver: 0h baseline value.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0066 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0066: iddq at 168h is 4.7 robust-sigma above lot median. Predicted 168h drift exceeds the calibrated safety slope by 71%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

DEMO-COMPLETE-01-0073 (iddq) - REJECT

Explanation: Part DEMO-COMPLETE-01-0073: leakage at 96h is 3.6 robust-sigma above lot median. Predicted 168h

drift is under the calibrated safety slope by 50%. Primary driver: 0h-to-96h change.

Disposition: pending reviewer sign-off.

Analysis History

2026-10-03T17:48:42.355341 [run-e1083e0e9d2b] triggered by ingest: Initial analysis run - no prior revision to compare.

Reviewer / Sign-off

No disposition sign-offs recorded yet for this project.