

Lot Screening Report

Report Reference ID: RPT-88E15B7AE4
Generated: 2026-10-01T04:55:47.387121+00:00
Part Number: DEMO-PN
Lot ID: LIVE-01
Date Code: 2603
Manufacturer: Northvale Semiconductor
Test Date: 2026-10-01
Lot Status: COMPLETE

Methodology

Parts were screened using two complementary modules. Module A flags components that are statistically anomalous relative to their own lot, even when every reading is inside the part's datasheet limit, combining a robust per-parameter z-score, Minimum Covariance Determinant (MCD) distance, and a pooled cross-lot Isolation Forest score; a REJECT verdict requires corroboration from an explainable detector (z-score or MCD), never the Isolation Forest score alone. Module B forecasts each part's 168-hour reading from its 0h/24h readings and flags early rejection against a calibrated safety slope, where trained for the part's parameter; it declines to forecast, rather than guess, for any parameter outside the three it was trained on. The FN:FP cost ratio and PDA threshold used below are disclosed, adjustable defaults, not values derived from field failure data - see the system's Settings screen for their current values.

Summary

Quantity Screened: 77
Quantity Flagged: 13
PDA Result: 0.0649
Overall Lot Disposition: REJECT

Delta-Data Table

Component	Param	0h	24h	d24h	96h	d96h	168h	d168h	Verdict
LIVE-01-0000	iddq	9.01	8.87	-0.14	9.27	0.26	9.90	0.89	PASS
LIVE-01-0000	leakage	2.12	2.30	0.18	2.12	0.00	2.22	0.10	PASS
LIVE-01-0000	prop_delay	4.25	4.26	0.02	4.29	0.04	4.31	0.06	PASS
LIVE-01-0001	iddq	13.21	15.04	1.83	14.36	1.15	15.49	2.28	WATCH
LIVE-01-0001	leakage	2.60	2.71	0.11	2.32	-0.28	2.55	-0.05	WATCH
LIVE-01-0001	prop_delay	4.06	4.11	0.05	4.15	0.08	4.13	0.06	WATCH
LIVE-01-0002	iddq	11.94	11.92	-0.02	12.02	0.08	12.34	0.40	PASS
LIVE-01-0002	leakage	2.76	2.84	0.08	2.81	0.05	3.01	0.25	PASS
LIVE-01-0002	prop_delay	4.50	4.51	0.02	4.54	0.04	4.48	-0.02	PASS
LIVE-01-0003	iddq	9.46	10.54	1.08	10.99	1.53	11.66	2.20	PASS
LIVE-01-0003	leakage	2.08	2.31	0.23	2.22	0.14	2.46	0.38	PASS
LIVE-01-0003	prop_delay	3.95	4.05	0.10	4.06	0.11	4.07	0.12	PASS
LIVE-01-0004	iddq	10.38	11.13	0.75	11.23	0.85	11.88	1.50	PASS
LIVE-01-0004	leakage	2.36	2.56	0.20	2.33	-0.03	2.57	0.21	PASS
LIVE-01-0004	prop_delay	4.33	4.39	0.05	4.43	0.10	4.37	0.04	PASS
LIVE-01-0005	iddq	10.93	11.21	0.28	11.25	0.32	11.87	0.94	PASS
LIVE-01-0005	leakage	2.34	2.59	0.25	2.37	0.03	2.53	0.19	PASS
LIVE-01-0005	prop_delay	4.79	4.82	0.03	4.91	0.12	4.96	0.17	PASS

LIVE-01-0006	iddq	8.04	8.78	0.74	8.96	0.92	9.70	1.66	PASS
LIVE-01-0006	leakage	2.41	2.56	0.15	2.41	0.00	2.64	0.23	PASS
LIVE-01-0006	prop_delay	5.05	5.02	-0.03	5.10	0.05	5.07	0.02	PASS
LIVE-01-0007	iddq	9.49	10.66	1.17	11.00	1.51	11.29	1.80	PASS
LIVE-01-0007	leakage	2.16	2.51	0.35	2.44	0.28	2.62	0.46	PASS
LIVE-01-0007	prop_delay	4.40	4.49	0.09	4.53	0.13	4.52	0.12	PASS
LIVE-01-0008	iddq	9.45	10.33	0.88	10.64	1.19	11.07	1.62	PASS
LIVE-01-0008	leakage	2.57	2.75	0.18	2.63	0.06	2.77	0.20	PASS
LIVE-01-0008	prop_delay	4.35	4.39	0.04	4.42	0.06	4.40	0.04	PASS
LIVE-01-0009	iddq	8.38	9.11	0.73	9.41	1.03	9.73	1.35	PASS
LIVE-01-0009	leakage	2.63	2.63	0.00	2.55	-0.08	2.73	0.10	PASS
LIVE-01-0009	prop_delay	4.01	4.13	0.12	4.21	0.19	4.20	0.19	PASS
LIVE-01-0010	iddq	6.24	7.25	1.01	7.15	0.91	7.58	1.34	WATCH
LIVE-01-0010	leakage	2.97	3.44	0.47	3.54	0.57	3.62	0.65	WATCH
LIVE-01-0010	prop_delay	4.58	4.60	0.02	4.64	0.06	4.64	0.07	WATCH
LIVE-01-0011	iddq	11.09	12.01	0.92	12.41	1.32	12.21	1.12	PASS
LIVE-01-0011	leakage	2.42	2.68	0.26	2.47	0.05	2.70	0.28	PASS
LIVE-01-0011	prop_delay	4.61	4.70	0.09	4.79	0.18	4.81	0.20	PASS
LIVE-01-0012	iddq	11.09	11.74	0.65	11.24	0.15	11.90	0.81	PASS
LIVE-01-0012	leakage	2.63	2.71	0.08	2.66	0.03	2.72	0.09	PASS
LIVE-01-0012	prop_delay	4.14	4.21	0.07	4.19	0.05	4.26	0.12	PASS
LIVE-01-0013	iddq	10.51	11.64	1.13	11.45	0.94	12.39	1.88	WATCH
LIVE-01-0013	leakage	3.03	3.13	0.10	2.96	-0.07	3.09	0.06	WATCH
LIVE-01-0013	prop_delay	5.16	5.38	0.22	5.44	0.28	5.49	0.33	WATCH
LIVE-01-0014	iddq	12.40	12.73	0.33	12.83	0.43	13.69	1.29	WATCH
LIVE-01-0014	leakage	2.81	3.09	0.28	3.02	0.21	3.21	0.40	WATCH
LIVE-01-0014	prop_delay	5.29	5.35	0.05	5.48	0.19	5.44	0.15	WATCH
LIVE-01-0015	iddq	10.72	11.86	1.14	12.40	1.68	12.72	2.00	REJECT
LIVE-01-0015	leakage	3.47	3.76	0.29	3.51	0.04	3.71	0.24	REJECT
LIVE-01-0015	prop_delay	4.73	4.72	-0.00	4.82	0.09	4.76	0.03	REJECT
LIVE-01-0016	iddq	9.73	11.01	1.28	10.89	1.16	11.75	2.02	PASS
LIVE-01-0016	leakage	2.27	2.31	0.04	2.25	-0.02	2.31	0.04	PASS
LIVE-01-0016	prop_delay	3.70	3.79	0.08	3.80	0.10	3.81	0.11	PASS
LIVE-01-0017	iddq	10.08	11.14	1.06	11.27	1.19	11.86	1.78	PASS
LIVE-01-0017	leakage	2.01	2.31	0.30	2.14	0.13	2.30	0.29	PASS
LIVE-01-0017	prop_delay	4.30	4.32	0.02	4.39	0.09	4.35	0.05	PASS
LIVE-01-0018	iddq	10.95	11.57	0.62	11.73	0.78	12.13	1.18	PASS
LIVE-01-0018	leakage	2.31	2.40	0.09	2.24	-0.07	2.48	0.17	PASS
LIVE-01-0018	prop_delay	4.96	5.03	0.07	5.05	0.09	5.08	0.12	PASS
LIVE-01-0019	iddq	9.43	10.73	1.30	9.90	0.47	10.69	1.26	PASS
LIVE-01-0019	leakage	2.79	2.94	0.15	2.84	0.05	2.99	0.20	PASS
LIVE-01-0019	prop_delay	4.37	4.47	0.10	4.54	0.17	4.53	0.16	PASS
LIVE-01-0020	iddq	8.56	9.44	0.88	9.44	0.88	10.14	1.58	PASS
LIVE-01-0020	leakage	2.31	2.61	0.30	2.47	0.16	2.58	0.27	PASS
LIVE-01-0020	prop_delay	4.71	4.77	0.05	4.79	0.08	4.83	0.12	PASS

LIVE-01-0021	iddq	9.54	10.33	0.79	10.75	1.21	10.73	1.19	PASS
LIVE-01-0021	leakage	2.41	2.47	0.06	2.47	0.06	2.61	0.20	PASS
LIVE-01-0021	prop_delay	4.30	4.51	0.21	4.57	0.27	4.64	0.34	PASS
LIVE-01-0022	iddq	10.77	11.80	1.03	11.85	1.08	12.24	1.47	PASS
LIVE-01-0022	leakage	2.54	2.77	0.23	2.72	0.18	2.87	0.33	PASS
LIVE-01-0022	prop_delay	4.43	4.48	0.05	4.50	0.07	4.47	0.05	PASS
LIVE-01-0023	iddq	8.85	9.75	0.90	9.61	0.76	9.72	0.87	PASS
LIVE-01-0023	leakage	2.47	2.66	0.19	2.59	0.12	2.76	0.29	PASS
LIVE-01-0023	prop_delay	4.40	4.48	0.09	4.51	0.11	4.53	0.13	PASS
LIVE-01-0024	iddq	9.02	9.70	0.68	10.33	1.31	10.79	1.77	PASS
LIVE-01-0024	leakage	2.40	2.64	0.24	2.49	0.09	2.66	0.26	PASS
LIVE-01-0024	prop_delay	4.12	4.15	0.02	4.19	0.07	4.18	0.06	PASS
LIVE-01-0025	iddq	9.46	9.74	0.28	9.81	0.35	10.49	1.03	PASS
LIVE-01-0025	leakage	2.52	2.81	0.29	2.61	0.09	2.76	0.24	PASS
LIVE-01-0025	prop_delay	4.81	4.87	0.07	4.88	0.08	4.87	0.07	PASS
LIVE-01-0026	iddq	9.55	10.14	0.59	10.33	0.78	10.77	1.22	PASS
LIVE-01-0026	leakage	2.51	2.64	0.13	2.55	0.04	2.76	0.25	PASS
LIVE-01-0026	prop_delay	4.55	4.76	0.20	4.75	0.19	4.79	0.23	PASS
LIVE-01-0027	iddq	11.18	11.91	0.73	11.65	0.47	12.36	1.18	PASS
LIVE-01-0027	leakage	2.96	3.28	0.32	3.04	0.08	3.17	0.21	PASS
LIVE-01-0027	prop_delay	4.05	4.12	0.07	4.08	0.03	4.10	0.05	PASS
LIVE-01-0028	iddq	7.70	8.30	0.60	8.23	0.53	9.02	1.32	PASS
LIVE-01-0028	leakage	2.27	2.47	0.20	2.33	0.06	2.55	0.28	PASS
LIVE-01-0028	prop_delay	4.27	4.41	0.14	4.40	0.13	4.42	0.16	PASS
LIVE-01-0029	iddq	9.86	10.36	0.50	9.82	-0.04	10.60	0.74	PASS
LIVE-01-0029	leakage	2.34	2.40	0.06	2.38	0.04	2.46	0.12	PASS
LIVE-01-0029	prop_delay	4.00	4.09	0.09	4.16	0.15	4.17	0.16	PASS
LIVE-01-0030	iddq	7.85	8.65	0.80	8.48	0.63	8.95	1.10	WATCH
LIVE-01-0030	leakage	2.60	2.79	0.19	2.58	-0.02	2.82	0.22	WATCH
LIVE-01-0030	prop_delay	3.43	3.53	0.10	3.52	0.08	3.52	0.09	WATCH
LIVE-01-0031	iddq	7.46	8.34	0.88	8.37	0.91	8.72	1.26	PASS
LIVE-01-0031	leakage	2.75	3.00	0.25	2.92	0.17	3.08	0.33	PASS
LIVE-01-0031	prop_delay	3.98	4.07	0.09	4.09	0.11	4.11	0.14	PASS
LIVE-01-0032	iddq	7.82	8.16	0.34	8.29	0.47	8.59	0.77	PASS
LIVE-01-0032	leakage	2.16	2.34	0.18	2.19	0.03	2.32	0.16	PASS
LIVE-01-0032	prop_delay	4.39	4.52	0.13	4.54	0.14	4.55	0.16	PASS
LIVE-01-0033	iddq	11.61	12.24	0.63	12.37	0.76	12.82	1.21	PASS
LIVE-01-0033	leakage	2.69	2.85	0.16	2.72	0.03	2.85	0.16	PASS
LIVE-01-0033	prop_delay	5.13	5.19	0.05	5.18	0.04	5.19	0.06	PASS
LIVE-01-0034	iddq	8.56	9.69	1.13	9.44	0.88	10.01	1.45	PASS
LIVE-01-0034	leakage	3.14	3.38	0.24	3.28	0.14	3.32	0.18	PASS
LIVE-01-0034	prop_delay	4.19	4.21	0.02	4.25	0.06	4.23	0.04	PASS
LIVE-01-0035	iddq	11.11	11.91	0.80	12.46	1.35	12.51	1.40	PASS
LIVE-01-0035	leakage	1.97	2.28	0.31	2.12	0.15	2.35	0.38	PASS
LIVE-01-0035	prop_delay	4.60	4.76	0.16	4.82	0.22	4.76	0.16	PASS

LIVE-01-0036	iddq	8.25	8.69	0.44	8.61	0.36	9.25	1.00	PASS
LIVE-01-0036	leakage	2.65	2.99	0.34	2.81	0.16	3.08	0.43	PASS
LIVE-01-0036	prop_delay	4.28	4.43	0.14	4.49	0.21	4.48	0.20	PASS
LIVE-01-0037	iddq	11.39	12.29	0.90	12.82	1.43	13.34	1.95	REJECT
LIVE-01-0037	leakage	2.05	2.25	0.20	2.15	0.10	2.32	0.27	REJECT
LIVE-01-0037	prop_delay	4.06	4.26	0.20	4.40	0.34	4.41	0.34	REJECT
LIVE-01-0038	iddq	9.42	10.46	1.04	10.49	1.07	10.69	1.27	PASS
LIVE-01-0038	leakage	2.60	2.81	0.21	2.61	0.01	2.74	0.14	PASS
LIVE-01-0038	prop_delay	4.44	4.53	0.09	4.58	0.14	4.55	0.12	PASS
LIVE-01-0039	iddq	11.58	12.01	0.43	12.11	0.53	12.72	1.14	REJECT
LIVE-01-0039	leakage	3.29	4.05	0.76	3.94	0.65	4.07	0.78	REJECT
LIVE-01-0039	prop_delay	3.67	3.68	0.01	3.74	0.07	3.74	0.07	REJECT
LIVE-01-0040	iddq	10.61	12.16	1.55	12.35	1.74	12.68	2.07	PASS
LIVE-01-0040	leakage	2.12	2.29	0.17	2.15	0.03	2.17	0.05	PASS
LIVE-01-0040	prop_delay	4.17	4.25	0.08	4.32	0.15	4.31	0.14	PASS
LIVE-01-0041	iddq	8.49	9.66	1.17	9.79	1.30	10.04	1.55	PASS
LIVE-01-0041	leakage	2.63	2.94	0.31	2.87	0.24	2.99	0.36	PASS
LIVE-01-0041	prop_delay	3.92	4.03	0.12	4.11	0.19	4.02	0.10	PASS
LIVE-01-0042	iddq	8.96	9.70	0.74	9.93	0.97	10.48	1.52	PASS
LIVE-01-0042	leakage	2.50	2.59	0.09	2.44	-0.06	2.60	0.10	PASS
LIVE-01-0042	prop_delay	4.22	4.27	0.05	4.33	0.12	4.32	0.10	PASS
LIVE-01-0043	iddq	8.89	9.66	0.77	9.83	0.94	10.68	1.79	PASS
LIVE-01-0043	leakage	2.13	2.28	0.15	2.09	-0.04	2.21	0.08	PASS
LIVE-01-0043	prop_delay	4.44	4.47	0.03	4.50	0.06	4.48	0.04	PASS
LIVE-01-0044	iddq	8.83	9.65	0.82	9.96	1.13	10.47	1.64	REJECT
LIVE-01-0044	leakage	1.98	2.15	0.17	2.13	0.15	2.24	0.26	REJECT
LIVE-01-0044	prop_delay	4.78	5.12	0.34	5.19	0.41	5.18	0.40	REJECT
LIVE-01-0045	iddq	11.71	11.54	-0.17	11.79	0.08	12.40	0.69	PASS
LIVE-01-0045	leakage	2.31	2.42	0.11	2.31	0.00	2.53	0.22	PASS
LIVE-01-0045	prop_delay	4.62	4.75	0.12	4.75	0.12	4.77	0.15	PASS
LIVE-01-0046	iddq	11.01	12.54	1.53	11.70	0.69	12.43	1.42	PASS
LIVE-01-0046	leakage	2.14	2.51	0.37	2.34	0.20	2.54	0.40	PASS
LIVE-01-0046	prop_delay	4.02	4.04	0.01	4.08	0.05	4.06	0.03	PASS
LIVE-01-0047	iddq	11.84	12.58	0.74	12.05	0.21	13.16	1.32	PASS
LIVE-01-0047	leakage	2.67	2.75	0.08	2.54	-0.13	2.79	0.12	PASS
LIVE-01-0047	prop_delay	3.95	4.02	0.07	4.06	0.11	4.04	0.09	PASS
LIVE-01-0048	iddq	12.29	13.16	0.87	13.23	0.94	13.61	1.32	PASS
LIVE-01-0048	leakage	2.68	2.90	0.22	2.77	0.09	2.80	0.12	PASS
LIVE-01-0048	prop_delay	3.74	3.84	0.10	3.87	0.13	3.90	0.16	PASS
LIVE-01-0049	iddq	10.42	11.98	1.56	11.89	1.47	13.15	2.73	PASS
LIVE-01-0049	leakage	2.22	2.39	0.17	2.31	0.09	2.39	0.17	PASS
LIVE-01-0049	prop_delay	4.33	4.41	0.07	4.42	0.09	4.41	0.07	PASS
LIVE-01-0050	iddq	11.28	11.77	0.49	12.06	0.78	12.62	1.34	PASS
LIVE-01-0050	leakage	2.41	2.61	0.20	2.40	-0.01	2.63	0.22	PASS
LIVE-01-0050	prop_delay	4.34	4.42	0.08	4.51	0.17	4.49	0.15	PASS

LIVE-01-0051	iddq	11.48	12.61	1.13	12.70	1.22	13.05	1.57	WATCH
LIVE-01-0051	leakage	2.84	2.89	0.05	2.63	-0.21	2.82	-0.02	WATCH
LIVE-01-0051	prop_delay	5.25	5.38	0.12	5.43	0.18	5.40	0.15	WATCH
LIVE-01-0052	iddq	13.41	13.88	0.47	14.82	1.41	15.27	1.86	PASS
LIVE-01-0052	leakage	1.94	2.15	0.21	1.98	0.04	2.18	0.24	PASS
LIVE-01-0052	prop_delay	4.33	4.40	0.07	4.45	0.12	4.45	0.11	PASS
LIVE-01-0053	iddq	11.74	11.87	0.13	12.21	0.47	12.94	1.20	PASS
LIVE-01-0053	leakage	2.29	2.45	0.16	2.27	-0.02	2.40	0.11	PASS
LIVE-01-0053	prop_delay	4.10	4.16	0.07	4.22	0.13	4.20	0.10	PASS
LIVE-01-0054	iddq	9.50	10.61	1.11	10.85	1.35	11.02	1.52	PASS
LIVE-01-0054	leakage	2.49	2.53	0.04	2.47	-0.02	2.53	0.04	PASS
LIVE-01-0054	prop_delay	3.85	3.90	0.05	3.92	0.07	3.90	0.05	PASS
LIVE-01-0055	iddq	10.63	11.10	0.47	11.28	0.65	11.55	0.92	PASS
LIVE-01-0055	leakage	3.01	3.19	0.18	3.05	0.04	3.27	0.26	PASS
LIVE-01-0055	prop_delay	4.64	4.84	0.20	4.85	0.21	4.86	0.22	PASS
LIVE-01-0056	iddq	8.51	9.23	0.72	9.23	0.72	9.57	1.06	PASS
LIVE-01-0056	leakage	2.29	2.43	0.14	2.33	0.04	2.44	0.15	PASS
LIVE-01-0056	prop_delay	4.46	4.64	0.18	4.68	0.23	4.63	0.17	PASS
LIVE-01-0057	iddq	10.09	11.33	1.24	10.52	0.43	11.67	1.58	PASS
LIVE-01-0057	leakage	2.75	3.01	0.26	2.87	0.12	2.92	0.17	PASS
LIVE-01-0057	prop_delay	4.85	4.83	-0.01	4.86	0.01	4.87	0.02	PASS
LIVE-01-0058	iddq	8.51	9.36	0.85	9.71	1.20	10.22	1.71	PASS
LIVE-01-0058	leakage	2.35	2.53	0.18	2.24	-0.11	2.40	0.05	PASS
LIVE-01-0058	prop_delay	4.60	4.67	0.07	4.69	0.09	4.67	0.08	PASS
LIVE-01-0059	iddq	9.93	11.52	1.59	11.66	1.73	12.16	2.23	PASS
LIVE-01-0059	leakage	2.37	2.53	0.16	2.33	-0.04	2.47	0.10	PASS
LIVE-01-0059	prop_delay	4.35	4.39	0.04	4.43	0.09	4.40	0.05	PASS
LIVE-01-0060	iddq	10.27	11.05	0.78	11.27	1.00	11.43	1.16	PASS
LIVE-01-0060	leakage	2.27	2.55	0.28	2.35	0.08	2.49	0.22	PASS
LIVE-01-0060	prop_delay	3.89	3.91	0.01	3.94	0.04	3.94	0.04	PASS
LIVE-01-0061	iddq	12.05	12.83	0.78	13.07	1.02	13.58	1.53	PASS
LIVE-01-0061	leakage	2.55	2.82	0.27	2.62	0.07	2.68	0.13	PASS
LIVE-01-0061	prop_delay	3.70	3.70	-0.01	3.72	0.02	3.70	-0.01	PASS
LIVE-01-0062	iddq	10.75	12.15	1.40	12.49	1.74	12.62	1.87	PASS
LIVE-01-0062	leakage	3.12	3.25	0.13	3.10	-0.02	3.27	0.15	PASS
LIVE-01-0062	prop_delay	4.11	4.19	0.08	4.24	0.13	4.18	0.08	PASS
LIVE-01-0063	iddq	10.51	11.00	0.49	10.82	0.31	11.66	1.15	PASS
LIVE-01-0063	leakage	2.55	2.86	0.31	2.71	0.16	2.87	0.32	PASS
LIVE-01-0063	prop_delay	4.28	4.29	0.01	4.29	0.01	4.33	0.06	PASS
LIVE-01-0064	iddq	10.34	11.22	0.88	11.61	1.27	11.76	1.42	PASS
LIVE-01-0064	leakage	2.42	2.71	0.29	2.51	0.09	2.73	0.31	PASS
LIVE-01-0064	prop_delay	4.66	4.84	0.18	4.88	0.21	4.92	0.26	PASS
LIVE-01-0065	iddq	8.38	8.79	0.41	8.90	0.52	9.54	1.16	PASS
LIVE-01-0065	leakage	2.39	2.60	0.21	2.44	0.05	2.54	0.15	PASS
LIVE-01-0065	prop_delay	3.83	3.89	0.06	4.01	0.19	4.04	0.21	PASS

LIVE-01-0066	iddq	11.40	11.32	-0.08	11.65	0.25	11.95	0.55	PASS
LIVE-01-0066	leakage	1.96	2.03	0.07	1.97	0.01	1.96	0.00	PASS
LIVE-01-0066	prop_delay	4.22	4.40	0.18	4.41	0.20	4.41	0.20	PASS
LIVE-01-0067	iddq	11.90	12.45	0.55	12.52	0.62	13.00	1.10	PASS
LIVE-01-0067	leakage	2.25	2.28	0.03	2.18	-0.07	2.39	0.14	PASS
LIVE-01-0067	prop_delay	4.16	4.17	0.01	4.18	0.01	4.21	0.05	PASS
LIVE-01-0068	iddq	13.96	14.22	0.26	14.73	0.77	15.30	1.34	WATCH
LIVE-01-0068	leakage	3.27	3.37	0.10	3.24	-0.03	3.39	0.12	WATCH
LIVE-01-0068	prop_delay	3.83	3.93	0.10	3.97	0.14	3.95	0.12	WATCH
LIVE-01-0069	iddq	9.97	10.58	0.61	10.31	0.34	11.10	1.13	PASS
LIVE-01-0069	leakage	2.09	2.38	0.29	2.25	0.16	2.48	0.39	PASS
LIVE-01-0069	prop_delay	5.12	5.17	0.04	5.16	0.04	5.23	0.11	PASS
LIVE-01-0070	iddq	9.35	12.09	2.74	26.37	17.02	44.59	35.24	REJECT
LIVE-01-0070	leakage	3.13	3.66	0.53	5.55	2.42	8.87	5.74	REJECT
LIVE-01-0070	prop_delay	4.73	4.94	0.21	6.44	1.71	8.58	3.85	REJECT
LIVE-01-0071	iddq	7.65	8.09	0.44	8.09	0.44	8.85	1.20	PASS
LIVE-01-0071	leakage	2.98	3.15	0.17	2.96	-0.02	3.05	0.07	PASS
LIVE-01-0071	prop_delay	4.64	4.74	0.10	4.80	0.16	4.74	0.10	PASS
LIVE-01-0072	iddq	12.11	13.56	1.45	13.37	1.26	14.31	2.20	PASS
LIVE-01-0072	leakage	2.21	2.35	0.14	2.26	0.05	2.38	0.17	PASS
LIVE-01-0072	prop_delay	4.24	4.31	0.08	4.38	0.14	4.37	0.13	PASS
LIVE-01-0073	iddq	8.93	9.60	0.67	9.70	0.77	10.10	1.17	PASS
LIVE-01-0073	leakage	2.92	3.04	0.12	2.92	0.00	2.92	0.00	PASS
LIVE-01-0073	prop_delay	4.15	4.21	0.06	4.22	0.07	4.23	0.08	PASS
LIVE-01-0074	iddq	12.63	13.10	0.47	13.19	0.56	13.45	0.82	PASS
LIVE-01-0074	leakage	2.49	2.70	0.21	2.60	0.11	2.71	0.22	PASS
LIVE-01-0074	prop_delay	4.54	4.60	0.06	4.63	0.09	4.64	0.11	PASS
LIVE-01-0075	iddq	8.74	9.44	0.70	9.24	0.50	9.54	0.80	PASS
LIVE-01-0075	leakage	2.41	2.50	0.09	2.24	-0.17	2.47	0.06	PASS
LIVE-01-0075	prop_delay	4.40	4.46	0.05	4.53	0.13	4.51	0.11	PASS
LIVE-01-0076	iddq	10.52	10.81	0.29	11.75	1.23	12.10	1.58	WATCH
LIVE-01-0076	leakage	1.76	1.97	0.21	1.81	0.05	2.01	0.25	WATCH
LIVE-01-0076	prop_delay	4.50	4.52	0.02	4.56	0.06	4.54	0.05	WATCH

Flagged Parts - Explanation and Disposition

LIVE-01-0001 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0010 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0013 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0014 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0015 (iddq) - REJECT

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0030 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0037 (iddq) - REJECT

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0039 (iddq) - REJECT

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0044 (iddq) - REJECT

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0051 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0068 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0070 (iddq) - REJECT

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

LIVE-01-0076 (iddq) - WATCH

Explanation: not yet available for this analysis record.

Disposition: pending reviewer sign-off.

Analysis History

2026-10-01T04:55:40.663555 [run-7ca3adbdfa14] triggered by ingest: Initial analysis run - no prior revision to compare.

2026-10-01T04:55:43.415925 [run-e9c83cdef6b2] triggered by checkpoint_add: Verdict change(s): LIVE-01-0037 (PASS -> REJECT).

2026-10-01T04:55:46.928214 [run-380a8c13b815] triggered by checkpoint_add: Module(s) newly activated for:

LIVE-01-0000	(module_a);	LIVE-01-0001	(module_a);	LIVE-01-0002	(module_a);	LIVE-01-0003	(module_a);
LIVE-01-0004	(module_a);	LIVE-01-0005	(module_a);	LIVE-01-0006	(module_a);	LIVE-01-0007	(module_a);
LIVE-01-0008	(module_a);	LIVE-01-0009	(module_a);	LIVE-01-0010	(module_a);	LIVE-01-0011	(module_a);
LIVE-01-0012	(module_a);	LIVE-01-0013	(module_a);	LIVE-01-0014	(module_a);	LIVE-01-0015	(module_a);
LIVE-01-0016	(module_a);	LIVE-01-0017	(module_a);	LIVE-01-0018	(module_a);	LIVE-01-0019	(module_a);
LIVE-01-0020	(module_a);	LIVE-01-0021	(module_a);	LIVE-01-0022	(module_a);	LIVE-01-0023	(module_a);
LIVE-01-0024	(module_a);	LIVE-01-0025	(module_a);	LIVE-01-0026	(module_a);	LIVE-01-0027	(module_a);
LIVE-01-0028	(module_a);	LIVE-01-0029	(module_a);	LIVE-01-0030	(module_a);	LIVE-01-0031	(module_a);
LIVE-01-0032	(module_a);	LIVE-01-0033	(module_a);	LIVE-01-0034	(module_a);	LIVE-01-0035	(module_a);
LIVE-01-0036	(module_a);	LIVE-01-0037	(module_a);	LIVE-01-0038	(module_a);	LIVE-01-0039	(module_a);
LIVE-01-0040	(module_a);	LIVE-01-0041	(module_a);	LIVE-01-0042	(module_a);	LIVE-01-0043	(module_a);
LIVE-01-0044	(module_a);	LIVE-01-0045	(module_a);	LIVE-01-0046	(module_a);	LIVE-01-0047	(module_a);
LIVE-01-0048	(module_a);	LIVE-01-0049	(module_a);	LIVE-01-0050	(module_a);	LIVE-01-0051	(module_a);
LIVE-01-0052	(module_a);	LIVE-01-0053	(module_a);	LIVE-01-0054	(module_a);	LIVE-01-0055	(module_a);
LIVE-01-0056	(module_a);	LIVE-01-0057	(module_a);	LIVE-01-0058	(module_a);	LIVE-01-0059	(module_a);
LIVE-01-0060	(module_a);	LIVE-01-0061	(module_a);	LIVE-01-0062	(module_a);	LIVE-01-0063	(module_a);

LIVE-01-0064 (module_a); LIVE-01-0065 (module_a); LIVE-01-0066 (module_a); LIVE-01-0067 (module_a); LIVE-01-0068 (module_a); LIVE-01-0069 (module_a); LIVE-01-0070 (module_a); LIVE-01-0071 (module_a); LIVE-01-0072 (module_a); LIVE-01-0073 (module_a); LIVE-01-0074 (module_a); LIVE-01-0075 (module_a); LIVE-01-0076 (module_a). Forecast(s) resolved into an actual reading: LIVE-01-0000 (predicted 9.432510636092857, actual 9.9); LIVE-01-0001 (predicted 14.429766269191413, actual 15.49); LIVE-01-0002 (predicted 12.382121218772975, actual 12.34); LIVE-01-0003 (predicted 10.809510587659997, actual 11.66); LIVE-01-0004 (predicted 11.12594350762914, actual 11.88); LIVE-01-0005 (predicted 11.740136339859951, actual 11.87); LIVE-01-0006 (predicted 8.936871058340895, actual 9.7); LIVE-01-0007 (predicted 10.873766311663097, actual 11.29); LIVE-01-0008 (predicted 10.426240575308995, actual 11.07); LIVE-01-0009 (predicted 4.21562878237776, actual 9.73); LIVE-01-0010 (predicted 3.5301977349392866, actual 7.58); LIVE-01-0011 (predicted 12.140376492029072, actual 12.21); LIVE-01-0012 (predicted 11.763440617276, actual 11.9); LIVE-01-0013 (predicted 5.461100495674338, actual 5.488); LIVE-01-0014 (predicted 5.480230517826616, actual 5.44); LIVE-01-0015 (predicted 12.257735680857577, actual 3.71); LIVE-01-0016 (predicted 11.029089957794817, actual 11.75); LIVE-01-0017 (predicted 11.090522979677525, actual 11.86); LIVE-01-0018 (predicted 11.79210555276292, actual 12.13); LIVE-01-0019 (predicted 4.552591866746347, actual 10.69); LIVE-01-0020 (predicted 9.458129634392236, actual 10.14); LIVE-01-0021 (predicted 4.607829038037995, actual 10.73); LIVE-01-0022 (predicted 11.704445822525214, actual 12.24); LIVE-01-0023 (predicted 9.524377952878762, actual 9.72); LIVE-01-0024 (predicted 10.028679756479995, actual 10.79); LIVE-01-0025 (predicted 4.892920852384116, actual 10.49); LIVE-01-0026 (predicted 4.7681548860705325, actual 10.77); LIVE-01-0027 (predicted 11.895333080560436, actual 12.36); LIVE-01-0028 (predicted 4.425477978640283, actual 9.02); LIVE-01-0029 (predicted 4.156624192631683, actual 10.6); LIVE-01-0030 (predicted 8.525770551250437, actual 3.522); LIVE-01-0031 (predicted 8.399508323700148, actual 8.72); LIVE-01-0032 (predicted 4.5604907054460835, actual 8.59); LIVE-01-0033 (predicted 12.530414089348106, actual 12.82); LIVE-01-0034 (predicted 9.471377020263445, actual 10.01); LIVE-01-0035 (predicted 4.840155678699477, actual 12.51); LIVE-01-0036 (predicted 4.508783542658002, actual 9.25); LIVE-01-0037 (predicted 4.57128741328968, actual 4.406); LIVE-01-0038 (predicted 10.357725486173289, actual 10.69); LIVE-01-0039 (predicted 4.193420589186767, actual 4.07); LIVE-01-0040 (predicted 12.527418824624391, actual 12.68); LIVE-01-0041 (predicted 9.694188729706875, actual 10.04); LIVE-01-0042 (predicted 9.88799035762545, actual 10.48); LIVE-01-0043 (predicted 9.803374500881336, actual 10.68); LIVE-01-0044 (predicted 5.313419226869827, actual 5.185); LIVE-01-0045 (predicted 4.7600020203421, actual 12.4); LIVE-01-0046 (predicted 12.007416870475625, actual 12.43); LIVE-01-0047 (predicted 12.530067244324377, actual 13.16); LIVE-01-0048 (predicted 13.374125992400169, actual 13.61); LIVE-01-0049 (predicted 12.069628017079777, actual 13.15); LIVE-01-0050 (predicted 12.219531708080392, actual 12.62); LIVE-01-0051 (predicted 12.644173489343396, actual 5.404); LIVE-01-0052 (predicted 14.608510578142166, actual 15.27); LIVE-01-0053 (predicted 4.2232862398100455, actual 12.94); LIVE-01-0054 (predicted 10.730766751642449, actual 11.02); LIVE-01-0055 (predicted 4.884519590049311, actual 11.55); LIVE-01-0056 (predicted 4.678091869330076, actual 9.57); LIVE-01-0057 (predicted 10.750284366037942, actual 11.67); LIVE-01-0058 (predicted 9.455745608918871, actual 10.22); LIVE-01-0059 (predicted 11.8246710096023, actual 12.16); LIVE-01-0060 (predicted 11.11512326919861, actual 11.43); LIVE-01-0061 (predicted 13.102962034525612, actual 13.58); LIVE-01-0062 (predicted 12.512603671231544, actual 12.62); LIVE-01-0063 (predicted 11.195390272597125, actual 11.66); LIVE-01-0064 (predicted 4.908491100601928, actual 11.76); LIVE-01-0065 (predicted 4.019074416530181, actual 9.54); LIVE-01-0066 (predicted 4.44088840104929, actual 11.95); LIVE-01-0067 (predicted 12.727228256327937, actual 13.0); LIVE-01-0068 (predicted 14.819677357227558, actual 15.3); LIVE-01-0069 (predicted 10.68243395674261, actual 11.1); LIVE-01-0070 (predicted 39.89413601865283, actual 44.59); LIVE-01-0071 (predicted 4.806913841175173, actual 8.85); LIVE-01-0072 (predicted 13.479174741350723, actual 14.31); LIVE-01-0073 (predicted 9.64060963342543, actual 10.1); LIVE-01-0074 (predicted 13.361021803175284, actual 13.45); LIVE-01-0075 (predicted 4.530438325228102, actual 9.54); LIVE-01-0076 (predicted 11.377508531427884, actual 2.01). Verdict change(s): LIVE-01-0001 (PASS -> WATCH); LIVE-01-0010 (PASS -> WATCH); LIVE-01-0013 (PASS -> WATCH); LIVE-01-0014 (PASS -> WATCH); LIVE-01-0015 (PASS -> REJECT); LIVE-01-0030 (PASS -> WATCH); LIVE-01-0039 (PASS -> REJECT); LIVE-01-0051 (PASS -> WATCH); LIVE-01-0068 (PASS -> WATCH); LIVE-01-0076 (PASS -> WATCH).

Reviewer / Sign-off

No disposition sign-offs recorded yet for this project.