


SOUTHERN LATITUDES

THE STARS

Achernar, the bright star at the end of Eridanus, lies high in the south on November evenings. The other stars of Eridanus extend to Orion, which is rising in the east. Aldebaran and the stars of Taurus are in the northeast, and the Square of Pegasus is high in the northwest. Aquarius is in the west, with Fomalhaut (see p.253) in Piscis Austrinus in the southwest. The Large and Small Magellanic Clouds (see p.310 and p.311) are high in the south. Brilliant Canopus in Carina is in the southeast, with Sirius (see p.252) in Canis Major rising in the east. Overhead is Cetus, containing the long-period variable star Mira.

URANUS




DEEP-SKY OBJECTS

South of the head of Cetus is M77, the brightest of the Seyfert-type galaxies (see p.320). Seyferts are spiral galaxies with unusually bright centers caused by hot gas spiraling around a massive black hole. A telescope is required to see M77.

In the south, the globular cluster 47 Tucanae is still in view near the meridian. The Large Magellanic Cloud, with the Tarantula Nebula, NGC 2070, is in the southeast, but it is best seen in January. In the north, the galaxies M31 and M33 are visible, while the Pleiades (see p.291) and Hyades Clusters (see p.290) are moving higher in the east.

NEPTUNE



CLASSIC VARIABLE

The long-period variable star Mira (center) appears strongly red when near maximum brightness. The 9th-magnitude star to its left is unrelated.

