


Write some pseudocode

Another way to plan a program is to write it in pseudocode. “Pseudo” means fake, so pseudocode isn’t real code that you can run. It’s rough code where you can write your ideas in the style of the real thing.

4 It’s time to plan the String artist. This function takes a string of several “do” and “val” inputs and breaks it into pairs made up of a letter and a number. It then passes the pairs to the Turtle controller one at a time.



5 This is the String artist written in pseudocode. It lets you organize the ideas and structure of the code without having to think about the details yet.

```
function string_artist(input—the program as a string):
```

```
    split program string into list of commands
```

```
    for each command in list:
```

```
        check it's not blank
```

```
            —if it is go on to next item in list
```

```
        command type is the first letter
```

```
        if followed by more characters
```

```
            —turn them into a number
```

```
        call turtle_controller(command type, number)
```

The function will take in a string of commands input by the user (for example, "F100-R90")

Splits string into a list of separate commands

A blank command won't work, so the function skips it

Recognizes the first letter as a "do" command

Recognizes the following characters as a "val" number

Passes the simple command to Turtle controller



EXPERT TIPS

Clear coding

It's not only computers that need to be able to read your code, it should be clear to people too. So it's important to make your code as easy to understand as possible.

Use functions to break your code into smaller chunks. Each function should do a single task in the program.

Give your variables and functions names that say what they do: "age_in_years" makes more sense than "aiy".

Use plenty of comments (using the "#" symbol) to explain what's happening. This makes it easier to read back over the code.

Don't use symbols that can be confused with others: an upper-case "O" looks like zero, and a lower-case "L" can look like an upper-case "i" or a "1".