

Key events

Functions can also be bound to keys on the keyboard in the same way. Type in the code below to make the alien blink when the “A” and “Z” keys are pressed.

```
def blink2(event):
    c.itemconfig(eye, fill='green')
    c.itemconfig(eyeball, state=HIDDEN)
def unblink2(event):
    c.itemconfig(eye, fill='white')
    c.itemconfig(eyeball, state=NORMAL)
c.bind_all('<KeyPress-a>', blink2)
c.bind_all('<KeyPress-z>', unblink2)
```


Makes the eye green (closed)

Hides the eyeball

Shows the eyeball

This code links functions to events

This binds the function “unblink2” to the “Z” key



△ Make the alien blink

When this code is run, the “A” key will make the eye close, and the “Z” key will make it open again.

Moving with keys

Key presses can also be used to trigger movement. This code binds the arrow keys to functions that make the alien’s eyeball move.


```
def eye_control(event):
    key = event.keysym
    if key == "Up":
        c.move(eyeball, 0, -1)
    elif key == "Down":
        c.move(eyeball, 0, 1)
    elif key == "Left":
        c.move(eyeball, -1, 0)
    elif key == "Right":
        c.move(eyeball, 1, 0)
c.bind_all('<Key>', eye_control)
```

This line finds out the name of the pressed key

The eyeball moves up if the up arrow key is pressed

The eyeball moves left if the left arrow key is pressed

Activates the function “eye_control” when any key is pressed



△ Eyeball control

The eyeball moves in the direction of the pressed arrow key.