


HEATHERS

As a group, heathers (or heaths) are remarkable in that species and cultivars are available to provide interest at all times of the year. Several are grown for their golden foliage, which often turns a deep burnt orange in winter, while others flower for a long period during summer, fall, or winter. Flowers are in a variety of hues, and are occasionally bicolored. In habit, heathers vary from tree-heaths of up to 20ft (6m) to dwarf, prostrate forms, many of which are excellent for providing groundcover. There are three genera: *Calluna*, *Daboecia*, and *Erica*. All *Calluna* and *Daboecia* cultivars and most *Erica* species must be grown in acidic soil, but otherwise heathers require little attention. Main seasons of interest are given for each plant.



E. ciliaris 'David McClintock'
[sum]



E. arborea 'Alpina'
[win-spr]



E. x darleyensis 'White Perfection'
[win-spr]



E. carnea 'Springwood White'
[win-spr]



E. erigena 'Brian Proudley'
[win-spr]




E. vagans 'Birch Glow'
[sum]



E. carnea 'Challenger'
[win-spr]




E. x darleyensis 'Furzey'
[win-spr]



D. cantabrica 'Bicolor'
[spr-fall]



E. x darleyensis 'Arthur Johnson'
[win-spr]



E. carnea 'Golden Starlet'
[all year]



E. cinerea 'C.D. Eason'
[sum]




E. vagans 'St. Keverne' [sum]



E. vagans 'Mrs. D.F. Maxwell'
[sum]



E. cinerea 'Eden Valley'
[sum]



C. vulgaris 'Beoley Gold'
[sum-fall]



E. carnea 'Ann Sparkes'
[win-spr]



C. vulgaris 'Wickwar Flame'
[sum-fall]



C. vulgaris 'Annemarie' [sum-fall]




E. lusitanica 'Sheffield Park'
[fall-spr]



C. vulgaris 'Dark Star'
[sum-fall]



E. ciliaris 'Corfe Castle' [sum]



C. vulgaris 'Peter Sparkes' [sum-fall]



C. vulgaris 'Tib' [sum]