

ACACIA

(1.5m). Has very narrow, cylindrical, spinelike, rich green phyllodes and, in midspring, produces globular clusters of pale yellow flowers. Z11–15
A. verticillata (Prickly Moses). Evergreen, spreading tree or bushy shrub. H 6–25ft (2–8m), S 10–25ft (3–8m). Has needlelike, dark green phyllodes and, in spring, produces dense, bottlebrush-like spikes of bright yellow flowers. Z11

ACAENA

ROSACEAE

Genus of mainly evergreen, creeping, mat-forming perennials and semiprostrate subshrubs, grown for their leaves and colored burs. Produces tight, rounded heads of small flowers. Useful as ground-cover and good for a rock garden. Some species may be invasive. Needs sun or partial shade and well-drained soil. Propagate by division in early spring or by seed in fall.
A. anserinifolia of gardens. See *A. novae-zelandiae*.
A. buchananii. Vigorous, evergreen, prostrate perennial. H ¾in (2cm), S 30in (75cm) or more. Glaucous leaves comprise 11–17 ovate, toothed leaflets. Bears globose, green flower heads in summer, which develop into spiny, yellow-green burs. Z6–8
A. caerulea. See *A. caesiiglauca*.
A. caesiiglauca, syn. *A. caerulea*, illus. p.374.
A. microphylla illus. p.374.
A. novae-zelandiae, syn. *A. anserinifolia* of gardens. Vigorous, evergreen, creeping perennial. H to 6in (15cm), S 3ft (1m) or more. Brown-green leaves are divided into 9–13 ovate, toothed leaflets. Red-spined, brownish burs develop from spherical heads of greenish-brown flowers in summer. Z6–8
A. ‘Pewter’. See *A. saccaticupula* ‘Blue Haze’.
A. saccaticupula ‘Blue Haze’, syn. *A. ‘Pewter’*. Vigorous, evergreen, creeping perennial. H 4–6in (10–15cm), S 3ft (1m) or more. Leaves are divided into 9–15 ovate, toothed, steel-blue leaflets. Produces spherical, brownish-red flower heads that develop in fall to dark red burs with pinkish-red spines. Z7–9

ACALYPHA

EUPHORBIACEAE

Genus of evergreen shrubs and trees, and annuals, grown for their flowers and foliage. Needs partial shade and humus-rich, well-drained soil. Water containerized plants freely when in full growth, much less at other times and in low temperatures. Stem tips of young plants may be removed in growing season to promote branching. Propagate by softwood, greenwood or semiripe cuttings in summer. Red spider mite, whitefly, and mealy bug may be troublesome.
A. hispida (Red-hot cat’s tail). Evergreen, upright, soft-stemmed shrub. H 6–10ft (2–3m), S 3–6ft (1–2m). Has ovate, toothed, lustrous, deep green leaves. Tiny, crimson flowers hang in long, dense, catkinlike spikes, intermittently year-round. May be grown as a short-lived cordon. Z11 (min. 55°F/13°C)

A. wilkesiana (Copperleaf, Jacob’s coat) illus. p.456.

ACANTHOLIMON

PLUMBAGINACEAE

Genus of evergreen perennials, grown for their flowers and tight cushions of spiny leaves. Suitable for rock gardens and walls. Prefers sun and well-drained soil. Dislikes damp winters. Rarely sets seed in cultivation. Propagate by softwood cuttings in late spring.
A. glumaceum illus. p.363.
A. venustum. Evergreen, cushion-forming perennial. H and S 4in (10cm). Small spikes of star-shaped, pink flowers, on 1¼in (3cm) stems, are borne from late spring to early summer amid rosetted, spear-shaped, spiny, silver-edged blue-green leaves. Needs a hot, well-drained site. Good for an alpine house. Z7–9

Acanthopanax. See *Eleutherococcus* except for **A. ricinifolius** for which see *Kalopanax septemlobus*.

ACANTHUS

Bear’s breeches

ACANTHACEAE

Genus of perennials, some of which are semievergreen, grown for their large, deeply cut leaves and their spikes of flowers. Prefers full sun, warm conditions and well-drained soil, but tolerates shade. Protect crowns in first winter. Long, thonglike roots make plants difficult to eradicate if wrongly placed. Propagate by seed or division in early fall or spring, or by root cuttings in winter.
A. balcanicus. See *A. hungaricus*.
A. dioscoridis. Variable perennial. H 8–16in (20–40cm), S 3ft (90cm). Has ovate, deeply cut, rigid, basal leaves and hairy stems. Dense spikes of small, funnel-shaped, purple-and-white flowers are borne in late spring to late summer. Z6–9
A. hungaricus, syn. *A. balcanicus*, *A. longifolius*. Upright perennial. H 2–4ft (60–120cm), S 2–3ft (60–90cm). Has long, deeply cut, basal, dark green leaves. Bears spikes of white or pink-flushed flowers, set in spiny, red-purple bracts, in summer. Z6–9
A. longifolius. See *A. hungaricus*.
A. mollis. Semievergreen, stately, upright perennial. H 5ft (1.5m), S 3ft (90cm). Has long, ovate, deeply cut, bright green leaves and, in summer, produces many spikes of funnel-shaped, mauve-and-white flowers. Z7–11. ‘Hollard’s Gold’ illus. p.219.
Latifolius Group ‘Rue Ledan’ has green and white flowers.
A. ‘Morning’s Candle’. Clump-forming perennial. H to 32in (80cm), S to 28in (70cm). Produces deeply cut, dark green leaves and tall spikes of white flowers with purple bracts from mid- to late summer. Z6–9
A. spinosus illus. p.239.

ACCA

SYN. FELJOA

MYRTACEAE

Genus of evergreen, opposite-leaved shrubs, grown for their shallowly cup-shaped flowers. Needs a sheltered, sunny

site and light, well-drained soil. Propagate by seed sown as soon as ripe or by semiripe cuttings in summer.
A. sellowiana (Pinapple guava) illus. p.203.

ACER

Maple

SAPINDACEAE/ACERACEAE

Genus of deciduous or evergreen trees and shrubs, grown for their foliage, which often colors brilliantly in fall and, in some cases, for their ornamental bark or stems. Small, but often attractive flowers are followed by 2-winged fruits. Requires sun or semishade and fertile, moist but well-drained soil. Many acers produce their best fall color on neutral to acidic soil. Propagate species by seed as soon as ripe or in fall; cultivars by various grafting methods in late winter or early spring, or by budding in summer. Leaf-eating caterpillars or aphids sometimes infest plants, and maple tar spot may affect *A. platanoides* and *A. pseudoplatanus*.
A. buergerianum (Trident maple). Deciduous, spreading tree. H 30ft (10m) or more, S 22ft (7m). Has 3-lobed, glossy, dark green leaves, usually providing an attractive, long-lasting display of red, orange and purple in fall. Z5–9
A. campestre. Deciduous, round-headed tree. H 30ft (10m), S 25ft (8m). Has ovate to rounded, 5-lobed leaves, downy beneath and at edges, and with leaf stalks of similar length, which exude a milky sap when broken. Foliage turns rich yellow in fall. Bears green flowers in spring, followed by fruit with spreading wings that ripen to red. Z4–8. ‘Carnival’, H 22ft (7m), S 16ft (5m), is smaller, with leaves broadly margined creamy white, flushed pinkish red when young. ‘Evenly Red’ has distinctive, rich red fall foliage. ‘William Caldwell’, H 26ft (8m), S 5ft (1.5m), is compact and upright, often with vivid orange-red fall color.
A. capillipes (Snake-bark maple) illus. p.77.
A. cappadocicum (Cappadocian maple). Deciduous, spreading tree. H 70ft (20m), S 50ft (15m). Has 5-lobed, bright green leaves that turn yellow in fall. Z5–7. ‘Aureum’ has bright yellow young leaves that turn light green in summer and assume yellow fall tints. **subsp. lobelii** (syn. *A. lobelii*, Lobel’s maple) illus. p.62
A. carpinifolium (Hornbeam maple) illus. p.88.
A. circinatum (Vine maple). Deciduous, spreading, bushy tree or shrub. H 15ft (5m) or more, S 20ft (6m). Rounded, 7–9-lobed, mid-green leaves turn brilliant orange and red in fall. Bears clusters of small, purple-and-white flowers in spring. Z6–9
A. cissifolium. Deciduous, spreading tree. H 25ft (8m), S 30ft (10m). Leaves have 3 ovate, toothed leaflets, and are bronze-tinged when young, dark green in summer, turning red and yellow in fall. Best in semishade and on neutral to acidic soil. Z4–8. **subsp. henryi** see *A. henryi*.
A. x conspicuum. Variable, deciduous tree, often upright, vase-shaped in habit.

H 30ft (10m), S 12ft (4m). Bark is blue-green to pinkish red with conspicuous white stripes, especially when young. Broad, mainly smooth, mid-green leaves turn striking golden to orange-yellow in fall. Racemes of small, yellowish green flowers are borne in spring, followed by green to red winged fruit. Z5–9. ‘Phoenix’, H 22ft (7m), S 8ft (2.5m), has coral-red young shoots in winter, the older, pinkish bark striped with white. Cut shoots to the bases annually for the best winter color effect. ‘Silver Vein’, S 15ft (5m), has trunk and branches heavily veined with white on a bluish-green bark; perhaps the most striking of all snake-bark maples.
A. crataegifolium (Hawthorn maple). Deciduous, arching tree. H and S 30ft (10m). Green-and-white streaked branches bear small, ovate, mid-green leaves that turn orange in fall. Z6–8. ‘Veitchii’ illus. p.85.
A. davidii (Père David’s maple, Snake-bark maple; illus. p.78). Deciduous tree with upright branches. H 40ft (12m), S 25ft (8m). Branches are striped green and white. Ovate, glossy, dark green leaves often turn yellow or orange in fall. Z5–7. ‘George Forrest’ is broadly upright, with mid- to dark green leaves, but poor fall color. **subsp. grosseri** see *A. grosseri*. ‘Madeline Spitta’ illus. p.76. ‘Rosalie’ has arching, spreading branches, and conspicuous purplish-blue young shoots, maturing to green with strong white veining.
A. x freemanii. Variable, deciduous tree with upright, silvery-gray branches, forming a broadly columnar, conical, ovate, or rounded crown. H 40–70ft (12–20m), S 20–40ft (6–12m). The 3–5-lobed, deeply dissected leaves are mid-green, silvery beneath, and turn red and yellow in fall. Clusters of tiny reddish flowers are produced in early spring, sometimes followed by greenish winged seeds. Z5–7. **AUTUMN BLAZE** (‘Jeffersred’) forms an ovate crown. Outstanding orange-red color in fall; drought tolerant.
A. ginnala. See *A. tataricum* subsp. *ginnala*.
A. giraldii. Deciduous, spreading tree. H and S 50ft (15m). Shoots have a blue-gray bloom. Large, sycamore-like, shallowly lobed leaves, with long, pink stalks, are dark green above, blue-white beneath. Z7–9
A. grandidentatum. See *A. saccharum* subsp. *grandidentatum*.
A. griseum (Paperbark maple; illus. p.78). Deciduous, spreading tree. H and S 30ft (10m). Has striking, peeling, orange-brown bark. Dark green leaves have 3 leaflets and turn red and orange in fall. Z4–8
A. grosseri, syn. *A. davidii* subsp. *grosseri* (Snakebark maple; illus. p.78). Deciduous, upright and spreading tree. H and S 30ft (10m). Has white-striped trunk and branches. Broadly ovate, deeply lobed, bright green leaves turn red in fall. Z5–7
A. henryi, syn. *A. cissifolium* subsp. *henryi*, illus. p.76.
A. japonicum (Full-moon maple, Japanese maple). Deciduous, bushy tree or shrub. H 12ft (4m), S 25ft (8m). Rounded, lobed leaves are mid-green, turning red in fall. Clusters of small, reddish-purple flowers open in midspring. Shelter from