

of 2-ranked, linear, glossy, rich green leaves, 3–14in (8–35cm) long. Z10–11. **‘Ogon’** (syn. *A.g.* ‘Wogon’) has glossy, variegated leaves, striped with pale green and cream. **‘Variegatus’** illus. p.435. **‘Wogon’** see *A.g.* ‘Ogon’.

ACRADENIA

RUTACEAE

Genus of evergreen shrubs or trees, grown for their foliage and flowers. Requires a sheltered position in sun or semishade and fertile, well-drained soil. Does best planted against a south- or west-facing wall. Propagate by semiripe cuttings in summer. **A. frankliniae** illus. p.192.

Acroclinium. See *Rhodanthe*.

ACTAEA

SYN. CIMICIFUGA
Baneberry

RANUNCULACEAE

Genus of clump-forming perennials, grown mainly for their colorful, but poisonous, berries. Likes woodland conditions—moist, peaty soil and shade. Propagate by division in spring or by seed in fall. ☉The berries are highly toxic if ingested.

A. alba. See *A. pachypoda*.

A. alba of gardens. See *A. rubra* f. *neglecta*.

A. cordifolia, syn. *A. racemosa* var. *cordifolia*, *A. rubifolia*, *Cimicifuga racemosa* var. *cordifolia*, *C. rubifolia*. Clump-forming perennial. H 5ft (1.5m), S 2ft (60cm). In midsummer, feathery plumes of star-shaped, creamy-white flowers are borne above broadly ovate to lance-shaped, dissected, light green leaves. Z3–7

A. erythrocarpa of gardens. See *A. rubra*. **A. pachypoda**, syn. *A. alba* (Doll’s eyes, White baneberry), illus. p.246.

A. racemosa, syn. *Cimicifuga racemosa*. Clump-forming perennial. H 1–5ft (30–150cm), S 2ft (60cm). Spikes of bottlebrush-like, pure white flowers are borne in midsummer above broadly ovate, divided, fresh green leaves. Z3–8. **var. cordifolia** see *A. cordifolia*.

A. rubifolia. See *A. cordifolia*.

A. rubra, syn. *A. erythrocarpa* of gardens (Red baneberry). Clump-forming perennial. H 18in (45cm), S 12in (30cm). Small, fluffy, white flowers are followed in fall by clusters of poisonous, rounded, scarlet berries, borne above ovate, divided, bright green leaves. Z4–8. **f. neglecta** (syn. *A. alba* of gardens) has white berries. **A. simplex**, syn. *Cimicifuga simplex*, illus. p.220. **‘Elstead’** is an upright perennial. H 4ft (1.2m), S 2ft (60cm). Purple stems bear arching racemes of fragrant, bottlebrush-like, white flowers in fall. Has broadly ovate to lance-shaped, divided, glossy leaves. **‘Prichard’s Giant’**, H 7ft (2.2m), has large, much-divided leaves and bears white flowers on arching panicles. Z3–7

ACTINIDIA

ACTINIDIACEAE

Genus of mainly deciduous, woody-stemmed, twining climbers. Grows in partial shade but needs sun for fruit to

form and ripen. Grow in any well-drained soil that does not dry out. Prune in winter if necessary. Propagate by seed in spring or fall, by semiripe cuttings in midsummer or by layering in winter.

A. arguta. Deciduous, woody-stemmed, twining climber. H 22ft (7m). Has ovate to oblong-ovate, bristle-toothed, dark green leaves, to 5in (12cm) long. In early summer produces clusters of fragrant, cup-shaped, white, unisexual flowers which in male plants have purple anthers. Oblong, smooth-skinned, edible, yellow-green fruits, to 1in (25cm) long, are produced on female plants. Z3–8. **‘Issai’** is self-fertile. **A. chinensis** of gardens. See *A. deliciosa*. **A. deliciosa**, syn. *A. chinensis* of gardens (Kiwi fruit, Chinese gooseberry). Vigorous, mainly deciduous, woody-stemmed, twining climber. H 30ft (10m). Heart-shaped leaves are 5–8in (13–20cm) long. In summer bears clusters of cup-shaped, white flowers that later turn yellowish, followed by edible, hairy, brown fruits. To obtain fruits, both male and female plants must usually be grown. Z7–9 **A. kolomikta** illus. p.201.

A. pilosula of gardens. See *A. tetramera* var. *maloides*.

A. polygama (Silver vine). Mainly deciduous, woody-stemmed, twining climber. H 15ft (5m). Heart-shaped leaves, 3–5in (7–13cm) long, are bronze when young and sometimes have creamy upper sections. Scented, cup-shaped, white flowers, usually arranged in groups of 3 male, female or bisexual, are produced in summer, followed by edible but not very palatable, egg-shaped, bright yellow fruits. Z4–9

A. tetramera var. *maloides*, syn. *A. pilosula* of gardens. Vigorous, deciduous climber. H 25ft (8m). Produces narrowly oblong-ovate, bristly-edged, dark green leaves, often marked silvery white on the upper surface, extending from the tip to sometimes the whole surface. The 5-petaled, rose-pink flowers are produced in clusters in the leaf axils in spring. Z6–9

Ada aurantiaca. See *Brassia aurantiaca*.

ADANSONIA

Baobab

MALVACEAE/BOMBACACEAE

Genus of mostly deciduous, spring-flowering trees, grown for their characteristically swollen trunks, their foliage and to provide shade. Has flowers only on large, mature specimens. Requires full light and sharply drained soil. Allow soil of container plants almost to dry out between waterings. Propagate by seed sown in spring. Pot specimens under glass are susceptible to red spider mite. **A. digitata.** Slow-growing, deciduous rounded tree. H to 60ft (18m), S 100ft (30m). Produces palmate leaves comprising 5–7 lustrous, green leaflets. Fragrant, pendent, long-stalked, white flowers, with 5 reflexed petals, are borne in spring, followed by edible, sausage-shaped, brown fruits. Z11 (min. 61°F/16°C)

ADENIUM

Desert rose

APOCYNACEAE

Genus of perennial succulents with fleshy, swollen trunks. Needs sun or partial shade and well-drained soil; very prone to rotting. Propagate by seed sown in spring or summer. ☉The milky sap that bleeds from broken stems may irritate skin and cause severe discomfort if ingested. **A. obesum** illus. p.486.

ADENOCARPUS

PAPILIONACEAE/LEGUMINOSAE

Genus of deciduous and evergreen, sometimes semievergreen, shrubs, occasionally trees. They are grown for their profuse, broomlike, yellow flowers, borne in spring or early summer. Requires full sun and well-drained soil; best grown against a warm, sunny wall. Propagate by seed sown in fall.

A. viscosus. Semievergreen, arching shrub. H 3ft (1m), S 5ft (1.5m). Gray-green leaves with 3 narrowly lance-shaped leaflets densely cover shoots. Produces dense, terminal racemes of orange-yellow flowers in late spring. Z10–11

ADENOPHORA

Gland bellflower

CAMPANULACEAE

Genus of summer-flowering, fleshy-rooted perennials, grown for their bell- or funnel-shaped flowers. Requires a site in full sun and rich, well-drained but not over-dry soil. May become invasive but resents disturbance. Propagate by basal cuttings taken in early spring or by seed sown in fall.

A. potaninii. Rosette-forming perennial. H 2–3ft (60–90cm), S 1ft (30cm). Produces arching sprays of bell-shaped, pale bluish-lavender flowers in late summer, above basal, ovate to lance-shaped, mid-green leaves. Z4–8

Adhatoda duvernoia. See *Justicia adhatoda*.

ADIANTUM

PTERIDACEAE/ADIANTACEAE

Genus of deciduous, semievergreen or evergreen ferns. Prefers semishade and moist, neutral to acidic soil (*A. aleuticum* prefers alkaline soil). Remove fading fronds regularly. Propagate by spores in summer.

A. aleuticum, syn. *A. pedatum* var. *aleuticum*, illus. p.291. **‘Subpumilum’** (syn. *A. a.* subsp. *subpumilum*, *A. a.* var. *subpumilum*; Dwarf maidenhair fern) is a semievergreen fern. H to 6in (15cm), S 12in (30cm). Has broadly ovate to kidney-shaped fronds, 4–5in (10–12cm) long, with oblong segments and black stalks and midribs. Z3–8 **A. capillus-veneris** (Maidenhair fern). Semievergreen or evergreen fern. H 12in (30cm), S 16in (40cm). Has dainty, triangular to ovate, segmented, arching, light green fronds on black stems. Z8–11 **A. cuneatum.** See *A. raddianum*. **A. x mairisii.** Evergreen fern, deciduous at around –4°C (25°F). H and S 16in (40cm).

ADROMISCHUS

Produces short-creeping rhizomes and triangular, 2-pinnate mid-green fronds, to 16in (40cm) long, which bear fan-shaped pinnae. Similar to *A. capillus-veneris*, but larger, more erect and hardier, with smaller segments. Z8–10

A. pedatum (Northern maidenhair fern) illus. p.291. **var. aleuticum** see *A. aleuticum*.

A. raddianum, syn. *A. cuneatum* (Delta maidenhair). Semievergreen or evergreen fern. H to 2ft (60cm), S 32in (80cm). Triangular, divided, pale green segments are borne on finely dissected fronds that have purplish-black stems. (min 45°F/7°C)

Z11 . **‘Fritz Lüthi’** has bright green fronds. **‘Grandiceps’** (Tassel maidenhair) has elegant, tasseled fronds.

A. venustum illus. p.292.

ADLUMIA

PAPAVERACEAE

Genus of one species of herbaceous, biennial, leaf-stalk climber, grown for its leaves and flowers. Grow in semishade in any soil. Propagate by seed in spring. **A. cirrhosa.** See *A. fungosa*. **A. fungosa**, syn. *A. cirrhosa* (Allegheny vine, Climbing fumitory). Herbaceous, biennial, leaf-stalk climber. H 10–15ft (3–5m). Delicate leaves have numerous leaflets. Tiny, tubular, spurred, white or purplish flowers are borne in drooping panicles in summer. Z3–7

ADONIS

RANUNCULACEAE

Genus of spring-flowering annuals and perennials, grown for their foliage and flowers. Some thrive in semishade; others need an open, well-drained site. Propagate by seed when fresh, in late summer, or by division after flowering.

A. amurensis of gardens. See *A. ‘Fukujukai’*.

A. brevistyla. Clump-forming perennial. H 8–16in (20–40cm), S 8in (20cm). Mid-green leaves are finely cut. In early spring, bears cup-shaped, white flowers, tinged blue outside, singly at the tips of stems. Z4–9 **A. ‘Fukujukai’**, syn. *A. amurensis* of gardens. Clump-forming perennial. H 12in (30cm), S 9–12in (23–30cm). Has finely cut, mid-green leaves, and cup-shaped, semidouble, golden flowers, borne singly at the tips of stems in late winter and early spring. Z5–9 **A. vernalis** illus. p.262.

ADROMISCHUS

CRASSULACEAE

Genus of stemless or short-stemmed perennial succulents with rounded, thin or fat leaves. Needs partial shade and very well-drained soil. Propagate by leaf or stem cuttings in spring or summer. **A. cooperi**, syn. *Cotyledon cooperi*, *Echeveria cooperi*. Freely branching perennial succulent. H 4in (10cm), S to 6in (15cm). Has grayish-brown stems and inversely lance-shaped, glossy, gray-green leaves, to 2in (5cm) long, often purple-marked above. In summer, produces tubular, green-and-red flowers, with