

CALLUNA

‘**Hammondii Aureifolia**’, H 12in (30cm), S 16in (40cm), has white flowers; foliage is light green, and shoots tipped yellow in spring and early summer. ‘**H.E. Beale**’, H 20in (50cm), is one of the best double-flowered heathers, with pale pink flowers on long stems. ‘**J.H. Hamilton**’, H 8in (20cm), S 16in (40cm), is neat, with double, salmon-pink flowers. ‘**Joy Vanstone**’ has pale golden foliage, turning to orange and bronze, and mauve-pink flowers. ‘**Kerstin**’, H 12in (30cm), bears mauve flowers and has downy, deep lilac-gray foliage in winter; the shoots are tipped pale yellow and red in spring. ‘**Kinlochruel**’, H 12in (30cm), S 14in (35cm), bears an abundance of large, double, white flowers. ‘**Mair’s Variety**’, an old cultivar, has white flowers on long spikes. ‘**Marleen**’ has long-lasting, white buds tipped purple, borne from early to late fall. ‘**Mullion**’ H 10in (25cm), S 20in (50cm), is a low, spreading shrub with rich mauve-pink flowers. ‘**My Dream**’, H 18in (45cm), S 20in (50cm), bears double, white flowers on long, tapering stems. ‘**Peter Sparkes**’ (illus. p.166), H 20in (50cm), S 22in (55cm), bears double, deep pink flowers in long spikes. ‘**Red Favorit**’, H 8in (20cm), S 28in (70cm), has a broad, spreading habit, and bears double, crimson flowers; foliage is dark green in summer, turning bronze in winter. ‘**Robert Chapman**’ is a spreading cultivar grown mainly for its foliage, which is golden-yellow in summer, turning orange and brilliant red in winter; flowers are mauve-pink. ‘**Ruth Sparkes**’, H 10in (25cm), has golden foliage and double, white flowers. ‘**Silver Knight**’, H 12in (30cm), is upright and vigorous, with gray foliage and mauve-pink flowers. ‘**Silver Queen**’, H 16in (40cm), S 22in (55cm), is spreading, with outstanding, downy, silvery-gray foliage and dark mauve-pink flowers. ‘**Sir John Charrington**’ has brightly colored foliage, that varies from golden-yellow in summer to orange and red in winter, and dark mauve-pink flowers. ‘**Sister Anne**’, H 6in (15cm), is low and spreading, with gray-green foliage turning bronze in winter, and pale mauve-pink flowers. ‘**Spring Cream**’ has bright green foliage, the young shoots tipped cream in spring, and white flowers. ‘**Spring Torch**’, H 16in (40cm), S 2ft (60cm), has cream, orange, and red shoot tips in spring, and mauve flowers. ‘**Sunset**’, H 10in (25cm), has brightly colored foliage, changing from golden-yellow in spring to orange in summer and fiery red in winter; flowers are mauve-pink. ‘**Tib**’ (illus. p.166), H 12in (30cm), S 16in (40cm), is the earliest-flowering double cultivar, bearing small, double, deep pink flowers in early summer. ‘**Velvet Fascination**’, H 20in (50cm), S 28in (70cm), is vigorous and erect, with silvery-gray foliage and white flowers. ‘**White Coral**’, H 8in (20cm), S 16in (40cm), has bright green foliage and bears double, white flowers in early fall. ‘**White Lawn**’, H 4in (10cm), is a prostrate shrub with bright green foliage and white flowers on long stems; is suitable for a rock garden. ‘**Wickwar Flame**’ (illus. p.166) is vigorous and has foliage in shades of yellow, orange and flame that

are particularly effective in winter; flowers are mauve-pink. ‘**Yvette’s Gold**’, H 12in (30cm), S 20in (50cm), is robust and upright, with golden foliage and white flowers.

CALOCEDRUS
CUPRESSACEAE
See also CONIFERS.
C. decurrens, syn. *Libocedrus decurrens* (Incense cedar), illus. p.101.

Calocephalus brownii. See *Leucophyta brownii*.

CALOCHORTUS
Cat’s ears, Fairy lantern, Mariposa tulip

LILIACEAE
Genus of bulbs, grown for their spring and summer flowers. Needs a sheltered, sunny site and well-drained soil. In cold, damp climates, cover or lift spring-flowering species when dormant, or grow in cold frames or cold houses. After flowering, remove bulbils for propagation. Propagate by seed or bulbils: spring-flowering species in fall, summer-flowering species in spring. **C. albus**. Spring-flowering bulb. H 8–20in (20–50cm), S 2–4in (5–10cm). Has long, narrow, erect, gray-green leaves near the base of the loosely branched stem. Each branch bears a pendent, round to bell-shaped, white or pink flower. Z6–10
C. barbatus, syn. *Cyclobothra lutea*, illus. p.412.
C. luteus (Yellow mariposa) illus. p.406.
C. monophyllus. Summer-flowering bulb. H 3–8in (8–20cm), S 2in (5cm). Has an erect, branched stem with 1–3 slender leaves and one long, narrow basal leaf. Bears cup-shaped, deep yellow flowers, often with a reddish mark on the claws. Petals are fringed and densely bearded. Z7–10
C. splendens. Late spring-flowering bulb. H 8–24in (20–60cm), S 2–4in (5–10cm). Bears 1 or 2 linear, erect leaves near base of branched stem and 1–4 upward-facing, saucer-shaped, pale purple flowers, 2–3in (5–7cm) across, with a darker blotch at the base of each of the 3 large petals. Z8–10
C. superbus illus. p.409.
C. venustus illus. p.399.
C. vestae. Late spring-flowering bulb. H 8–24in (20–60cm), S 2–4in (5–10cm). Similar to *C. splendens*, but flowers are white or purple, with a rust-brown mark near the base of each of 3 large petals. Z5–10
C. weedii. Summer-flowering bulb. H 12–24in (30–60cm), S 2–4in (5–10cm). Has a linear, erect leaf near the stem base. Produces usually 2 upright, saucer-shaped flowers, 1½–2in (4–5cm) across, that are orange-yellow with brown lines and flecks, and hairy inside. Z7–10

CALOMERIA
SYN. HUMEA
ASTERACEAE/COMPOSITAE
Genus of one species of strongly aromatic biennial. Needs sun and fertile, well-drained soil. Propagate by seed sown under glass in midsummer.
C. amaranthoides, syn. *Humea elegans*

(Incense plant). Erect, branching biennial. H to 6ft (1.8m), S 3ft (90cm). Has lance-shaped leaves and heads of tiny, pink, brownish-red or crimson flowers with a strong fragrance of incense in summer-fall. Z12–15 (min. 39°F/4°C)

Calonyction aculeatum. See *Ipomoea alba*.
Caloscordum neriniflorum. See *Allium neriniflorum*.

CALOTHAMNUS
Net bush

MYRTACEAE
Genus of evergreen, summer-flowering shrubs, grown for their flowers and overall appearance. Thrives in a dryish, airy environment. Needs full sun and well-drained, sandy soil. Water containerized plants moderately when in full growth, less at other times. Propagate by seed or semiripe cuttings in summer.
C. quadrifidus (Common net bush). Erect to spreading, evergreen shrub. H 6–12ft (2–4m), S 6–15ft (2–5m). Has linear, grayish- to dark green or gray leaves. Irregular, axillary, one-sided spikes of rich red, feathery flowers, 1in (25cm) long, are borne from late spring to fall, often forming clusters, 8in (20cm) or more across, around the stems. Z12–15 (min. 41°F/5°C)

CALTHA
RANUNCULACEAE
Genus of deciduous, perennial, marginal water plants, bog plants, and rock-garden plants, grown for their attractive flowers. Most prefer an open, sunny position. Smaller-growing species suit rock gardens, troughs, and alpine houses; they require moist, but well-drained soil. Larger species are best in marginal conditions. Propagate species by seed in fall or by division in fall or early spring, selected forms by division in fall or early spring.
C. leptosepala illus. p.435.
C. palustris (Kingcup, Marsh marigold) illus. p.444. **var. alba** (syn. *C.p.* ‘Alba’) is a compact, deciduous, perennial, marginal water plant. H 9in (23cm), S 12in (30cm). Has rounded, glossy, dark green leaves, and bears solitary, white flowers with yellow stamens in early spring, often before the foliage develops. ‘**Flore Pleno**’ (syn. *C.p.* ‘Plena’) illus. p.444. ‘**Plena**’ see *C.p.* ‘Flore Pleno’. Z3–7

CALYCANTHUS
SYN. SINOCALYCANTHUS
Allspice, Spicebush

CALYCANTHACEAE
Genus of deciduous, summer-flowering shrubs, grown for their purplish- or brownish-red flowers with strap-shaped petals. Requires sun or light shade and fertile, deep, moist but well-drained soil. Propagate by softwood cuttings in summer or by seed in fall.
C. floridus (Carolina allspice, Strawberry bush). Deciduous, bushy shrub. H and S 6ft (2m). Has ovate, aromatic, dark green leaves. From early to midsummer, bears fragrant, brown-red flowers with many spreading petals. Z5–9

C. occidentalis (California allspice) illus. p.137.
C. x raulstonii ‘Hartlage Wine’. Vigorous, deciduous, upright, spreading shrub. H and S 10ft (3m). Has broadly ovate, shiny, dark green leaves, which turn yellow in fall. A profusion of solitary, almost scentless, maroon-red flowers, with cream-tipped inner tepals, are borne from late spring to early summer. Z5–9

CALYPSO
ORCHIDACEAE
See also ORCHIDS.
C. bulbosa. Deciduous, terrestrial orchid. H 2–8in (5–20cm), S 6in (15cm). Cormlike stem produces a single, ovate, pleated leaf, 1¼–4in (3–10cm) long. Purplish-pink flowers, ¾–¾in (1.5–2cm) long, with hairy, purple-blotched, white or pale pink lips, are produced singly in late spring or early summer. Requires a damp, semishaded position with a mulch of leaf mold. Z6–9

CAMASSIA
ASPARAGACEAE
Genus of summer-flowering bulbs, suitable for borders and pond margins. Requires a position in sun or partial shade and deep, moist soil. Plant bulbs in fall, 4in (10cm) deep. Lies dormant in fall and winter. Propagate by seed in fall or by division in late summer. If seed is not required, cut off stems after flowering.
C. esculenta. See *C. quamash*.
C. leichtlinii subsp. leichtlinii illus. p.383. ‘**Semiplena**’ is a tuft-forming, summer-flowering bulb. H 3–5ft (1–1.5m), S 8–12in (20–30cm). Has long, narrow, erect, basal leaves. Each leafless stem bears a dense spike of narrow-petaled, double, creamy-white flowers, 1½–3in (4–8cm) across. **subsp. suksdorfii** **Caerulea Group** has dark blue flowers. Z5–9
C. quamash, syn. *C. esculenta* (Common camassia, Quamash), illus. p.411.

CAMELLIA
THEACEAE
Genus of evergreen shrubs and small trees, grown for their flowers and often attractive foliage. Flowers are classified according to the following types: single, semidouble, anemone-form, peony-form (sometimes termed irregular double), rose-form, and formal double. See feature panel pp.120–121 for illustrations and descriptions. Grows well against walls and in containers. Most forms prefer a sheltered position and semishade. Well-drained, neutral to acidic soil is essential. Prune to shape after flowering. Propagate by semiripe or hardwood cuttings from midsummer to early winter or by grafting in late winter or early spring. Aphids, thrips, and scale insects may cause problems under glass.
C. ‘Black Lace’, syn. *C. reticulata* ‘Black Lace’ (illus. p.121). Slow-growing, dense, upright shrub. H 8ft (2.5m), S 6ft (2m). Has ovate, dark green leaves, 3in (8cm) long, and produces large, formal double, deep velvet-red flowers from early to late spring. Z7–8
C. chrysantha. See *C. nitidissima*.