

flowering stems bear sprays of pendent, tubular, dusky-pink flushed, creamy-white flowers. Z4–8. **‘Alina’s Double’**, H 12in (30cm), has large, “hose-in-hose,” double, rich pink flowers. **f. rubriflora ‘Cherry Bells’** (illus. p.241), H 20in (50cm), bears cream-tipped, rose-pink flowers. **‘Wine ‘n’ Rubies’**, H 12in (30cm), has dark green leaves and bears large, rich purple-red flowers, with heavily speckled interiors, in midsummer.

C. ‘Purple Sensation’. Clump-forming perennial. H 16in (40cm), S 12in (30cm) or more. Has ovate, dark green leaves. Bears pendent, tubular, deep violet-black flowers in summer. Z5–9

C. pusilla. See *C. cochleariifolia*.

C. pyramidalis (Chimney bellflower). Erect, branching perennial, grown as a biennial. H 6ft (2m), S 2ft (60cm). Produces long racemes of star-shaped, blue or white flowers in summer. Leaves are heart-shaped. Needs staking. Z6–8

C. raineri. Perennial that spreads by underground runners. H 1½in (4cm), S 3in (8cm). Leaves are ovate, toothed, and gray-green. Flower stems each bear a large, upturned, bell-shaped, pale lavender flower in summer. Suitable for an alpine house or a trough that is protected from winter wet. Requires semishade. Z5–7

C. takesimana (illus. p.241). Vigorous, spreading perennial. H 30in (75cm), S 3ft (1m). Forms rosettes of heart-shaped, glossy, mid-green leaves. In summer and fall, flowering stems bear pendent, tubular to bell-shaped, ivory-white flowers with red speckled interiors. Best in a sunny site. Z5–7. **‘Elizabeth’** (syn. *C. ‘Elizabeth’*), H 14–16in (35–40cm), S 16in (40cm), produces cream flowers flushed reddish-purple outside and spotted red inside.

C. trachelium (Nettle-leaved bellflower). Upright perennial. H 2–3ft (60–100cm), S 1ft (30cm). Has rough, serrated, ovate, pointed, basal leaves. Wide, bell-shaped, white, blue or purple-blue flowers are spaced along erect stems in summer. Z5–8. **‘Bernice’** (illus. p.241) has double purple-violet flowers.

C. vidalii. See *Azorina vidalii*.

C. wanneri, syn. *Symphyandra wanneri*, illus. p.342.

C. zoyzii. Tuft-forming perennial. H 2in (5cm), S 4in (10cm). Has tiny, rounded, glossy green leaves. In summer, flower stems each bear a bottle-shaped, lavender flower held horizontally. Needs gritty, alkaline soil. Difficult to grow and encourage to flower; dislikes winter wet; and is prone to slug attack. Z5–7

CAMPSIS

Trumpet creeper, Trumpet vine

BIGNONIACEAE

Genus of deciduous, woody-stemmed, root climbers, grown for their flowers. , Where marginally hardy, benefits from protection of a sunny wall. Grow in sun in fertile, well-drained soil, and water regularly in summer. Prune in spring. Propagate by semiripe cuttings in summer or by layering in winter.

C. chinensis. See *C. grandiflora*.

C. grandiflora, syn. *Bignonia grandiflora*, *Campsis chinensis*, *Tecoma grandiflora*, illus. p.203.

C. radicans, syn. *Bignonia radicans*, *Tecoma radicans* (Common trumpet creeper). Deciduous, woody-stemmed, root climber. H to 40ft (12m). Leaves of 7–11 ovate, toothed leaflets are downy beneath. Small clusters of trumpet-shaped, orange, scarlet or yellow flowers, 2½–3in (6–8cm) long, open in late summer and early fall. Z5–9. **‘Flamenco’** illus. p.208. **f. flava** (syn. *C.r. ‘Yellow Trumpet’*) illus. p.206. **‘Indian Summer’** illus. p.193. **‘Yellow Trumpet’** see *C.r. f. flava*. **C. x tagliabuana ‘Madame Galen’** illus. p.208.

CANARINA

CAMPANULACEAE

Genus of herbaceous, tuberous, scrambling climbers, grown for their flowers. Grow in full light and in any fertile, well-drained soil. Water moderately from early fall to late spring, then keep dry. Needs tying to a support. Remove dead stems when dormant. Propagate by basal cuttings or by seed in spring or fall.

C. campanula. See *C. canariensis*.

C. canariensis, syn. *C. campanula* (Canary Island bellflower), illus. p.464.

Candollea cuneiformis. See *Hibbertia cuneiformis*.

CANNA

Indian shot plant

CANNACEAE

Genus of robust, showy, rhizomatous perennials, grown for their striking flowers and ornamental foliage. Generally used for summer-bedding displays and containers. Needs a warm, sunny position and humus-rich, moist soil. If grown under glass or for summer bedding, prompt into growth in spring at 16°C (61°F) and store rhizomes in slightly damp soil in winter. Propagate in spring by division or in winter by seed sown at min. 20°C (68°F) .

C. ‘Annaeaei’. Very tall, rhizomatous perennial. H 8ft (2.5m), S 2–3ft (60–100cm). Glaucous, bluish-green leaves and small, pale orange flowers from late summer to early fall. Z7–11

C. ‘Durban’. See *C. ‘Phasion’*.

C. x ehemanii, syn. *C. iridiflora ‘Ehemanii’* (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 6ft (2m), S 2ft (60cm). Broadly elliptical, dark bluish-green leaves have red margins. Produces trumpet-shaped, bright pinkish-red flowers. Z7–11

C. ‘Erebus’. Erect, rhizomatous perennial. H to 6ft (2m), S 20in (50cm). Has glaucous green leaves. From midsummer to early fall, bears spikes of gladioluslike, dark red flowers. Can be grown in up to 8in (20cm) of water or in damp garden soil. Z7–11

C. ‘General Eisenhower’. Rhizomatous, upright perennial. H to 4½ft (1.4m), S 20in (50cm). Has large, olive-green leaves heavily flushed reddish-bronze. From midsummer to early fall, produces spikes of deep orange flowers. Z7–11

C. indica ‘Russian Red’ is a midsummer- to early fall-flowering

rhizomatous perennial. H 5–6ft (1.5–2m), S 20in (50cm). Produces large, ovate or lance-shaped to oblong, reddish-bronze tinted leaves and irislike, pink-flushed, orange flowers. Z7–11

C. iridiflora ‘Ehemanii’. See *C. x ehemanii*.

C. ‘King Midas’. See *C. ‘Richard Wallace’*.

C. ‘Königin Charlotte’, syn. *C. ‘Queen Charlotte’* (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 3–4ft (1–1.2m), S 20in (50cm). Has broadly lance-shaped, mid-green leaves. From midsummer to early fall, produces velvety, blood-red flowers, the petals with canary-yellow margins. Z9–11

C. ‘Louis Cayeux’. Midsummer- to early fall-flowering, rhizomatous perennial. H to 5ft (1.5m), S 20in (50cm). Has bright green leaves and racemes of orchidlike, soft salmon-pink flowers. Z7–11

C. ‘Louis Cottin’ (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 4ft (1.2m), S 1½ft (50cm). Produces trumpet-shaped, apricot flowers and broadly lance-shaped, dark blackish-green leaves. Z9–11

C. ‘Musifolia’. Midsummer- to early fall-flowering, rhizomatous perennial. H 10ft (3m), S 5ft (1.5m). Very long, ovate, mid-green leaves have dark margins and red-tinted midribs. Bears small, irislike, orange flowers. Z9–11

C. ‘Phasion’, syn. *C. ‘Durban’*, *C. ‘Tropicanna’*, illus. p.395.

C. ‘Picasso’ (illus. p.394). Midsummer-to early fall-flowering, rhizomatous perennial. H 4ft (1.2m), S 20in (50cm). Produces gladioluslike, yellow flowers with orange and red spots. Has large, broadly ovate, blue-green leaves. Z9–11

C. ‘Pretoria’. See *C. ‘Striata’*.

C. ‘Queen Charlotte’. See *C. ‘Königin Charlotte’*.

C. ‘Ra’ (illus. p.394). Midsummer- to early fall-flowering marginal aquatic. H to 6ft (1.8m), S 32in (80cm). Produces erect stems bearing narrow, glaucous green leaves and racemes of bright yellow flowers, to 3in (8cm) across. Can be grown in normal soil if kept moist in summer. Z7–11

C. ‘Richard Wallace’, syn. *C. ‘King Midas’* (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 5ft (1.5m), S 20in (50cm). Produces elliptic, apple-green leaves and gladioluslike, bright yellow flowers, with spotted throats and frilly-edged petals. Z7–11

C. ‘Shenandoah’. Clump-forming, rhizomatous perennial H 5½ft (1.6m), S 20in (50cm). Has heavily bronzed, dark, olive-green leaves, purple stems. Bears bright-pink flowers from early summer to early fall. Z7–11

C. ‘Striata’, syn. *C. ‘Pretoria’* (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 5ft (1.5m), S 20in (50cm). Gladioluslike, bright orange flowers are borne above ovate, light green to yellow-green leaves, with bright yellow veins. Z9–11

C. ‘Stuttgart’ (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H 7ft (2m), S 2ft (60cm). Produces small, irislike, pale apricot flowers, fading to pink. Broadly lance-shaped, white-and-green leaves require some shade to prevent burning. Z9–11

C. ‘Tropicanna’. See *C. ‘Phasion’*.

C. ‘Whithelm Pride’ (illus. p.394). Midsummer- to early-fall-flowering, rhizomatous perennial. H 3ft (1m), S 20in (50cm). Produces large, gladioluslike, pink flowers and has ovate, bronze leaves. Z9–11

C. ‘Wyoming’ (illus. p.394). Midsummer- to early fall-flowering, rhizomatous perennial. H to 6ft (1.8m), S 20in (50cm). Leaves are brown-purple with darker purple veins. Bears racemes of gladiolus-like, frilled orange flowers, 4in (10cm) across, with apricot feathering and darker orange margins. Z7–11

CANTUA

POLEMONIACEAE

Genus of evergreen shrubs and small trees, grown for their showy flowers borne in spring. Only one species is in general cultivation. Best grown against a warm, sunny wall. Requires full sun and fertile, well-drained soil. Propagate by semiripe cuttings in summer.

C. buxifolia, syn. *C. dependens*, illus. p.146.

C. dependens. See *C. buxifolia*.

CAPSICUM

Chilli pepper, Pepper

SOLANACEAE

Genus of erect or spreading, many-branched annuals and perennials. Some species produce edible fruits (eg. sweet peppers), others small, ornamental ones. Grow in sun and in fertile, well-drained soil. Spray flowers with water to encourage fruits to set. Propagate by seed sown under glass in spring. Red spider mite may cause problems.

C. annuum ‘Holiday Cheer’.

Moderately fast-growing, evergreen, bushy perennial, grown as an annual. H and S 8–12in (20–30cm). Has ovate, mid-green leaves. Bears small, star-shaped, white flowers in summer and, in fall to winter, round, green fruits that mature to red. Z10–11 (min. 39°F/4°C)

CARAGANA

PAPILIONACEAE/LEGUMINOSAE

Genus of deciduous shrubs or small trees, grown for their attractive foliage and pealike flowers, which are followed by slender, brown pods. Requires full sun and fertile, but not over-rich, well-drained soil. Propagate species by softwood cuttings in summer or by seed in fall; cultivars by softwood or semiripe cuttings or budding in summer or by grafting in winter.

C. arborescens (Pea tree). Fast-growing, deciduous, upright shrub. H 20ft (6m), S 12ft (4m). Has spine-tipped, dark green leaves, each composed of 8–12 oblong leaflets. Bears clusters of pealike, yellow flowers in late spring. Z2–7. Arching **‘Lorbergii’**, H 10ft (3m), S 8ft (2.5m), has very narrow leaflets and smaller flowers and is often grown as a tree by top-grafting. **‘Nana’** illus. p.148. **‘Walker’**, H 1ft (30cm), S 6–10ft (2–3m), is prostrate but is usually top-grafted to form a weeping tree, H 6ft (2m), S 2½ft (75cm).