

CERCIS

transplanting. Propagate species by seed sown in fall, cultivars by budding in summer.

C. canadensis (Eastern redbud). Deciduous, spreading tree or shrub. H and S 30ft (10m). Heart-shaped, dark green leaves turn yellow in fall. Pealike flowers are magenta in bud, opening to pale pink in midspring before leaves emerge. Z4–8. **f. alba ‘Forest Pansy’** illus. p.84. **‘Ruby Falls’**, H 8ft (2.5m), S 5ft (1.5m), forms a dwarf, weeping tree, when trained on a stem; has heart-shaped, purple leaves, maroon-red underneath, that retain their color well into summer; bears dark rose-pink flowers in spring.

C. chinensis (Chinese redbud). Deciduous, densely branched shrub or small tree. H 20ft (6m), S 15ft (5m). Rounded, glossy, leathery, rich green leaves turn yellow in fall. Bears clusters of deep pink to lavender-pink flowers before the leaves. Z4–8. **‘Avondale’**, H to 10ft (3m), is compact with abundant, dark purple-pink flowers. **‘Don Egolf’**, H and S 10ft (3m), is slow-growing and compact, bearing a profusion of bright rose-mauve flowers in spring; it produces no fruit and has good disease resistance; take semihardwood cuttings in late summer.

C. siliquastrum illus. p.83. **‘Bodnant’** is a spreading, sometimes multi-stemmed tree. H and S 30ft (10m). Inversely heart-shaped to kidney-shaped, glaucous, blue-green leaves, are bronze when young, yellow in fall. Bears clusters of dark purple-pink flowers, before and with the leaves, often on the main branches. Z4–8

CEREUS

CACTACEAE

Genus of treelike or columnar, perennial cacti with spiny stems, most having 4–10 pronounced ribs. Cup-shaped flowers usually open at night. Needs full sun and very well-drained soil. Propagate in spring by seed or, for branching species, by stem cuttings.

C. forbesii. See *C. hankeanus*. **C. hankeanus**, syn. *C. forbesii*, *C. validus*, illus. p.488. **C. hildmannianus**, syn. *C. peruvianus* of gardens (illus. p.488). **‘Monstrosus’** is a columnar, perennial cactus. H 15ft (5m), S 12ft (4m). Swollen, occasionally fan-shaped, silvery-blue stems bear golden spines on 4–8 (or more) uneven ribs. Unlikely to flower in cultivation. Z10–12 (min. 45°F/7°C) **C. peruvianus** of gardens. See *C. hildmannianus*. **C. silvestrii**. See *Echinopsis chamaecereus*. **C. spachianus**. See *Echinopsis spachiana*. **C. validus**. See *C. hankeanus*.

CERINTHE

Honeywort

BORAGINACEAE

Genus of annuals, biennials, and occasionally perennials with somewhat fleshy stems and leaves. Requires a site in full sun, with dry to moist, but well-drained soil. Propagate by seed sown in fall or spring. **C. major ‘Purpurascens’** illus. p.312.

CEROPEGIA

APOCYNACEAE/ASCLEPIADACEAE

Genus of evergreen or semievergreen perennials, most with slender, climbing or pendent stems, grown for their unusual flowers. Many are succulent. Needs partial shade and very well-drained soil. Propagate by seed or stem cuttings in spring or summer. *C. linearis* subsp. *woodii* is often used as grafting stock for difficult asclepiads.

C. distincta subsp. haygarthii. See *C. haygarthii*. **C. haygarthii**, syn. *C. distincta* subsp. *haygarthii*. Semievergreen, climbing, succulent subshrub. H 6ft (2m) or more, S indefinite. Bears ovate or rounded, dark green leaves, ½–¾in (1–2cm) long. In summer, produces abundant, small, white or pinkish-white flowers, each with a pitcher-shaped tube, widening toward the top and then united at the tip by purplish-spotted petals that form a short stem ending in 5 “knobs” edged with fine hairs. The whole resembles an insect hovering over a flower. Z11–12 (min. 50°F/10°C) **C. linearis**. See *C. linearis* subsp. *woodii*. **C. linearis subsp. woodii**, syn. *C. linearis*, *C. woodii* (Heart vine, Rosary vine, String-of-hearts), illus. p.490. **C. sandersoniae**. See *C. sandersonii*. **C. sandersonii**, syn. *C. sandersoniae* (Fountain flower, Parachute plant). Semievergreen, scrambling, succulent subshrub. H 6ft (2m), S indefinite. Leaves are triangular to ovate, fleshy and ¾in (2cm) long. In summer–fall has tubular, green flowers, 2in (5cm) long, with paler green to white marks; the petals are flared widely at tips to form “parachutes.” Z11–12 (min. 50°F/10°C)

C. woodii. See *C. linearis* subsp. *woodii*.

CESTRUM

SOLANACEAE

Genus of deciduous or evergreen shrubs, grown for their showy flowers. Foliage has an unpleasant scent. Where marginally hardy, grow against a warm, sunny wall or in a greenhouse. Requires a sheltered, sunny position and fertile, well-drained soil. Water containerized specimens freely when in full growth, moderately at other times. Support is needed for scrambling species. Propagate hardy species by softwood cuttings in summer, tender species by seed in spring or by semiripe cuttings in summer.

C. aurantiacum. Mainly evergreen semiscrambler that remains a rounded shrub if cut back annually. H and S to 6ft (2m). Bears ovate, bright green leaves. Tubular, bright orange flowers are borne in large, terminal trusses in summer and may be followed by round, white fruits. Prune annually, cutting out old stems near the base after flowering. Z9–11 **C. x cultum** illus. p.202. **C. ‘Newellii’** illus. p.203. **C. parqui** (Willow-leaved jessamine). Deciduous, open shrub. H and S 6ft (2m). Large clusters of tubular, yellowish-green flowers, fragrant at night, are borne in profusion in summer amid narrowly lance-shaped, mid-green leaves. Z9–11

Ceterach officinarum. See *Asplenium ceterach*.

CHAENOMELES

Flowering quince, Japonese quince, Japonica

ROSACEAE

Genus of deciduous, usually thorny, spring-flowering shrubs, grown for their showy flowers and fragrant fruits, produced in fall and used for preserves. Prefers sun and well-drained soil. On wall-trained shrubs, cut back side-shoots after flowering to 2 or 3 buds and shorten shoots growing away from wall during growing season. Propagate species by softwood or greenwood cuttings in summer or by seed in fall, cultivars by cuttings only in summer. Fireblight and, on chalk soils, chlorosis are common problems.

C. japonica, syn. *C. maulei* (Japanese quince, Japonica, Maule’s quince). Deciduous, bushy, spreading shrub with thorns. H 3ft (1m), S 6ft (2m). Has ovate, mid-green leaves and, in spring, a profusion of 5-petaled, red or orange-red flowers, then round, yellow fruits. Z5–9 **C. lagenaria**. See *C. speciosa*. **C. maulei**. See *C. japonica*. **C. speciosa**, syn. *C. lagenaria*, *Cydonia speciosa*. Vigorous, deciduous, bushy shrub with thorns. H 8ft (2.5m), S 15ft (5m). Leaves are ovate, glossy, and dark green. Clustered, 5-petaled, red flowers are borne from early to midspring, and are followed by round, aromatic, greenish-yellow fruits. Z5–9. **‘Apple Blossom’** see C.s. **‘Moerloosei’**. **‘Geisha Girl’** has double, deep apricot-pink flowers. **‘Moerloosei’** (syn. C.s. **‘Apple Blossom’**) illus. p.122. Flowers of **‘Nivalis’** are pure white. **‘Simonii’**, H 3ft (1m), S 6ft (2m), bears abundant, semidouble, deep red flowers. **‘Snow’** illus. p.146.

C. x superba ‘Crimson and Gold’ illus. p.193. **‘Etna’** is a deciduous, bushy, dense shrub with thorns. H and S 10ft (3m). Has ovate, glossy, dark green leaves. Produces abundant, 5-petaled, scarlet flowers, with conspicuous, golden-yellow anthers, in spring, followed by round, yellow fruits. **‘Knap Hill Scarlet’**, H 5ft (1.5m), S 10ft (3m), has large, brilliant red flowers. **‘Nicoline’** illus. p.147. **‘Pink Lady’** bears very early, dark pink flowers. **‘Rowallane’** illus. p.147. Z5–9

CHAENOSTOMA

syn. SUTERA

SCROPHULARIACEAE

Genus of annuals, soft-stemmed, evergreen perennials, and small, evergreen shrubs or subshrubs, grown for their showy but small flowers. Needs full sun and moist soil. Useful for hanging baskets and containers or as summer bedding. Propagate cultivars by cuttings, or by seed in spring. **C. cordatum ‘Snowflake’**, syn. *Sutera cordata* ‘Snowflake’, illus. p.298.

Chamaecereus silvestrii. See *Echinopsis chamaecereus*.

CHAMAECYPARIS

False cypress

CUPRESSACEAE

⓪ Contact with the foliage may aggravate skin allergies. See also CONIFERS.

C. lawsoniana, syn. *Cupressus lawsoniana* (Lawson cypress). Upright, columnar conifer with branches drooping at tips. H 50–130ft (15–40m), S 6–15ft (2–5m). Bears flattened sprays of scalelike, aromatic, dark green leaves and round cones, the males brick-red, the females insignificant and green. Z5–8. **‘Columnaris’** illus. p.103. **‘Ellwoodii’**, H 10ft (3m), S 5ft (1.5m), is erect with incurved, blue-gray leaves. **‘Fletcheri’**, H to 40ft (12m), has gray, incurved leaves. **‘Gnome’**, H 3ft (1m), is a dwarf, bun-shaped form with blue foliage. **‘Green Pillar’** (syn. *C.l.* ‘Green Spire’) illus. p.102. **‘Intertexta’** illus. p.96. **‘Kilmacurragh’**, H 30–50ft (10–15m), S 3ft (1m), has very bright green foliage. **‘Lanei Aurea’** illus. p.102. **‘Minima Aurea’**, H 3ft (1m), S 20in (50cm), is a dwarf shrub with compact sprays of golden-yellow foliage. **‘Pembury Blue’** illus. p.99. **‘Wisselii’**, H 70–80ft (20–25m), S 6–10ft (2–3m), is fast-growing, with erect branches and blue-green leaves. **C. nootkatensis**. See *Xanthocyparis nootkatensis*. **‘Pendula’** see *Xanthocyparis nootkatensis* ‘Pendula’.

C. obtusa (Hinoki cypress). Conical conifer. H 50–70ft (15–20m), S 15ft (5m). Has stringy, red-brown bark and scalelike, aromatic, dark green leaves with bright silver lines at the sides and incurving tips. Small, rounded cones ripen to yellow-brown. Z4–8. **‘Coralliformis’**, H to 20in (50cm), S 3ft (1m), is dwarf, with threadlike shoots. **‘Crippsii’** illus. p.104. **‘Fernspray Gold’**, H 6–11½ft (2–3.5m), S 5–8ft (1.5–2.5m), is slow-growing, the branches clothed with short, rich golden-yellow, fernlike leaves. **‘Intermedia’**, H to 12in (30cm), S 16in (40cm), is a round, open, dwarf shrub with downward-spreading, light green foliage. **‘Kamarachiba’**, H 10in (25cm), S 30in (75cm), is a dwarf, spreading shrub, with pale, creamy sprays of foliage. **‘Kosteri’**, H 3–6ft (1–2m), S 6–10ft (2–3m), forms a sprawling bush with twisted, lustrous foliage; is very slow-growing. **‘Nana’**, eventual H 3ft (1m), S 5–6ft (1.5–2m), forms a flat-topped bush. **‘Nana Aurea’**, H and S 6ft (2m), has golden-yellow leaves. **‘Nana Gracilis’** (illus. p.105), H 6ft (2m), S 5–6ft (1.5–2m), has glossy, rich green foliage. **‘Nana Pyramidalis’**, H and S to 2ft (60cm), is a slow-growing, dense, conical, dwarf cultivar with horizontal, cup-shaped leaves. **‘Tetragona Aurea’**, H 30ft (10m), S 6–10ft (2–3m), produces golden- or bronze-yellow leaves, greener if grown in shade. **C. pisifera**, syn. *Cupressus pisifera* (Sawara cypress). Conical conifer with horizontal branches. H 50ft (15m), S 15ft (5m). Has ridged, peeling, red-brown bark, scalelike, aromatic, fresh green leaves, white at sides and beneath, and angular, yellow-brown cones. Z4–8. **‘Boulevard’**, H 30ft (10m), has silver-blue foliage. **‘Filifera’** has whiplike, hanging shoots and dark green foliage.