

CHRYSANTHEMUM

chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). White flowers, to 3½in (9cm) across, are borne in early fall. Very good for exhibition. Z9–11

C. ‘Perry’s Peach’ (illus. p.253). Single, Korean Group chrysanthemum. H 20in (50cm), S 16in (40cm). Bears peach-pink flowers, 2in (5cm) across, each with a narrow, cream band around the golden-yellow center, in midfall over red-tinted leaves. Z7–10

C. ‘Peterkin’. Florists’ semipompom chrysanthemum. H and S 20in (50cm). Has small leaves. In mid- and late fall, bears golden-yellow flowers, 1in (25cm) across, with small, yellow centers; each petal is tipped in rusty-orange, becoming paler with age. Z7–10

C. ‘Peter Rowe’. Incurved, florists’ chrysanthemum. H 4½ft (1.3m), S 2–2½ft (60–75cm). Produces yellow flowers, to 5½in (14cm) across, in early fall. Ideal for exhibition. Z9–11

C. ‘Picasso’. Florists’ semipompom chrysanthemum. H 16–22in (45–55cm), S 18in (45cm). Produces abundant, small, orange-pink flowers, each shading to deeper tones toward the center, from mid- to late fall. Z6–10

C. ‘Primrose Fairweather’. Incurved, florists’ chrysanthemum. H 3–3½ft (1–1.1m), S to 2½ft (75cm). Bears pale yellow flowers, to 5½–6in (14–15cm) across, in late fall. Good for exhibition. Z10–11

C. ‘Primrose John Hughes’. Perfectly incurved, florists’ chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Bears primrose-yellow flowers, 5–5½in (12–14cm) across, in late fall. Good for exhibition. Z10–11

C. ‘Primrose West Bromwich’. Fully reflexed, florists’ chrysanthemum. H 7ft (2.2m), S 1½–2ft (45–60cm). Pale yellow flowers, to 7in (18cm) or more across, when disbudded, are borne in midfall. Use only for exhibition. Z9–11

C. ‘Purleigh White’ (illus. p.252). Florists’ semipompom chrysanthemum. H and S 20in (50cm). Has small leaves. In mid- and late fall, bears white flowers, 1in (25cm) across, slightly blushed in pink, each with a small, yellow center. Z6–9

C. ‘Purple Pennine Wine’. Reflexed, florists’ spray chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Bears purplish-red flowers, to 3in (8cm) across, in early fall. Very good for exhibition. Z7–10

C. ‘Ringdove’. Single, florists’ charm chrysanthemum. H and S 3ft (1m). Bears abundant pink flowers, 1in (25cm) across, in late fall. Ideal for exhibition. Z9–11

C. ‘Robeam’. Reflexed, florists’ spray chrysanthemum. H 5ft (1.5m), S 2½–3ft (75–100cm). Produces yellow flowers, to 3in (8cm) across, in late fall. Good for exhibition. Z10–11 (min. 41°F/5°C)

C. ‘Rose Yvonne Arnaud’. Fully reflexed, florists’ chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). A sport of C. ‘Yvonne Arnaud’, producing red flowers in early fall. Z10–11

C. ‘Roy Coopland’. Intermediate to loosely incurved, florists’ chrysanthemum. H 4½ft (1.3m), S 2ft (60cm). Bears bronze flowers, 6in (15cm) across when disbudded, in late fall. Good for exhibition. Z10–11 (min. 41°F/5°C)

C. ‘Ruby Mound’ (illus. p.253). Reflexed, Korean Group chrysanthemum. H 36in

(90cm), S 32in (80cm). Prolifically bears fully double, rich deep maroon flowers, 2½in (6cm) across, in mid- and late fall. Z9–11

C. ‘Ruby Raynor’. Double reflexed, Korean Group chrysanthemum. H 32in (80cm), S 20in (50cm). In fall, bears bright orange-yellow blooms, 3in (8cm) across, with bronze shades at the centers. Z7–10

C. ‘Rumpelstilzchen’ (illus. p.253). Single, Korean Group chrysanthemum. H 2ft (60cm), S 20in (50cm). Bears rich red flowers, 1½in (4cm) across, with several layers of petals and a narrow, yellow ring around the yellow center, in early fall. Dislikes wet soil in winter. Z7–10

C. ‘Rytorch’. Single, florists’ spray chrysanthemum. H 5ft (1.5m), S 30–36in (75–100cm). Produces light bronze, yellow-centered flower heads, to 3in (8cm) across, in late fall. Z10–12 (min. 41–50°F/5–10°C)

C. ‘Salmon Fairie’. Florists’ pompom chrysanthemum. H 1–2ft (30–60cm), S 2ft (60cm). Similar to C. ‘Bronze Fairie’, but has salmon flowers. Z7–10

C. ‘Sea Urchin’ (illus. p.253). Spider-form, Korean Group chrysanthemum. H 2ft (60cm), S 20in (50cm). Produces fully double, lemon-yellow flowers, 3in (7cm) across, in early and midfall. Dislikes winter wet. Z9–11

C. segetum. See *Glebionis segetum*.

C. serotinum. See *Leucanthemella serotina*.

C. ‘Spartan Seagull’ (illus. p.252). Single, Korean Group chrysanthemum. H 28in (70cm), S 20in (50cm). Slightly ruffled, white flowers, 3in (7cm) across, are borne in early fall. Has dark green leaves. Z7–10

C. ‘Starlet’. Spoon-shaped, Korean Group chrysanthemum. H 2ft (60cm), S 22in (55cm). Bears light bronze-orange blooms, 2in (5cm) across, in early to midfall. Z7–10

C. x superbum. See *Leucanthemum x superbum*.

C. ‘Talbot Jo’. Single, florists’ spray chrysanthemum. H 4½ft (1.3m), S 2½ft (75cm). Bears yellow-centered, pink flower heads, 3in (8cm) across, in early fall. Good for exhibition. Z6–9

C. ‘Tapestry Rose’ (illus. p.253). Single, Korean Group chrysanthemum. H 36in (90cm), S 2ft (60cm). Slightly messy, yellow-centered, rich rose-pink flowers, 1½in (4cm) across, are produced in midfall. Z7–10

C. tricolor. See *Ismelia carinata*.

C. uliginosum. See *Leucanthemella serotina*.

C. ‘Vagabond Prince’. Vigorous, double, florists’ spray chrysanthemum. H 32in (80cm), S 20in (50cm). In fall, produces flower heads, 2in (5cm) across, with several layers of purplish-pink petals. Z7–10

C. ‘Venice’. Reflexed, florists’ chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Pink flowers, to 6in (15cm) across, are produced in early fall. Good for exhibition. Z9–11

C. ‘Wendy’. Reflexed, florists’ spray chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Produces pale bronze flowers, to 3in (8cm) across, in early fall. Excellent for exhibition. Z7–10

C. weyrichii, syn. *Dendranthema weyrichii*. Mat-forming, rhizomatous

perennial. H 12in (30cm), S 18in (45cm). In fall, bears single, yellow-centered, pink or white flowers, 2in (5cm) across. Z6–9

C. ‘Wills Wonderful’. Single, Korean Group chrysanthemum, forming a dense, bushy mound. H 2–4ft (60–120cm), S 2ft (60cm). In mid- to late fall, bears dark red-pink flowers, to 2in (5cm) across, each with a white band around the yellow center. Z7–10

C. ‘Yellow John Hughes’ (illus. p.253). Incurved, florists’ chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Bears yellow flowers, 5–5½in (12–14cm) across when disbudded, in late fall. Excellent for exhibition. Z10–11 (min. 41°F/5°C)

C. ‘Yellow Pennine Oriel’. Anemone-centered, florists’ spray chrysanthemum. H 3½ft (1.1m), S 18in (45cm). In early fall, bears pale yellow flowers, 3½in (9cm) across, with brighter centers. Good for borders and cutting. Z7–10

C. ‘Yochesapeake’. See C. CHESAPEAKE.

C. ‘Yvonne Arnaud’. Fully reflexed florists’ chrysanthemum. H 4ft (1.2m), S 2–2½ft (60–75cm). Bears purple flowers, to 5in (12cm) across, in early fall. Z9–11

CHRYSOGONUM

ASTERACEAE/COMPOSITAE

Genus of one species of summer- to fall-flowering perennial. Suits a rock garden. Needs partial shade and moist but well-drained, humus-rich soil. Propagate by division in spring or by seed when fresh.

C. virginianum illus. p.344.

CHRYSOSPLENIUM

Golden saxifrage

SAXIFRAGACEAE

Genus of creeping annuals and perennials, grown for their foliage and early spring flowers. Requires moist, shady conditions. Propagate by division or by seed in fall, some species also by runners or by bulbils.

C. macrophyllum illus. p.256.

CHUSQUEA

POACEAE/GRAMINEAE

See also GRASSES, BAMBOOS, RUSHES, and SEDGES.

C. gileou (Chilean bamboo) illus. p.288.

C. gigantea. Vigorous, evergreen, open, clump-forming bamboo. H to 40ft (15m), S 25ft (8m). Has widely spaced, bright green canes, turning yellow between the nodes, and linear, mid-green leaves. New canes have creamy-white sheaths that last for 2 or more years. Z8–11

CICERBITA,

syn. MULGEDIUM

ASTERACEAE/COMPOSITAE

Genus of erect perennials, grown for their attractive flower heads. Needs shade and damp but well-drained soil. Propagate by division in spring or by seed in fall. Some species may be invasive.

C. alpina, syn. *Lactuca alpina* (Mountain sow thistle). Branching, upright perennial. H to 8ft (2.5m), S 2ft (60cm). Mid-green leaves are lobed, with a large, terminal lobe. Bears elongated panicles of thistlelike, pale blue flower heads in summer. Z3–9

C. bourgaei, syn. *Lactuca bourgaei*. Rampant, erect perennial. H to 6ft (2m), S 2ft (60cm). Leaves are oblong to lance-shaped, toothed, and light green. Bears many-branched panicles of thistlelike, mauve-blue or purplish-blue flower heads in summer. Z4–9

CICHORIUM

Chicory, Endive

ASTERACEAE/COMPOSITAE

Genus of annuals and perennials, grown mainly as ornamental plants (C. *intybus* has edible leaves). Needs full sun and well-drained soil. Propagate by seed in fall or spring. ☉ Contact with all parts of the plants may irritate skin or aggravate skin allergies.

C. intybus (Chicory) illus. p.242.

Cimicifuga. See *Actaea*.

Cineraria cruentus of gardens. See *Pericallis x hybrida*.

Cineraria x hybridus. See *Pericallis x hybrida*.

CINNAMOMUM

LAURACEAE

Genus of evergreen trees and shrubs, grown for their foliage and to provide shade. Requires full light or partial shade and fertile, moisture-retentive, but well-drained soil. Water containerized specimens freely when in full growth, but less at other times. May be pruned if necessary. May be an invasive weed in some regions. Propagate by seed in spring or semiripe cuttings in summer.

C. camphora (Camphor tree). Moderately fast-growing, evergreen, rounded tree. H and S 40ft (12m) or more. Ovate, lustrous, rich green leaves, reddish or coppery when young, tinted blue-gray beneath, are camphor-scented when bruised. In spring, bears insignificant flowers. Invasive in some warmer areas. Z11–12

CIRSIIUM

ASTERACEAE/COMPOSITAE

Genus of annuals, biennials, and perennials. Most species are not cultivated—indeed, some are pernicious weeds—but C. *rivulare* has decorative flower heads. Tolerates sun or shade and any, except wet, soil. Propagate by division in spring or by seed in fall.

C. rivulare ‘Atropurpureum’. Erect perennial. H 4ft (1.2m), S 2ft (60cm). Bears heads of pincushionlike, deep crimson flowers on erect stems in summer. Deeply cut, Leaves are narrowly ovate to oblong or lance-shaped and deeply cut, with weakly spiny margins. Z5–9 (min. 50°F/10°C)

CISSUS

VITACEAE

Genus of evergreen perennials, shrubs, and climbers, grown for their attractive foliage. Greenish, mainly summer flowers, are insignificant. Provide fertile, well-drained soil, with semishade in summer. Water regularly, less in cold weather. Needs tying to supports. Thin out crowded