

perennial sedge. H 2ft (60cm), 5 indefinite. Stem has prominently veined, mid-green leaves and up to 8 leaflike, green bracts surrounding a well-branched umbel of brown spikelets, produced in summer. Z11–12 (min. 50°F/10°C)

C. alternifolius of gardens. See *C. involucratus*.

C. diffusus of gardens. See *C. albostriatus*.

C. elegans of gardens. See *C. albostriatus*.

C. flabelliformis. See *C. involucratus*.

C. involucratus, syn. *C. alternifolius* of gardens, *C. flabelliformis*, illus. p.478.

C. isocladus of gardens. See *C. papyrus* ‘Nanus’.

C. longus (Galingale). Deciduous, spreading, perennial sedge. H 5ft (1.5m), 5 indefinite. Bears rough-edged, glossy, dark green leaves and, in summer, attractive umbels of narrow, flattened, milk-chocolate-colored spikelets that keep their color well. Tolerates its roots in water. Z6–9

C. papyrus (Paper reed, Papyrus) illus. p.478. ‘Nanus’ (syn. *C. isocladus* of gardens) is an evergreen, spreading, perennial sedge with a red rhizome; it is a dwarf variant of the species, sometimes considered distinct, and is often grown under misapplied names. H 32in (80cm), 5 indefinite. Triangular, leafless stems bear umbels of brown spikelets on 3–4in (8–10cm) stalks in summer. Z10–12 (min. 41–50°F/5–10°C)

Cyphomandra betacea. See *Solanum betaceum*.

Cyphomandra crassicaulis. See *Solanum betaceum*.

CYPHOSTEMMA

VITACEAE

Genus of prostrate or climbing, often deciduous, perennial succulents with very thick, fleshy, almost woody caudices and branches. Leaf undersides often exude droplets of resin. Needs full sun and very well-drained soil. Keep dry in winter. Difficult to grow. Propagate by seed in spring.

C. bainesii, syn. *Cissus bainesii*. Deciduous, perennial succulent. H and S 2ft (60cm). Has a thick, swollen, bottle-shaped trunk, often unbranched, covered in peeling, papery, yellow bark. Fleshy, silvery-green leaves, with deeply serrated edges, are divided into 3 leaflets, silver-haired when young. Bears tiny, cup-shaped, yellow-green flowers in summer, then grapelike, red fruits. Z11–12 (min. 50°F/10°C)

C. juttae, syn. *Cissus juttae*, illus. p.487.

CYPRIPEDIUM

Slipper orchid

ORCHIDACEAE

All do best in partial shade. See also ORCHIDS.

C. acaule (Moccasin flower). Deciduous, terrestrial orchid. H to 16in (40cm). Yellowish-green or purple flowers, 1½–2½in (4–6cm) long, each with a pouched, pink or white lip, are borne singly in spring–summer. Leaves are broadly lance-shaped, pleated and 4–12in (10–30cm) long. Z2–8

C. calceolus (Lady’s slipper orchid, Yellow lady’s slipper orchid). Deciduous, terrestrial orchid. H 30in (75cm). In spring–summer, bears paired or solitary yellow-pouched, purple flowers, 1¼–3in (3–7cm) long. Broadly lance-shaped leaves, 2–8in (5–20cm) long, are arranged in a spiral up stem. Stems and leaves are slightly hairy. Z2–8. **var. pubescens** see *C. pubescens*.

C. macranthon. See *C. macranthos*.

C. macranthos, syn. *C. macranthon*. Deciduous, terrestrial orchid. H 20in (50cm).

Pouched, violet or purplish-red flowers, 1½–2½in (4–6cm) long, usually borne singly, open in spring–summer. Stems and leaves, 1½–3in (4–7cm) long, are slightly hairy. Z2–8

C. pubescens, syn. *C. calceolus* var. *pubescens*. Deciduous, terrestrial orchid. H 30in (75cm). Has large, purple-marked, greenish-yellow flowers, 3–4in (8–10cm) long, in spring–summer. Large, broadly lance-shaped leaves, 6–8in (15–20cm) long, are arranged in a spiral up stem. Stems and leaves are hairy. Z2–8

C. reginae (Showy lady’s slipper orchid; illus. p.466). Deciduous, terrestrial orchid. H to 3ft (1m). In spring–summer, white flowers, ¾–2in (2–5cm) long, each with a pouched, white-streaked, pink lip, are borne singly or in groups of 2 or 3. Stem and leaves, 4–10in (10–25cm) long, are hairy. Z2–7

C. Ulla Silkens gx illus. p.256.

CYRTANTHUS

AMARYLLIDACEAE

Genus of bulbs with brightly colored flowers, usually produced in summer. Requires full sun and free-draining, light soil. In frost-free areas may flower for much of the year. Plant in spring. Water freely in the growing season. Propagate by seed or offsets in spring.

C. brachyscyphus, syn. *C. parviflorus*, illus. p.423.

C. breviflorus, syn. *Anoiganthus breviflorus*, *A. luteus*. Clump-forming, summer-flowering bulb. H 8–12in (20–30cm), S 3–4in (8–10cm). Has narrowly strap-shaped, semierect, basal leaves. Leafless flower stem bears up to 6 funnel-shaped, yellow flowers, ¾–1¼in (2–3cm) long, at any time of year. Prefers a warm, sheltered situation. Z9–11

C. elatus, syn. *C. purpureus*, *Vallota speciosa*. Clump-forming, summer-flowering bulb. H 12–20in (30–50cm), S 5–6in (12–15cm). Has widely strap-shaped, semierect, basal, bright green leaves. Sturdy stem bears a head of up to 5 widely funnel-shaped, scarlet flowers, 3–4in (8–10cm) long. An excellent houseplant. Z10–11

C. mackenii illus. p.412. **subsp. cooperi** is a clump-forming, summer-flowering bulb. H 12–16in (30–40cm), S 3–4in (8–10cm). Has long, narrow, semierect, basal leaves. Leafless stems each bear a head of up to 10 fragrant, tubular, cream or yellow flowers, 2in (5cm) long and slightly curved. Z10–11

C. obliquus. Clump-forming, summer-flowering bulb. H 8–24in (20–60cm), S 5–6in (12–15cm). Has widely strap-shaped, semierect, basal, grayish-green leaves, twisted lengthways. Produces a head of up to 12 pendent, tubular, red-

and-yellow flowers, slightly green-tinged, each 3in (7cm) long. Z10–11

C. parviflorus. See *C. brachyscyphus*.

C. purpureus. See *C. elatus*.

C. sanguineus. Clump-forming, summer-flowering bulb. H 12–20in (30–50cm), S 5–6in (12–15cm). Has strap-shaped, semierect, basal, bright green leaves. Sturdy stem bears 1 or 2 long-tubed, scarlet flowers, 3–4in (8–10cm) long. Z10–11

CYRTOMIUM

DRYOPTERIDACEAE

Genus of evergreen or deciduous ferns. Does best in semishade and humus-rich, moist soil. Remove fading fronds. Propagate by division in spring or summer or by spores in summer.

C. falcatum (Fishtail fern, Holly fern) illus. p.291.

C. fortunei, syn. *Phanerophlebia fortunei*. Evergreen fern. H 2ft (60cm), S 16in (40cm). Has erect, dull, pale green fronds, 12–24in (30–60cm) long, with broadly sickle-shaped pinnae, 1–2in (2.5–5cm) long. Z8–11

CYSTOPTERIS

WOODSIACEAE

Genus of deciduous ferns, suitable for rock gardens. Does best in semishade and in soil that is never allowed to dry out. Remove fronds as they fade.

Propagate by division in spring, by spores in summer or by bulbils when available.

C. bulbifera (Berry bladder fern). Deciduous fern. H 6in (15cm), S 9in (23cm). Broadly lance-shaped, much-divided, dainty, pale green fronds produce tiny bulbils along their length. Propagate by bulbils as soon as mature. Z3–9

C. dickieana. Deciduous fern. H 6in (15cm), S 9in (23cm). Has broadly lance-shaped, divided, delicate, pale green fronds, with oblong, blunt, indented pinnae, that arch downward. Z3–9

C. fragilis (Brittle bladder fern). Deciduous fern. H 6in (15cm), S 9in (23cm). Broadly lance-shaped, pale green fronds are delicate and much divided into oblong, pointed, indented pinnae. Z3–9

CYTISUS

Broom

PAPILIONACEAE/LEGUMINOSAE

Genus of deciduous or evergreen shrubs, rarely small trees, grown for their profuse, pealike, sometimes fragrant, flowers, which are followed by narrow seed pods. Prefers full sun and fertile, but not over-rich, well-drained soil. Resents being transplanted. Propagate species by semiripe cuttings in summer or by seed in fall, hybrids and cultivars by semiripe cuttings in late summer. ☉ All parts, especially the seeds, may cause mild stomach upset if ingested.

C. albus, syn. *Chamaecytisus albus*. Deciduous, spreading shrub. H 1ft (30cm), S 3ft (1m). Has leaves, each with 3 tiny leaflets and, from early to midsummer, dense clusters of creamy-white flowers. Z6–10

C. ardoinoi illus. p.372.

C. battandieri. See *Argyrocytistus battandieri*.

C. x beanii illus. p.335.

C. x boskoopii. Deciduous shrub. H and S 5ft (1.5m). Habit is more open than *C. praecox* and pink flowers are relatively small, but borne in great abundance in late spring and early summer. Z6–10.

‘Boskoop Ruby’ see *C. ‘Boskoop Ruby’*.

‘Hollandia’ has lilac-pink standards and carmine-red wings. ‘Windlesham Ruby’ see *C. ‘Windlesham Ruby’*. ‘Zeelandia’ (syn. *C. ‘Zeelandia’*), is a wide, bushy shrub producing abundant, creamy-white and lilac-pink flowers.

C. ‘Boskoop Ruby’, syn. *C. x boskoopii* ‘Boskoop Ruby’. Small, rounded shrub. H and S 4ft (1.2m). Has stiff, upright branches and very freely bears dark carmine-red flowers in late spring and early summer. Z6–10

C. canariensis of gardens. See *Genista spachiana*.

C. ‘Firefly’. Deciduous, bushy shrub with slender, arching shoots. H and S 5–6ft (1.5–2m). Small, mid-green leaves are oblong and have 3 tiny leaflets. Produces abundant, yellow flowers, marked with red, from late spring to early summer. Z6–10

C. hirsutus. See *Chamaecytisus hirsutus*. **C. x kewensis**. Deciduous, arching shrub. H 1ft (30cm), S to 6ft (2m). Has leaves, each composed of 3 tiny leaflets, along downy stems. In late spring, bears creamy-white flowers. Good for a bank or large rock garden. Z6–10

C. ‘Lena’. Deciduous, compact shrub with a spherical habit. H and S 3ft (1m). Very small, mid-green leaves have 3 oblong leaflets. A profusion of bicolored red and yellow flowers are borne from late spring to early summer. Z6–10

C. nigricans, syn. *Lembotropis nigricans*, illus. p.160. ‘Cyni’ is deciduous shrub with a neat, compact habit. H 5ft (1.5m), S to 3ft (1m). Dark green leaves are composed of 3 leaflets. In late summer, bears a profusion of yellow flowers in tall, slender spires. Z6–10

C. x praecox ‘Allgold’ (Broom) illus. p.148. ‘Warminster’ (Warminster broom) illus. p.148.

C. purpureus. See *Chamaecytisus purpureus*.

C. racemosus of gardens. See *Genista spachiana*.

C. scoparius (Common broom).

f. andreanus (Common broom) illus. p.162. **subsp. maritimus**, syn. *C.s. var. prostratus*, is a deciduous, prostrate shrub forming dense mounds of interlocking shoots. H 8in (20cm), S 4–6ft (1.2–2m). Small, gray-green leaves usually have 3 oblong leaflets, but may be reduced to a single leaflet. Bears abundant, golden-yellow flowers in late spring and early summer. **var. prostratus** see *C.s. subsp. maritimus*. ‘Windlesham Ruby’ see *C. ‘Windlesham Ruby’*. Z7–9

C. ‘Windlesham Ruby’, syn. *C. x boskoopii* ‘Windlesham Ruby’, *C. scoparius* ‘Windlesham Ruby’. Deciduous, bushy shrub with slender, arching shoots. H and S 5–6ft (1.5–2m). Small, mid-green leaves have 3 oblong leaflets. Large, rich red flowers are borne in profusion in late spring and early summer. Z6–9

C. ‘Zeelandia’. See *C. x boskoopii* ‘Zeelandia’.