

Drejerella guttata. See <i>Justicia brandegeeeana</i>. Drepanostachyum falconeri. See <i>Himalayacalamus falconeri</i>.
DRIMIA SYN. URGINEA ASPARAGACEAE Genus of late summer- or early fall-flowering bulbs, growing on or near soil surface, with spear-shaped flower spikes up to 5ft (1.5m) high. Needs sun and well-drained soil that dries out while bulbs are dormant in summer. Plant in mid- to late summer. Water until leaves die down. Propagate by seed in fall or by offsets in late summer. D. maritima, syn. <i>Urginea maritima</i>. Late summer- or early fall-flowering bulb. H 5ft (1.5m), S 1–1½ft (30–45cm). Bears broadly sword-shaped, erect, basal leaves in fall, after long spikes of small star-shaped, white flowers. Z9–11
DRIMYS WINTERACEAE Genus of evergreen trees and shrubs, grown for their foliage and star-shaped flowers. Where marginally hardy, grow against a sunny wall. Needs sun or semishade and fertile, moist but well-drained soil. Propagate by semiripe cuttings in summer or by seed in fall. D. aromatica. See <i>Tasmania lanceolata</i>. D. axillaris. See <i>Pseudowintera axillaris</i>. D. colorata. See <i>Pseudowintera colorata</i>. D. lanceolata. See <i>Tasmania lanceolata</i>. D. winteri, syn. <i>Wintera aromatica</i> (Winter’s bark), illus. p.73.
DROSANTHEMUM AIZOACEAE Genus of erect or prostrate, succulent shrubs with slender stems and summer flowers. Frost tender. Requires full sun and very well-drained soil. Propagate by seed or by stem cuttings in spring or summer. D. hispidum. Shrub with arching or spreading branches that root down. H 2ft (60cm), S 3ft (1m). Has cylindrical, light green leaves, ¾–1in (1.5–2.5cm) long, and produces abundant, shiny, daisylike, purple flowers, to 1¼in (3cm) across in summer. Z10–13 (min. 41°F/5°C) D. speciosum. Erect, shrubby succulent. H 2ft (60cm), S 3ft (1m). Has semicylindrical leaves, ½–¾in (1–2cm) long. Abundant, daisylike, green-centered, orange-red flowers, to 2in (5cm) across, are produced in summer. Z9–13 (min. 41°F/5°C)
DROSERA Sundew DROSERACEAE Genus of evergreen or herbaceous, rosette-forming or scrambling, insectivorous perennials, and some annuals. Grow in sun, in a mixture of peat and moss that is not allowed to dry out. Propagate by seed or by division in spring. D. capensis (Cape sundew) illus. p.473. D. spatulata illus. p.473.

DRYANDRA PROTEACEAE Genus of evergreen, spring- to summer-flowering shrubs and small trees, grown for their foliage and flowers. Frost tender. Needs full light and well-drained, sandy soil that is low in nutrients. Water potted plants moderately, less in winter. Plants under glass must be freely ventilated. Propagate by seed in spring. D. formosa. Evergreen, bushy shrub. H 6–15ft (2–5m), S 5–10ft (1.5–3m). Strap-shaped leaves are divided into triangular, closely set lobes, creating a saw-blade effect. In spring, produces small, scented, tubular, orange-yellow flowers in domed, terminal heads; suitable for drying. Z10–11
DRYAS Mountain avens ROSACEAE Genus of evergreen, prostrate, woody-based subshrubs with oaklike leaves and cup-shaped flowers. Useful as a carpeting plant on banks and walls, in rock gardens and as groundcover. Prefers sun and gritty, well-drained, peaty soil. Propagate by seed or by semiripe cuttings in summer. D. drummondii. Evergreen, mat-forming, woody-based subshrub. H 2in (5cm), S indefinite. Sturdy stems are clothed in small, ovate, lobed, leathery, dark green leaves. Bears nodding, bell-shaped, cream flowers in early summer. Z3–6 D. octopetala illus. p.361. D. x sundermannii. Evergreen, mat-forming, woody-based subshrub. H 2in (5cm), S indefinite. Similar to <i>D. drummondii</i>, with scalloped leaves, but has slightly nodding, cup-shaped, pale cream flowers that open horizontally. Z3–6

DRYOPTERIS DRYOPTERIDACEAE Genus of deciduous or semievergreen ferns, many of which form shuttlecocklike crowns. Needs shade and moist soil. Regularly remove fading fronds. Propagate by spores in summer or by division in fall or winter. D. affinis, syn. <i>D. borrieri</i>, <i>D. pseudomas</i> (Golden male fern). Virtually evergreen fern. H and S to 3ft (1m). A “shuttlecock” of lance-shaped, divided fronds, 8–32in (20–80cm) tall, rises from an erect rhizome. Fronds are pale green as they unfurl in spring, in contrast to the scaly, golden brown midribs; they mature to dark green and often remain green through winter. Distinguished from <i>D. filix-mas</i> by a dark spot where each pinna joins the midrib. Z6–8 D. atrata of gardens. See <i>D. cycadina</i>. D. austriaca. See <i>D. dilatata</i>. D. borrieri. See <i>D. affinis</i>. D. carthusiana (Narrow buckler fern). Deciduous or semievergreen, creeping, rhizomatous fern. H 3ft (1m), S 18in (45cm). Lance-shaped, much-divided, mid-green fronds, to 2ft (60cm) long, have triangular to ovate pinnae. Z6–8 D. crassirhizoma (Thick-stemmed wood fern). Deciduous fern. H 3ft (90cm), S 28in (70cm). Has a short, sturdy rhizome producing a “shuttlecock” of initially erect,
--

broadly lance-shaped, glossy, yellowish-green fronds, to 3ft (1m) long, with oblong, scallop-edged segments. An imposing fern suitable for a moist, shady site. Z5–9 D. cycadina, syn. <i>D. atrata</i> of gardens, <i>D. hirtipes</i> of gardens. Deciduous fern. H 2ft (60cm), S 18in (45cm). Has an erect rhizome bearing a “shuttlecock” of lance-shaped, divided, bright green fronds, 18in (45cm) tall, with green midribs. Z6–9 D. dilatata, syn. <i>D. austriaca</i> (Broad buckler fern). Deciduous or semievergreen fern. H 3ft (1m), S 18in (45cm). Has much-divided, arching, mid-green fronds, to 5ft (1.5m) tall and 16in (40cm) wide, with triangular to ovate pinnae, on sturdy, dark brown stems. Z6–8 D. erythrosora (Japanese shield fern) illus. p.293. D. filix-mas (Male fern) illus. p.293. ‘Crispa Cristata’ is a deciduous or semievergreen fern. H 2ft (60cm), S 3ft (1m). Has arching, crested, mid-green fronds and pinnae that are both crested and crisped. ‘Linearis Polydactyla’, H 30in (75cm), S 2ft (60cm), has blades and pinnae with narrow, long-fingered crests. Z4–8 D. goldieana (Giant wood fern). Deciduous fern. H 3ft (1m), S 2ft (60cm). Produces tufts of long-stalked, broadly ovate, light green fronds, 3ft (1m) tall, which are divided into numerous oblong, indented pinnae. Z6–8 D. hirtipes of gardens. See <i>D. cycadina</i>. D. pseudomas. See <i>D. affinis</i>. D. sieboldii. Semievergreen, tufted fern. H and S 1–2ft (30–60cm). Produces long-stalked, erect or arching, yellowish-green fronds, 8–20in (20–50cm) long, with up to 6 pairs of narrowly lance-shaped pinnae, 6–12in (15–30cm) long. Z6–8 D. wallichiana (Wallich’s wood fern) illus. p.293.
DUCHESNEA ROSACEAE Genus of perennials, some of which are semievergreen, grown as groundcover as well as for their flowers. May be used in hanging baskets. Grow in well-drained soil and in sun or partial shade. Propagate by division in spring, by rooting plantlets formed at ends of runners in summer or by seed in fall. D. indica, syn. <i>Fragaria indica</i>, <i>Potentilla indica</i>. Semievergreen, trailing perennial. H to 4in (10cm), S indefinite. Dark green leaves have 3 toothed leaflets like those of strawberries. Solitary, 5-petaled, bright yellow flowers, to 1in (25cm) across, with leafy, green frills of sepals, are borne from spring to early summer. Strawberrylike, tasteless, red fruits are produced in late summer. Z6–8. ‘Harlequin’ has red-tinged foliage, speckled white.
DUDLEYA CRASSULACEAE Genus of basal-rosetted, perennial succulents, closely related to <i>Echeveria</i>. Frost tender. Needs full sun and very well-drained soil. Water sparingly when semidormant in midsummer. Propagate by seed or division in spring or summer. D. brittonii. Basal-rosetted, perennial succulent. H 8–24in (20–60cm) or more

when in flower, S 20in (50cm). Narrowly lance-shaped, tapering leaves are fleshy, silvery-white. Bears abundant, star-shaped, pale yellow flowers in spring-summer. Z13–15 D. pulverulenta illus. p.490.

DURANTA VERBENACEAE Genus of fast-growing, evergreen trees and shrubs, grown for their flowers and overall appearance. Frost tender. Needs full light and fertile, well-drained soil. Water potted plants freely when in full growth, moderately at other times. Prune as necessary to curb vigour. Propagate by seed in spring or by semiripe cuttings in summer. Whitefly may be troublesome. D. erecta, syn. <i>D. plumieri</i>, <i>D. repens</i>, illus. p.319. ‘Gold Edge’ illus. p.319. D. plumieri. See <i>D. erecta</i>. D. repens. See <i>D. erecta</i>.
--

DUVALIA ASCLEPIADACEAE Genus of clump-forming or carpeting, perennial succulents with short, thick, leafless stems; is closely related to <i>Stapelia</i>. Star-shaped flowers have thick, fleshy petals recurved at tips. Frost tender. Requires partial shade and very well-drained soil. Propagate by seed or stem cuttings in spring or summer. D. corderoyi illus. p.493.
Duvernoia adhatodoides. See <i>Justicia adhatoda</i>.

DYCKIA BROMELIACEAE Genus of evergreen, rosette-forming perennials. Frost tender. Needs full light and well-drained soil containing sharp sand or grit. Water moderately in summer, scarcely or not at all in winter, sparingly at other times. Propagate by offsets or division in spring. D. remotiflora. Evergreen, basal-rosetted perennial. H and S 12–20in (30–50cm). Has dense rosettes of very narrowly triangular, pointed, thick-textured, arching, dull green leaves with hooked spines and gray scales beneath. Woolly spikes of tubular, orange-yellow flowers are borne above the foliage in summer–fall. Z13–15 (min. 50°F/10°C)

DYPISIS ARECACEAE/PALMAE Genus of evergreen palms, grown for their elegant appearance. Frost tender. Needs full light or partial shade and fertile, well-drained soil. Water potted plants moderately, much less when temperatures are low. Propagate by seed in spring at not less than 79°F (26°C). Red spider mite may be a nuisance. D. lutescens, syn. <i>Areca lutescens</i> of gardens, <i>Chrysalidocarpus lutescens</i> (Golden-feather palm, Yellow palm), illus. p.452.
Dyosma. See <i>Podophyllum</i>.