

HOSTA

(45cm). Has lance-shaped to elliptic or narrowly ovate, slightly pointed, twisted, deeply channeled, mid-green leaves that are thin but leathery and strongly wavy-margined, with central, white or pale yellowish-white markings. Funnel-shaped, mauve flowers, on arching leaf scapes, 20–32in (50–80cm) long, are produced in early and mid-summer. Z3–9.

var. *albomarginata* (syn. *H.u.* var. *undulata* ‘Albomarginata’, *H.* ‘Thomas Hogg’), H 22in (55cm), S 2ft (60cm), has broadly ovate, flat or slightly wavy-margined, dark green leaves, with irregular, cream or pale yellow margins.

var. *erromena*, H 1½ft (45cm), S 2ft (60cm), is robust and bears broadly ovate, tapering, matte, mid-green leaves.

var. *undulata* ‘Albomarginata’ see *H.u.* var. *albomarginata*. **var. *univittata***, H 18in (45cm), S 28in (70cm), has ovate, twisted, matte, olive-green leaves with slender, cream centers.

***H.* ‘Undulata’**. See *H. undulata* var. *undulata*.

***H.* ‘Variegata’**. See *H. undulata* var. *undulata*.

H. ventricosa. Clump-forming perennial. H 28in (70cm), S 3ft (1m) or more. Has heart-shaped to ovate, slightly wavy-margined, glossy, dark green leaves. Racemes of bell-shaped, deep purple flowers, on scapes 32–36in (80–100cm) long, are produced above foliage in late summer. Usually comes true from seed. Z3–9. ‘**Aureomarginata**’ (syn. *H.v.* ‘Variegata’) produces leaves with irregular, cream margins. ‘**Variegata**’ see *H.v.* ‘Aureomarginata’.

H. venusta. Vigorous, mat-forming perennial. H 1in (25cm), S to 12in (30cm). Has ovate to lance-shaped, mid- to dark green leaves. Abundant, trumpet-shaped, purple flowers, on scapes 10–14in (25–35cm) long, are borne well above foliage from midsummer to midfall. Suitable for a rock garden. Z3–9. ‘**Suzuki Thumbnail**’ see *H.* ‘Suzuki Thumbnail’.

H. ‘Vera Verde’ (illus. p.273). Stolonerous perennial. H 6in (15cm), S 14–16in (35–40cm). Has lance-shaped, flat, olive-green leaves, narrowly edged cream. In summer, bears funnel-shaped, purple-striped, pale mauve flowers on scapes 12in (30cm) long. Z3–8

H. ‘Whirlwind’ (illus. p.273). Clump-forming perennial. H 17in (43cm), S 34in (85cm). Has ovate to heart-shaped, folded, twisted and pointed, white to yellowish-green leaves, with wide, dark green margins. Funnel-shaped, lavender-blue flowers, on scapes 2ft (60cm) long, are produced in mid- and late summer. Z3–9

H. ‘Wide Brim’. Vigorous, clump-forming perennial. H and S to 2½ft (75cm). Leaves are heavily puckered and dark blue-green, with wide, irregular, creamy-white margins. Produces white or very pale lavender flowers, on scapes 22in (55cm) long, in summer. Z3–9

H. ‘Yellow River’. Clump-forming perennial. H 22in (55cm), S 3ft (1m). Has ovate to heart-shaped, pointed, thick, dark green leaves with irregular, yellow margins. Leafy scapes, 3ft (1m) long, of funnel-shaped, very pale lavender-blue flowers are produced in early summer. Z3–9

H. ‘Zounds’. Slow-growing, clump-forming perennial. H and S to 3ft (1m).

Large, bright gold leaves are corrugated and have a metallic sheen. White or pale lavender flowers, on scapes 2ft (60cm) long, are produced in early summer. Z3–9

HOTTONIA

PRIMULACEAE

Genus of deciduous, perennial, submerged water plants, grown for their handsome foliage and delicate, primula-like flowers. Needs sun and clear, cool, still water. Periodically thin overcrowded growth. Propagate by division or stem cuttings in spring.

H. palustris (Water violet) illus. p.435.

Houstonia serpyllifolia. See *Hedyotis michauxii*.

HOUTTUYNIA

SAURURACEAE

Genus of one species of perennial, deciduous marginal water plant, with far-spreading rhizomes. Suitable for ground-cover, although invasive. Prefers position in semishade and moist soil or shallow water, beside streams and ponds. Propagate by runners in spring.

***H. cordata* ‘Chameleon’**, syn. *H.c.* ‘Tricolor’, illus. p.444. ‘**Flore Pleno**’ (syn. *H.c.* ‘Plena’) is a spreading perennial. H 6–24in (15–60cm), S indefinite. In spring, bears spikes of insignificant flowers, surrounded by 8 or more ovate, white bracts, above aromatic, fleshy, leathery, heart-shaped, pointed leaves. ‘**Plena**’ see *H.c.* ‘Flore Pleno’. ‘**Tricolor**’ see *H.c.* ‘Chameleon’. Z6–11

HOVENIA

RHAMNACEAE

Genus of deciduous, summer-flowering trees, grown mainly for their fragrant flowers and small fruits. Young, unripened growth is susceptible to frost damage. Does best in a position in full sun and requires fertile, well-drained soil. Propagate by softwood cuttings in early summer or by seed in fall.

H. dulcis (Raisin-tree) illus. p.74.

HOWEA

SYN. HOWEIA, KENTIA
Sentry palm

ARECACEAE/PALMAE

Genus of evergreen palms, grown for their ornamental appearance. Needs full sun or partial shade and humus-rich, well-drained soil. Water container-grown specimens moderately when in growth, and minimally in winter. Propagate by seed in spring at 79°F (26°C). Prone to red spider mite.

H. forsteriana, syn. *Kentia fosteriana* (Paradise palm, Tatch-leaf palm). Evergreen, upright palm with a slender stem. H 30ft (10m), S 10–12ft (3–4m). Has spreading, feather-shaped leaves, 5–8ft (1.5–2.5m) long, made up of strap-shaped leaflets. Branching clusters of several spikes of small, greenish-brown flowers are borne in winter. Z11–12 (min. 59°F/15°C)

Howeia. See *Howea*.

HOYA

Wax flower

APOCYNACEAE/ASCLEPIADACEAE

Genus of evergreen, climbing and shrubby perennials, grown for their flowers and foliage. Grow in humus-rich, well-drained soil with semishade in summer. Water moderately when in full growth, sparingly at other times. Stems require support. Cut back and thin out crowded stems after flowering or in spring. Propagate by semiripe cuttings in late summer.

H. australis, syn. *H. darwinii* of gardens. Moderately vigorous, evergreen, woody-stemmed, succulent, twining, root climber. H to 15ft (5m). Has fleshy, rich green leaves. In summer, produces trusses of 12–40 fragrant, star-shaped flowers, white with red-purple markings. Z14–15 (min. 50°F/10°C)

H. bella. See *H. lanceolata* subsp. *bella*.

H. carnosa (Wax plant) illus. p.460.

H. darwinii of gardens. See *H. australis*.

H. imperialis. Vigorous, evergreen, woody-stemmed, twining and root climber. H to 20ft (6m). Ovate, leathery, leaves are covered with down and 4–9in (10–23cm) long. In summer, produces large, star-shaped, brown-purple to deep magenta flowers, each with a cream center. Z12–15 (min. 50°F/10°C)

H. lanceolata* subsp. *bella, syn. *H. bella*, illus. p.460.

HUERNIA

ASCLEPIADACEAE

Genus of clump-forming, perennial succulents with fingerlike, usually 4-angled stems. Has minute, short-lived, deciduous leaves on new growth. Needs sun or partial shade and very well-drained soil. One of the easiest stapeliads to grow. Propagate by seed or stem cuttings in spring or summer.

H. macrocarpa illus p.488.

H. pillansii. Deciduous, clump-forming, perennial succulent. H 2in (5cm), S 4in (10cm). Has a fingerlike, light green stem that is densely covered with short tubercles with hairlike tips. Produces bell-shaped, creamy-red flowers, with red spots, at the base of new growth, from summer to early fall. Z13–15 (min. 52°F/11°C)

H. primulina. See *H. thuretii* var. *primulina*.

H. thuretii* var. *primulina, syn. *H. primulina*. Deciduous, clump-forming, perennial succulent. H 4in (10cm), S 6in (15cm). Stems are short, thick and gray-green. From summer to early fall, bell-shaped, dull yellow flowers, ¾in (2cm) across, with reflexed, blackish tips, are produced at the base of new growth. Z13–15 (min. 52°F/11°C)

H. zebrina (Owl’s eyes). Deciduous, clump-forming, perennial succulent. H 4in (10cm), S 6in (15cm). Similar to *H. thuretii* var. *primulina*, but has creamy yellow-green flowers with bands of red-brown. Z13–15 (min. 52°F/11°C)

Humea. See *Calomeria*.

HUMULUS

Hops

CANNABACEAE

Genus of herbaceous perennials, with twining stems, grown as climbers. Useful for concealing unsightly garden sheds or tree-stumps. Male and female flowers are borne on separate plants; female flower spikes become drooping clusters known as ‘hops’. Grow in sun or semishade and in any well-drained soil. Propagate by tip cuttings in spring.

H. lupulus (Hops). Z4–8.

‘**Aureus**’ (Hop) illus. p.194.

HUNNEMANNIA

PAPAVERACEAE

Genus of poppylike perennials, usually grown as annuals. Grow in sun and poor to fertile, very well-drained soil. Deadhead plants regularly. Provide support, especially in windy areas. Propagate by seed sown under glass in early spring, or outdoors in midspring.

H. fumariifolia (Mexican tulip poppy). ‘**Sunlite**’ is a fast-growing, upright perennial, grown as an annual. H 2ft (60cm), S 8in (20cm). Has oblong, very divided, bluish-green leaves on lax stems. In summer and early fall, produces poppylike, semidouble, bright yellow flowers, to 3in (8cm) across. Z10–11

HYACINTHELLA

ASPARAGACEAE

Genus of spring-flowering bulbs, with short spikes of small, bell-shaped flowers, suitable for rock gardens and cold greenhouses. Requires an open, sunny situation and well-drained soil, which partially dries out while bulbs are dormant in summer. Propagate by seed in fall.

H. leucophaea illus. p.421.

HYACINTHOIDES

SYN. ENDYMION
Bluebell

ASPARAGACEAE

Genus of spring-flowering bulbs, grown for their bluebell flowers. Suitable for a growing in borders and for naturalizing in grass beneath trees and shrubs. Requires partial shade and plenty of moisture. Prefers heavy soil. Plant bulbs in fall 4–6in (10–15cm) deep. Propagate by division in late summer or by seed in fall.

Ⓞ All parts may irritate skin on contact, and may cause severe discomfort if ingested.

H. hispanica of gardens. See *H. x massartiana*.

H. italica, syn. *Scilla italica*. Spring-flowering bulb. H 6–8in (15–20cm), S 2–3in (5–8cm). Leafless stem bears a conical spike of flattish, star-shaped, blue flowers, ½in (1cm) across, above a basal cluster of semierect, narrowly strap-shaped leaves. Z4–9

H. x massartiana, syn. *H. hispanica* of gardens (Spanish bluebell), illus. p.403.

H. non-scripta, syn. *Scilla non-scripta*, *S. nutans* (English bluebell), illus. p.403.