

N. euphorbioides, syn. *Lemaireocereus euphorbioides*, *Rookshya euphorbioides*, illus. p.494.

Neochilenia chilensis. See *Eriosyce chilensis*.
Neochilenia mitis of gardens. See *Eriosyce napina*.

NEOLITSEA

LAURACEAE

Genus of evergreen trees and shrubs, grown for their foliage. Frost hardy. In cold areas needs shelter from strong winds; does best against a south-or west-facing wall. Requires sun or partial shade and fertile, well-drained soil. Propagate by semiripe cuttings in late summer.
N. glauca. See *N. sericea*.
N. sericea, syn. *Litsea glauca*, *N. glauca*. Evergreen, broadly conical, dense tree or shrub. H to 20ft (6m), 5 to 10ft (3m) or more. Narrowly ovate, pointed leaves are glossy, mid-green above, white beneath, and covered with silky, brown hairs when young. Small, star-shaped, yellow flowers are borne in late summer. Z8–11

NEOLLOYDIA

CACTACEAE

Genus of spherical to columnar, perennial cacti with dense spines and short tubercles in spirals. Most species are exceptionally difficult to cultivate unless grafted. Frost tender. Requires full sun and well-drained soil. Water sparingly from spring to fall; keep dry in winter. Propagate by seed in spring or summer.
N. conoidea, syn. *Coryphantha conoidea*, *Mammillaria conoidea*, illus. p.483.
N. macdowellii. See *Thelocactus macdowellii*.

NEOMARICA

IRIDACEAE

Genus of evergreen, irislike, rhizomatous, herbaceous perennials with clusters of short-lived flowers in summer. Frost tender. Needs partial shade and fertile, moist, preferably humus-rich soil. Water moderately in summer; reduce water in winter, but do not allow plants to dry out. Propagate by seed or by division in spring.
N. caerulea illus. p.393.

NEOPANAX

ARALIACEAE

Small genus of evergreen shrubs, grown for their architectural habit and black fruit. Half hardy to frost hardy. Grow in a sheltered position in sun or partial shade in fertile, well-drained soil. Propagate by semiripe cuttings in summer or by seed in fall.
N. arboreum, syn. *Pseudopanax arboreus* (Five finger). Evergreen, round-headed, stout-branched tree. H 12–25ft (4–8m), 5 8–15ft (2.5–5m). Large, glossy, dark green leaves are divided into 5 or 7 oblong leaflets. In summer, bears tiny, honey-scented, green flowers, followed by rounded, purplish-black fruits on female plants. Z9–11
N. laetus. Evergreen, round-headed, stout-branched tree or shrub. H 20ft (6m),

5 3m (10ft). Produces large, long-stalked, leathery leaves with 5 or 7 oblong, dark green leaflets, to 1ft (30cm) long. Tiny, greenish-purple flowers, to 8in (20cm) across, are borne in summer, followed by rounded, purplish-black fruits on female plants. Z9–11

Neoporteria. See *Eriosyce*.

NEOREGELIA

BROMELIACEAE

Genus of evergreen, rosette-forming, epiphytic perennials, grown for the striking color of their central leaves and bracts when flowering. Frost tender. Requires partial shade and a rooting medium of equal parts humus-rich soil and sphagnum moss, bark or plastic chips used for orchid culture. Water moderately, using soft water, during the growing season, sparingly at other times, and keep rosette centers filled with water from spring to fall. Propagate by offsets in spring or summer.
N. carolinae, syn. *Aregelia carolinae*, *Nidularium carolinae* (Blushing bromeliad). Evergreen, spreading, open-rosetted, epiphytic perennial. H 8–12in (20–30cm), 5 16–24in (40–60cm). Has dense rosettes of strap-shaped, toothed, lustrous, green leaves. Each mature rosette bears a compact cluster of tubular, blue-purple flowers, surrounded by red bracts, usually in summer. Z11–12 (min. 50°F/10°C).
‘Tricolor’ (syn. *N.c. f. tricolor*) has leaves striped ivory-white, rose-red, and green.
f. tricolor see *N.c. ‘Tricolor’*.
N. concentrica (illus. p.471). Evergreen, spreading, basal-rosetted, epiphytic perennial. H to 1ft (30cm), 5 to 28in (70cm). Very broadly strap-shaped to ovate, glossy, dark green leaves, with spiny, black teeth and usually with dark blotches, form dense rosettes. In summer, a compact cluster of tubular, pale blue flowers, surrounded by pinkish-lilac bracts, is produced at the heart of each mature rosette. Z11–12 (min. 50°F/10°C).
var. *plutonis* (syn. *N.c. ‘Plutonis’*) has bracts flushed with red. **‘Plutonis’** see *N.c. var. plutonis*.

NEPENTHES

Pitcher plant

NEPENTHACEAE

Genus of evergreen, insectivorous, mostly epiphytic perennials, leaves adapted to form pendulous, lidded, colored pitchers that trap and digest insects. Suitable for hanging baskets. Frost tender. Needs a humid atmosphere, partial shade, and moist, fertile soil with added peat and moss. Propagate by seed in spring or by stem cuttings in spring or summer.
N. x hookeriana illus. p.473.
N. rafflesiana. Evergreen, epiphytic, insectivorous perennial. H to 28ft (9m), 5 3–4ft (1–1.2m). Has lance-shaped, dark green leaves. Greenish-yellow pitchers, to 10in (25cm) long, are mottled purple and brown, each with a striped rim and a spurred lid. Racemes of inconspicuous, green flowers, are borne intermittently. Z12 (min. 59°F/15°C)

NEPETA

Catmint

LAMIACEAE/LABIATAE

Genus of summer-flowering perennials, useful for edging, particularly where they can tumble over paving. Fully hardy to half hardy. Grows in sun or partial shade and any well-drained soil. Propagate by division in spring or stem-tip or softwood cuttings in spring or summer, species only by seed in fall. Cats may be attracted to this plant, rolling on it and crushing it. Leaves can be dried and used in cat toys.
N. ‘Blue Beauty’. See *N. sibirica* ‘Souvenir d’André Chaudon’.
N. x faassenii illus. p.270.
N. grandiflora. Neat, erect perennial. H 30in (75cm), 5 1ft (30cm). Has slightly hairy stems and ovate, round-toothed, light green leaves, with heart-shaped bases. In summer, bears racemes of small, hooded, blue flowers. H6. **‘Bramdean’** has an upright, open habit and produces deep indigo-blue flowers.
N. macrantha. See *N. sibirica*.
N. nervosa. Clump-forming perennial. H 45–60cm (1½–2ft), 5 1ft (30cm). Forms a mound of narrowly oblong to lance-shaped, pointed, prominently veined, mid-green leaves. Dense racemes of small, tubular, pale blue flowers are produced from midsummer to early fall. Z4–9
N. racemosa. Spreading to upright perennial. H to 1ft (30cm), 5 to 1½ft (45cm). Has ovate, scalloped, finely hairy, aromatic, mid-green leaves, with heart-shaped bases. In summer, bears racemelike, whorled cymes of deep violet- to lilac-blue flowers. Z3–8. **‘Walker’s Low’** is robust and neat-growing, with purplish blue flowers.
N. sibirica, syn. *Dracocephalum sibiricum*, *N. macrantha*. Erect, leafy perennial. H 3ft (90cm), 5 1½ft (45cm). Bears long, whorled cymes of blue to lavender-blue flowers, in mid- and late summer. Leaves are dark green and aromatic. Z4–8. **‘Souvenir d’André Chaudron’** (syn. *N. ‘Blue Beauty’*) bears dark lavender-blue flowers above toothed, gray leaves.
N. ‘Six Hills Giant’ illus. p.240.

NEPHROLEPIS

NEPHROLEPIDACEAE/OLEANDRACEAE

Genus of evergreen or semievergreen ferns. Frost hardy to frost tender. Needs a shady position. Prefers moist soil, but is extremely tolerant of both drought and waterlogging. Remove fading fronds and divide regularly. Propagate by division in summer or early fall.
N. cordifolia. Semievergreen fern. H 32in (80cm), 5 5ft (1.5m). Has narrowly lance-shaped, arching, dark green fronds with rounded, finely serrated pinnae. Z9–11
N. exaltata (Sword fern) illus. p.478.

NEPHTHYTIS

ARACEAE

Genus of evergreen, tufted perennials, with horizontal, creeping rhizomes, grown for their foliage. Frost tender. Requires a humid atmosphere, moist, humus-rich soil, and partial shade. Propagate by division in spring or summer.

NERINE

N. afzelii. Evergreen, rhizomatous, creeping perennial. H to 30in (75cm), 5 indefinite. Has tufts of arrow-shaped, lobed, dark green leaves, to 10in (25cm) long. Intermittently bears a hooded, greenish spathe, enclosing a green spadix, followed by spherical, orange fruits. Z12 (min. 59°F/15°C)
N. triphylla of gardens. See *Synгонium podophyllum*.

NERINE

AMARYLLIDACEAE

Genus of bulbs, some evergreen, grown for their spherical heads of wavy-petaled, pink to red, occasionally white, flowers. Most flower in fall before leaves emerge. Frost to half hardy. Needs full sun and light, sandy soil. Plant in early fall. Dislikes being disturbed. Water until leaves die down, then dry off. Propagate by seed when fresh or divide offsets in fall or when leaves have died down. ①All parts may cause mild stomach upset if ingested.
N. ‘Baghdad’. Fall-flowering bulb. H 2ft (60cm), 5 3in (8cm). Leaves are strap-shaped, semierect, and basal. Bears crimson flowers, paler toward centers; long, narrow petals have recurved tips and crisped margins. Z10–11
N. ‘Blanchefleur’. Fall-flowering bulb. H 20in (50cm), 5 3in (8cm). Produces strap-shaped, semierect, basal leaves and a tight head of 5–10 pure white flowers. Upper parts of petals are twisted. Z10–11
N. bowdenii illus. p.413. **‘Alba’** (syn. *N.b. f. alba*) illus. p.413. ***f. alba*** see *N.b. ‘Alba’*. **‘Isabel’** is a fall-flowering bulb. H 20in (50cm), 5 3in (8cm). Bears umbels of dark rose-pink flowers with wavy, recurved petals. Strap-shaped, semierect, basal leaves persist during winter and die down in spring. Z8–10. **‘Nikita’** (syn. *N. ‘Nikita’*), H 1½ft (45cm), 5 3in (8cm), has loose umbels of funnel-shaped, pale pink flowers with wavy-margined, recurved petal tips. **‘Rowie’** bears umbels of soft apricot-pink flowers with recurved petal tips. **‘Stephanie’** has lilylike, very pale pink flowers with narrow, recurved petals.
N. ‘Corusca Major’. See *N. sarniensis* var. *corusca* ‘Major’.
N. crispa. See *N. undulata* Crispa Group.
N. filifolia. Fall-flowering bulb. H 1ft (30cm), 5 2in (5cm). Has threadlike, semierect leaves in a basal tuft. Slender stem produces pale pink flowers with narrow petals. Z9–11
N. flexuosa. See *N. undulata* Flexuosa Group.
N. ‘Fothergillii Major’. Late summer- to early fall-flowering bulb. H 20in (50cm), 5 5–6in (12–15cm). Leaves are strap-shaped, semierect, and basal. Very strong stem has about 10 bright scarlet-salmon flowers with recurved petals. Z10–11
N. masoniorum. Fall-flowering bulb. H 1ft (30cm), 5 2in (5cm). Produces threadlike, semierect leaves in a basal tuft. Stem bears pink flowers with very crisped petal margins. Z10–11
N. ‘Nikita’. See *N. bowdenii* ‘Nikita’.
N. ‘Orion’ illus. p.413.
N. sarniensis (Guernsey lily) illus. p.414.
var. *corusca ‘Major’* (syn. *N. ‘Corusca Major’*), H 2ft (60cm), 5 5–6in (12–15cm), is