

OSTEOMELES

OSTEOMELES

ROSACEAE

Genus of deciduous, semievergreen or evergreen, summer-flowering shrubs, grown for their habit, foliage, and flowers. Frost hardy. In most areas plant against a sunny south- or west-facing wall in fertile, well-drained soil. Propagate by semiripe cuttings in summer.
O. schweriniae illus. p.129.

OSTEOSPERMUM

ASTERACEAE/COMPOSITAE

Genus of evergreen subshrubs, perennials, and annuals, grown for their small, daisylike, usually white, pink, or yellow flower heads, sometimes with disk florets in a contrasting color. Borderline fully hardy to frost tender; does best in warm areas. Half hardy perennials and subshrubs are best grown as annuals. Needs sun and well-drained soil. Propagate by cuttings of non-flowering shoots in midsummer.
O. barberae of gardens. See *O. jucundum*.
O. ‘Blue Streak’, syn. *O. ecklonis* ‘Blue Streak’. Evergreen, upright perennial. H and S 1½ft (45cm). From summer to fall, daisylike flower heads, with dark slate-blue centers and white ray florets, blue on the reverse, are borne above lance-shaped, gray-green leaves. Z9–11
O. ‘Buttermilk’ illus. p.319.
O. ‘Cannington Roy’. Evergreen, densely spreading subshrub. H 1ft (30cm), S 1½ft (45cm). Bears a profusion of large, daisylike, pink flower heads, with darker eyes, from summer to fall. Leaves are linear and mid-green. Z9–11
O. ecklonis. Evergreen, upright or somewhat scandent perennial. H and S 1½ft (45cm). From summer to fall, daisylike, white flower heads, with dark blue centers, are borne singly above lance-shaped, gray-green leaves. Z9–11.
‘Blue Streak’ see *O. ‘Blue Streak’*.
O. jucundum, syn. *Dimorphotheca barberae* of gardens, *O. barberae* of gardens, illus. p.265.
O. ‘Nairobi Purple’. Evergreen, semiprostrate perennial. H 1ft (30cm), S 1–1½ft (30–45cm). Has fresh green, lance-shaped leaves. Daisylike, velvety, deep purple-red flower heads, with darker streaks on outside of ray petals, are borne in summer. Will not flower freely in rich soils. Z9–11
O. Serenity Series. Vigorous, compact, branching perennials. H 10–14in (25–35cm), S 14–20in (35–50cm). Mid-green leaves are inversely lance-shaped and sparsely toothed. From late spring to early fall, produces daisylike flower heads, to 3in (8cm) across, in a wide range of colors, including white, pink, yellow, salmon-orange, red, bronze, lavender-purple, and deep purple, sometimes with contrastingdisk-florets; the ray-florets of some cultivars change shades as they age. Z9–11. **‘Blue Eyed Beauty’** has flower heads with bright yellow ray-florets with purple bands at the base and blue disk-florets. **‘Dark Purple’** illus. p311. **‘Peach Magic’** has flower heads with ray-florets that open yellow

and fade to soft peach with a hint of purple at the base.
O. Sunny Series ‘Sunny Marina’ illus. p.301.
O. VOLTAGE WHITE ‘Balvowhite’ illus. p.300. **VOLTAGE YELLOW ‘Balvoyelo’** is a compact, branching perennial. H 12–16in (30–40cm), S 24–28in (60–70cm). From late spring to fall, produces daisylike, bright yellow flower heads above inversely lance-shaped, toothed, mid-green leaves. Z9–11
O. ‘Whirlygig’ illus. p.298.

OSTROWSKIA

CAMPANULACEAE

Genus of one species of summer-flowering perennial. Borderline fully hardy. Prefers a warm, sunny situation and rich, moist but well-drained soil. May be difficult to grow because it requires a resting period after flowering, so cover with a frame until late fall to keep dry. Propagate by seed in fall or spring.
O. magnifica. Erect perennial. H 5ft (1.5m), S 1½ft (45cm). From early to midsummer, bears very large, bell-shaped flowers, delicate light blue-purple, veined with darker purple. Produces whorls of ovate, blue-gray leaves. H4

OSTRYA

BETULACEAE

Genus of deciduous trees, grown for their foliage, catkins, and fruits. Excellent specimen trees for a woodland garden. Fully hardy. Needs sun or partial shade and fertile, well-drained soil. Propagate by seed in fall.
O. carpinifolia (Hop hornbeam). Deciduous, rounded tree. H and S 50ft (15m). Has gray bark and ovate, glossy, dark green leaves that turn yellow in fall. Yellow catkins in mid-spring are followed by hoplike, greenish-white fruit clusters that become brown in fall. H6
O. virginiana (American hop hornbeam, Ironwood) illus. p.72.

Othonna cheirifolia. See *Hertia cheirifolia*.
Othonnopsis cheirifolia. See *Hertia cheirifolia*.

OURISIA

PLANTAGINACEAE/SCROPHULARIACEAE

Genus of evergreen or semievergreen perennials with creeping rootstocks, grown for their flowers. Excellent for peat beds and walls. Fully hardy. Needs shade and moist, peaty soil. Propagate by division or seed in spring.
O. caespitosa illus. p.360.
O. coccinea illus. p.269.
O. ‘Loch Ewe’. Vigorous, evergreen, rosetted perennial. H and S 1ft (30cm). Prostrate stems have heart-shaped, leathery, green leaves. Produces dense spikes of outward-facing, tubular, salmon-pink flowers in late spring and early summer. H4
O. macrocarpa. Vigorous, evergreen, prostrate perennial. H 2ft (60cm), S 8in (20cm). Produces rosettes of heart-shaped, leathery, dark green leaves. Spikes of open cup-shaped, yellow-centered, white

flowers are borne in late spring. H4
O. magellanica. See *O. ruellioides*.
O. microphylla illus. p.362.
O. ruellioides, syn. *O. magellanica*. Evergreen, scandent perennial. H 1½in (4cm), S to 6in (15cm). In summer, produces tubular, scarlet flowers above broadly heart-shaped, mid-green leaves. H4

OXALIS

OXALIDACEAE

Genus of tuberous, rhizomatous, bulbous or fibrous-rooted annuals and perennials, grown for their vibrant flowers, which in bud are rolled like an umbrella. Their often attractive, cloverlike leaves are mostly less than ¾in (2cm) across and divided into 3 or more leaflets. Some species may be invasive; smaller species and cultivars are suitable for a rock garden. Fully hardy to frost tender. Needs full sun or partial shade and well-drained soil. Propagate by division in early spring or fall.
O. acetosella (Wood sorrel). Creeping, spring-flowering, rhizomatous perennial. H 2in (5cm), S 1–1½ft (30–45cm). Forms mats of cloverlike, 3-lobed leaves. Delicate stems bear cup-shaped, white flowers, each ½in (1cm) across with 5 purple-veined petals. Prefers partial shade. H4.
var. purpurascens see *O.a. var. subpurpurascens*. **var. subpurpurascens**, syn. *O.a. var. purpurascens*, illus. p.352.
O. adenophylla illus. p.352.
O. bowiei, syn. *O. purpurata* var. *bowiei*. Spring- to summer-flowering, tuberous perennial. H to 1ft (30cm), S 6in (15cm). Has long-stalked, cloverlike, 3-lobed leaves. Stems each produce a loose head of 3–10 widely funnel-shaped, pinkish-purple flowers, 1¼–1½in (3–4cm) across. Needs a sheltered, sunny site. H4
O. chrysantha. See *O. conorrhiza*.
O. conorrhiza, syn. *O. chrysantha*. Creeping, fibrous-rooted perennial. H 1½–2in (4–5cm), S 6–12in (15–30cm). Forms mats of cloverlike, 3-lobed leaves. Stems bear a funnel-shaped, bright yellow flower, ¾–1¼in (2–3cm) across, in summer. Needs a sheltered site. H4
O. deppei. See *O. tetraphylla*.
O. depressa, syn. *O. inops*, illus. p.364.
O. enneaphylla (Scurvy grass). Tuft-forming, rhizomatous perennial. H 2–3in (5–7cm), S 3–4in (8–10cm). Gray-green leaves are divided into narrowly oblong to ovate leaflets. In summer, stems bear widely funnel-shaped lilac-pink or white flowers, 1¼–1½in (3–4cm) across. H4.
‘Minutifolia’, H 2in (5cm), S 4in (10cm), has a more compact habit, with much smaller leaflets, to ½in (1cm) long, and white flowers. **‘Rosea’** has light purple-pink flowers.
O. hedysaroides. Semievergreen, bushy subshrub. H 3ft (1m), S 1–1½ft (30–45cm). Stems have cloverlike, green leaves with 3 elliptical leaflets, the central leaflet on a stalk. Leaf axils bear clusters of widely funnel-shaped, yellow flowers, ¾–1¼in (2–3cm) across, in spring-summer. Z10–11
O. hirta. Late summer-flowering, tuberous perennial. H 1ft (30cm), S 4–6in (10–15cm). Stem bears scattered leaves, with 3 narrowly lance-shaped leaflets. Leaf axils each produce a widely

funnel-shaped, rose-purple flower, 2–3cm (¾–1¼in) across, with a yellow center. Z9–11
O. inops. See *O. depressa*.
O. ‘Ione Hecker’. Tuft-forming, rhizomatous perennial. H 5cm (2in), S 5–8cm (2–3in). Grey leaves are composed of narrowly oblong, wavy leaflets. In summer, bears funnel-shaped, pale purple-blue flowers, 4cm (1½in) across, with darker veins. H4
O. laciniata. Tuft-forming, rhizomatous perennial. H 5cm (2in), S 5–8cm (2–3in). Has blue-gray leaves with narrowly oblong, crinkly-edged leaflets. In summer, bears wide funnel-shaped, steel-blue flowers, 4cm (1½) across, with darker veins. H4
O. perdicaria illus. p.371.
O. purpurata var. *bowiei*. See *O. bowiei*.
O. spiralis subsp. *vulcanicola*. Evergreen subshrub. H and S 30cm (12in). Succulent, red stems bear cloverlike, 3-lobed leaves in shades of reddish-yellow to dark or mid-green. Widely funnel-shaped, yellow flowers, 1.5cm (¾in) across, are borne in clusters from spring to fall. Often used in summer bedding or hanging baskets. Z9–11
O. tetraphylla, syn. *O. deppei*, illus. p.338.
O. vulcanicola. See *O. spiralis* subsp. *vulcanicola*.

OXYDENDRUM

ERICACEAE

Genus of one species of deciduous large shrub or small tree, grown for its flowers and spectacular fall color. Fully hardy. For good coloring, plant in an open position in sun or partial shade. Needs moist, acid soil. Propagate by softwood cuttings in summer or by seed in fall.
O. arboreum (Sorrel tree) illus. p.76.

Oxypetalum caeruleum.
See *Tweedia caerulea*.

OZOTHAMNUS

ASTERACEAE/COMPOSITAE

Genus of evergreen, summer-flowering shrubs and woody-based perennials, grown for their foliage and small, densely clustered flower heads. Borderline fully to half hardy. Requires full sun and well-drained soil. Propagate by semiripe cuttings in summer.
O. coralloides, syn. *Helichrysum coralloides*, illus. p.347.
O. ledifolius, syn. *Helichrysum ledifolium* (erosene bush), illus. p.151.
O. rosmarinifolius, syn. *Helichrysum rosmarinifolium*. Compact, upright shrub. H 2–3m (6–10ft), S 1.5m (5ft). Produces rosemarylike, linear, dark green leaves, to 4cm (1½in) long, woolly beneath, the margins curved under. Fragrant white flower heads, 4mm (¼in) across, red in bud, are borne in dense, terminal corymbs, 4cm (1½in) across, in early summer. H4
O. selago, syn. *Helichrysum selago*, illus. p.347.