

a wall, train and cut back long shoots after flowering. Propagate by semiripe cuttings in summer. Susceptible to scab and fireblight. ☉The seeds may cause mild stomach upset if ingested.

P. angustifolia. Evergreen, bushy, dense shrub. H and S 10ft (3m). Has narrowly oblong leaves, dark green above, gray beneath. In midsummer, bears clusters of small, 5-petaled, white flowers. Round, orange-yellow fruits follow in fall. Z5–9

P. atlantioides. Vigorous, evergreen shrub, part upright, part arching. H 20ft (6m), S 12ft (4m). Oblong leaves are glossy and dark green. Large clusters of small, 5-petaled, white flowers in spring are followed by round, red fruits in early fall. Z6–9. ‘**Aurea**’ illus. p.118.

P. ‘Golden Charmer’ illus. p.141.

P. ‘Orange Glow’. Evergreen, upright, dense shrub. H and S 10ft (3m). Has oblong, glossy, dark green leaves. Clusters of small, 5-petaled, white flowers, in late spring, are followed by round, orange fruits. Z5–9

P. rogersiana. Evergreen, upright, then arching shrub. H and S 12ft (4m). Leaves are narrowly oblong, glossy and bright green. Produces clusters of small, 5-petaled, white flowers in spring, followed by round, orange, red or yellow fruits. Z5–9. ‘**Flava**’ has yellow berries.

P. SAPHYR ORANGE (‘Cadange’). Vigorous, erect shrub. H 10ft (3m), S 6ft (2m). Bears narrowly elliptic, toothed, dark green leaves on stiff branches. Small, white flowers are borne in late spring. Dense clusters of shiny, orange berries follow. Resistant to fireblight and scab. Z5–9

P. SAPHYR ROUGE (‘Cadrou’). Compact, erect shrub. H 8ft (2.5m), S 5ft (1.5). Has narrowly ovate or elliptic, toothed, dark green leaves on stiff branches. Bears small, white flowers in late spring, followed by dense clusters of orange, later bright red berries. Resistant to fireblight and scab. Z5–9

P. ‘Teton’. Vigorous, upright to spreading shrub. H 15ft (5m), S 10ft (3m). Has oblong, wavy-margined, glossy, bright green leaves. Small white flowers are borne in early summer, followed by an abundance of yellow-orange berries. Z5–9

Pyrethropsis hosmariense. See *Rhodanthemum hosmariense*.

Pyrethrum. See *Tanacetum*.

PYROLA
Wintergreen
ERICACEAE

Genus of evergreen, spreading, spring- and summer-flowering perennials, grown for their foliage and flowers. Fully hardy. Needs partial shade, cool conditions, and well-drained, peaty, acidic soil; is best suited to light woodland. Resents disturbance. Propagate by seed in fall or spring or by division in spring.

P. asarifolia. Evergreen, rosette-forming perennial. H 6–10in (15–25cm), S 6in (15cm) or more. Has kidney-shaped, leathery, glossy, light green leaves. Tubular, pale to deep pink flowers are produced in spring. Z4–8

P. rotundifolia (Round-leaved winter-green, Wild lily-of-the-valley). Creeping,

evergreen, rosette-forming perennial. H 8in (20cm), S 6in (15cm). Bears rounded, leathery, glossy, mid-green leaves and, in summer, sprays of fragrant, white flowers that resemble lily-of-the-valley. Z4–8

PYROSTEGIA
BIGNONIACEAE

Genus of evergreen, woody-stemmed, tendrill climbers, grown for their flowers. Frost tender. Needs full light and fertile, well-drained soil. Water regularly, less in winter. Provide support. Thin stems after flowering. Propagate by semiripe cuttings or layering in summer.

P. ignea. See *P. venusta*.

P. venusta, syn. *P. ignea* (Flame flower, Flame vine, Golden shower), illus. p.464.

PYRUS
Pear
ROSACEAE

Genus of mainly deciduous, spring-flowering trees, grown for their habit, foliage, flowers, and edible fruits (pears). Ornamental pears are best grown as specimen trees on a lawn. Fully hardy. Does best in full sun and needs well-drained soil. Propagate species by seed in fall, cultivars by budding in summer or by grafting in winter. Many species are susceptible to fireblight and scab and, in North America, pear decline.

P. amygdaliformis. Deciduous, spreading tree. H 30ft (10m), S 25ft (8m). Lance-shaped leaves are gray when young, maturing to glossy, dark green. Clusters of 5-petaled, white flowers are produced in mid-spring, and are followed by small, brownish fruits. Z4–8

P. calleryana. Deciduous, broadly conical tree. H and S to 50ft (15m). Ovate, glossy, dark green leaves often turn red in fall. Bears 5-petaled, white flowers from mid-to late spring and small, brownish fruits. May be locally invasive. Z4–9.

‘Chanticleer’ illus. p.71.

P. communis (Common pear). ‘**Beech Hill**’ is a deciduous, narrowly conical tree. H 30ft (10m), S 22ft (7m). Ovate, glossy, dark green leaves often turn orange and red in fall. From mid- to late spring, bears 5-petaled, white flowers as leaves emerge, followed by small, brownish fruits. Z4–9

P. elaeagrifolia. Deciduous, spreading, thorny tree or large shrub. H and S 10–15ft (3–5m). Has lance-shaped, gray-green leaves. Produces loose clusters of 5-petaled, creamy white flowers in mid-spring, followed by small, pear-shaped, brownish fruits. Z4–8

P. salicifolia. Deciduous, mound-shaped tree with slightly drooping branches. H and S 20–25ft (6–8m). White flowers, with 5 petals, open as willowlike, gray leaves emerge in mid-spring. Pear-shaped fruits are small and brownish-green. Z4–7.

‘Pendula’ illus. p.88.

Quamoclit coccinea. See *Ipomoea coccinea*.

Quamoclit lobata. See *Ipomoea lobata*.

Quamoclit pennata. See *Ipomoea quamoclit*.

QUERCUS
Oak
FAGACEAE

Genus of deciduous or evergreen trees and shrubs, grown for their habit, foliage, and, in some deciduous species, fall color. Produces insignificant flowers from late spring to early summer, followed by egg-shaped to rounded, brownish fruits (acorns). Fully to frost hardy. Prefers sun or partial shade and deep, well-drained soil. Except where stated otherwise, will tolerate limestone. Propagate species by seed in fall, selected forms and hybrids by grafting in late winter. May be affected, though not usually seriously, by mildew and various galls, and by oak wilt.

Q. acutissima (Sawtooth oak). Deciduous, round-headed tree. H and S 50ft (15m). Has fissured, corky, ashen-gray to black bark. Sweet-chestnutlike, glossy, dark green leaves, edged with bristle-tipped teeth, that last until late in the year. Z5–9

Q. alba (American white oak) illus. p.66.

Q. canariensis (Algerian oak, Mirbeck’s oak) illus. p.62.

Q. castaneifolia (Chestnut-leaved oak) illus. p.64. ‘**Green Spire**’ is a deciduous tree with upright branches. H 80ft (25m) S 30ft (10m). Has rough, corky, brown bark and sharply toothed leaves, glossy dark green above, gray beneath. Z7–9

Q. cerris (Turkey oak). Fast-growing, deciduous, spreading tree of stately habit. H 100ft (30m), S 80ft (25m). Has gray-white bark, splitting into thick plates, and deeply lobed, oblong, glossy, dark green leaves. Thrives on shallow, chalky soil. Z7–10. ‘**Argenteovariegata**’ illus. p.73.

Q. coccifera (ermes oak). Evergreen, bushy, compact tree or shrub with smooth gray bark, cracking with age. H and S 15ft (5m). Hollylike leaves are glossy, dark green, and rigid with spiny margins. Z6–8

Q. coccinea (Scarlet oak) illus. p.65.

‘Splendens’ is a deciduous, round-headed tree. H 70ft (20m), S 50ft (15m). Has pale gray-brown bark in scaly plates. Oblong, glossy, mid-green leaves, with deep, toothlike lobes, turn deep scarlet in fall. Prefers acidic soil. Z4–9

Q. x crenata ‘Lucombeana’, syn. *Q. x hispanica* ‘Lucombeana’, *Q. x lucombeana* ‘William Lucombe’ (Lucombe oak) illus. p.68.

Q. dentata (Daimio oak). Deciduous, rugged, spreading, stout-branched tree. H 50ft (15m), S 30ft (10m). Has fissured brown bark, splitting into scaly plates and ovate, lobed, dark green leaves, 1ft (30cm) or more long. Prefers acidic soil. Z4–8

Q. ellipsoidalis illus. p.65.

‘Hemelrijk’, is a deciduous, spreading tree. H 70ft (20m), S 50ft (15m). Produces deeply lobed, glossy, dark green leaves that reliably turn deep red in fall. Z4–7

Q. frainetto (Hungarian oak) illus. p.64.

‘Hungarian Crown’ is a deciduous, compact, upright tree. H 70ft (20m), S 30ft (10m). Has dark gray, rugged bark and many lobed, dark green leaves, turning yellow-brown in fall. Z5–8

Q. x heterophylla (Bartram’s oak) illus. p.77.

Q. x hispanica ‘Lucombeana’. See *Q. x crenata* ‘Lucombeana’.

Q. ilex (Holm oak). Evergreen, round-headed tree with smooth, dark gray bark. H 80ft (25m), S 70ft (20m). Glossy, dark green leaves are silvery-gray when young and very variably shaped, but most often ovate. Thrives on shallow chalk and is excellent for an exposed, coastal site. Z7–10

Q. imbricaria (Shingle oak). Deciduous, spreading tree with smooth, gray-brown bark. H 70ft (20m), S 50ft (15m). Has long, narrow leaves that are yellowish when young, dark green in summer and yellowish-brown in fall. Z5–8

Q. x lucombeana ‘William Lucombe’. See *Q. x crenata* ‘Lucombeana’.

Q. macranthera (Caucasian oak) illus. p.61.

Q. macrocarpa (Bur oak) illus. p.75.

Q. marilandica (Black Jack oak) illus. p.75.

Q. myrsinifolia illus. p.80.

Q. nigra (Water oak) illus. p.63.

Q. palustris (Pin oak) illus. p.66.

Q. petraea (Durmast oak, Sessile oak). Deciduous, spreading tree with ridged, gray bark. H 100ft (30m), S 80ft (25m). Has oblong, lobed, leathery, dark green leaves with yellow stalks. Z5–8. ‘**Columna**’ illus. p.63.

Q. phellos (Willow oak) illus. p.67.

Q. pontica (Armenian oak, Pontine oak). Deciduous, sometimes shrubby tree with upright, stout branches and broadly ovate head. H 20ft (6m), S 15ft (5m). Large, ovate, toothed, glossy, bright green leaves turn yellow in fall. Z5–10

Q. robur (Common oak, Pedunculate oak). Deciduous, spreading, rugged tree. H and S 80ft (25m). Has fissured, gray-brown bark and oblong, wavy, lobed, dark green leaves. Z3–8. ‘**Concordia**’ illus. p.72.

Fastigiata Group illus. p.62.

Fastigiata Group ‘oster’ has a very symmetrical, narrow, upright shape.

Q. rubra (Red oak) illus. p.65. ‘**Aurea**’ is a fast-growing, broad-crowned, deciduous tree. H 50ft (15m), S 30ft (10m). Golden yellow young leaves turn green in summer. Prone to burning in strong sunshine.

‘Magic Fire’, H 30ft (10m), S 25ft (8m), is slow growing at first, with reddish young leaves turning light green in summer, golden yellow in fall. Young shoots are orange-red in winter. Z3–8

Q. suber (Cork oak; illus. p.78). Evergreen, round-headed tree. H and S 70ft (20m). Has thick, corky bark and ovate, leathery leaves, glossy, dark green above and grayish beneath. Z8–10

Q. x turneri illus. p.68.

Q. velutina (Black oak). Fast-growing, deciduous, spreading tree. H 100ft (30m), S 80ft (25m). Has ridged, dark brown, almost black, bark and large, oblong, lobed, glossy, dark green leaves that turn reddish-brown in fall. Z3–9

Qiongzhuea tumidissinoda. See *Chimonobambusa tumidissinoda*.

Quisqualis indica. See *Combretum indicum*.