

S. neurepia. See *S. microphylla* var. *microphylla*.
S. officinalis (Common sage; illus. p.155). H and S 20in (30cm). Lance-shaped, downy, aromatic, gray-green leaves are used as a culinary and medicinal herb. Lax racemes of purple-blue flowers are produced in summer. Z4–8. **‘Alba’** see *S.o.* ‘Albiflora’. **‘Albiflora’** (syn. *S.o.* ‘Alba’) is an evergreen or semievergreen, bushy shrub. H 2ft (60cm), S 3ft (1m). Oblong, gray-green leaves are used as a culinary herb. Racemes of white flowers are borne in summer. **‘Berggarten’** (illus. p.155), H 16in (40cm), has a spreading habit and round-tipped, silvery-gray leaves. **‘Icterina’** (illus. p.155) has aromatic, gray-green leaves variegated with pale green and yellow. Occasionally bears small spikes of tubular, 2-lipped, purplish flowers. **‘Purpurascens’** (illus. p.155), H 2ft (60cm), S 3ft (1m), has blue-purple flowers and purple-flushed leaves when young. **‘Tricolor’** (illus. p.155) has very aromatic, cream-margined, gray-green leaves, tinged pinkish-purple when young. **S. patens** (illus. p.250). Erect, tuberous perennial often grown as an annual. H 18–24in (45–60cm), S 1½ft (45cm). Branching stems bear ovate to triangular, mid-green leaves, spear-shaped at base. From midsummer to mid-fall, bears terminal racemes of widely 2-lipped, deep to pale blue or white flowers. Z8–10. **‘Cambridge Blue’** has pale blue flowers. **‘Oxford Blue’**, H 1ft (30cm), has violet-blue bracts. **S. pratensis.** Clump-forming, woody-based perennial. H 3ft (90cm), S 1ft (30cm). Has ovate, wrinkled, toothed, mid-green, basal leaves. Erect, usually branched, terminal spikes of violet, blue, pink or white flowers are borne in summer. Z4–8. **Haematodes Group** (syn. *S. haematodes*), S 1½ft (45cm), has wavy-edged, rough, dark green leaves and lavender-blue flowers. **‘Indigo’** (illus. p.250) bears dark blue flowers. **‘Pink Delight’** (illus. p.250) produces mid- to deep pink flowers. **‘Swan Lake’** (illus. p.250) has pure white flowers. **S. ‘Royal Bumble’.** Compact, erect, bushy, evergreen to semievergreen subshrub or perennial. H 2ft (60cm), S 16in (40cm). Has ovate, round-tipped, aromatic, mid-green leaves. From midsummer to fall, purple-black stems bear whorls of glowing red flowers, with blackish calyces. Z7–10 **S. sclarea** var. *turkestanica* of gardens illus. p.313. **S. splendens.** Slow-growing, bushy perennial or evergreen subshrub, grown as an annual. H to 1ft (30cm), S 8–12in (20–30cm). Has ovate, serrated, fresh green leaves, and dense racemes of scarlet flowers in summer and early fall. Z9–11. **‘Blaze of Fire’** has brilliant scarlet flowers. **‘Lighthouse Purple’**, H 20–28in (50–70cm), is upright and bushy, bearing intense purple flowers. **‘Mojave Red’**, H 10in (25cm), is compact, with dense spikes of bright red flowers and dark green foliage. **S. x superba.** Clump-forming, erect, branched perennial. H 2–3ft (60–90cm), S 18–24in (45–60cm). Leaves are lance-shaped to oblong, scalloped and mid-green, slightly hairy beneath. Slender, terminal racemes of bright violet or purple

flowers, to ½in (1.5cm) long, are produced from midsummer to early fall. Z3–10 **S. x sylvestris.** Clump-forming, erect, branched perennial. H 32in (80cm), S 1ft (30cm). Leaves are lance-shaped to oblong, scalloped, and mid-green, softly hairy. Dense, terminal racemes of pinkish violet flowers, to ½in (1cm) long, are borne in early to midsummer. Z4–7. **‘Blauhügel’** (illus. p.250), H 1½ft (45cm), has mid-blue flowers and purple bracts. **‘Mainacht’** (syn. *S. x s.* May Night; illus. p.250), H 3ft (90cm), S 1½ft (45cm), has violet-blue flowers in late spring and summer. **S. uliginosa** (Bog sage) illus. p.442. **S. verticillata.** Erect perennial. H 3ft (90cm), S 18in (45cm). Has ovate to elliptic, deeply cut, dark green leaves, with large terminal lobes. Branched racemes with whorls of lilac to violet-blue, rarely white, flowers are borne in summer. Z6–10. **‘Purple Rain’** (illus. p.250) has dark green leaves and red-purple flowers and stems. **S. virgata** var. *nemorosa*. See *S. nemorosa*. **S. viridis**, syn. *S. horminum*. Moderately fast-growing, upright, branching annual. H 1½ft (45cm), S 8in (20cm). Has ovate leaves. Tubular, lipped flowers, enclosed by purple, pink, or white bracts, are borne in spikes at tops of stems in summer and early fall. Z4–7. Bracts of **Claryssa Series** are a wide range of brilliant colors, including white, pink, purple, and blue.

SALVINIA

SALVINIACEAE

Genus of deciduous, perennial, floating water ferns, evergreen in tropical conditions and aquariums. Frost tender. Does best in warm water, with plenty of light. Remove fading foliage, and thin plants when crowded. Propagate by dividing young plants in summer. **S. natans.** Deciduous, perennial, floating water plant. S indefinite. Oval to ovate, elongated, mid-green leaves are borne on branching stems. Tolerates colder conditions than other species; can be used in a cold water aquarium. Z11–12 (min. 50°F/10°C)

SAMBUCUS

Elder

ADOXACEAE

Genus of perennials, deciduous shrubs and trees, grown for their foliage, flowers, and fruits. Fully hardy. Needs sun and fertile, moist soil. For best foliage effect, either cut all shoots to ground in winter or prune out old shoots and reduce length of young shoots by half. Propagate species by softwood cuttings in summer, by seed in fall, or by hardwood cuttings in winter, some forms by cuttings only. ☉ All parts may cause severe discomfort if ingested, although cooked fruits are safe; contact with the leaves may irritate skin. **S. canadensis**, syn. *S. nigra* subsp. *canadensis* (American elder). **‘Aurea’** is a deciduous, upright shrub. H and S 12ft (4m). Has large, golden-yellow leaves, usually with 7 oblong leaflets. Bears large, domed heads of small, star-shaped, creamy-white flowers in summer, followed by spherical, red fruits. Z3–9

S. nigra (Common elder). **‘Aurea’** (Golden elder) is a deciduous, bushy shrub. H and S 20ft (6m). Has stout, corky shoots and golden-yellow leaves with usually 5 ovate leaflets. Flattened heads of fragrant, star-shaped, creamy-white flowers, borne in early summer, are followed by spherical, black fruits. **subsp. canadensis** see *S. canadensis*. **‘Laciniata’** see *S.n. f. laciniata*. **f. laciniata** (syn. ‘Laciniata’) has irregularly and finely cut leaflets. **f. porphyrophylla** **BLACK BEAUTY** (**‘Gerda’**) has dark blackish leaves and white-centered flowers with pink-tipped lobes. **f. porphyrophylla** **BLACK LACE** (**‘Eva’**) has deeply cut, almost black leaves and pale pink flowers fading to grayish white. **f. porphyrophylla** **‘Guincho Purple’** has dark green foliage that matures to deep blackish-purple. Bears purple-stalked flowers, pink in bud and opening to white within, pink outside. **f. porphyrophylla** **‘Thundercloud’** has dark reddish purple leaves, green when young, and red buds opening to pale pink flowers that fade to white. H6 **S. racemosa** (Red-berried elder). Deciduous, bushy shrub. H and S 10ft (3m). Mid-green leaves each usually have 5 ovate or ovate leaflets. Star-shaped, creamy-yellow flowers, borne in dense, conical clusters in mid-spring, are followed by spherical, red fruits. Z3–6. **‘Plumosa Aurea’** illus. p.139.

SANCHEZIA

ACANTHACEAE

Genus of evergreen, mainly summer-flowering perennials and shrubs, grown for their showy, tubular flowers and foliage. Frost tender. Requires full light or partial shade and fertile, well-drained soil. Water containerized plants freely when in full growth, less at other times. Tip prune young plants to promote branching. Propagate by greenwood cuttings in spring or summer. Susceptible to whitefly and soft scale. **S. nobilis** of gardens. See *S. speciosa*. **S. speciosa**, syn. *S. nobilis* of gardens. Evergreen, erect, soft-stemmed shrub. H 4–7ft (1.2–2.2m), S 3–5ft (90–150cm). Glossy leaves have yellow- or white-banded main veins. Tubular, yellow flowers are borne in axils of red bracts, in summer. Z11–12 (min. 55–59°F/13–15°C)

SANDERSONIA

COLCHICACEAE/LILIACEAE

Genus of one species of deciduous, tuberous climber, related to *Gloriosa* and *Littonia*, grown for its urn-shaped, summer flowers. Half hardy. Needs a sheltered, sunny site and well-drained soil. Support with sticks or canes. Lift tubers for winter. Propagate in spring by seed or by naturally divided tubers. **S. aurantiaca** (Chinese-lantern lily) illus. p.413.

SANGUINARIA

PAPAVERACEAE

Genus of one species of spring-flowering, rhizomatous perennial. Fully hardy. Grow in sun or partial shade and in humus-rich, moist but well-drained soil. Excellent for a

shaded rock garden, or a wild or woodland garden. Propagate by division of rhizomes in summer or by seed in fall. **S. canadensis** (Bloodroot) illus. p.348. **f. multiplex ‘Plena’** (syn. *S.c.* ‘Flore Pleno’) is a clump-forming, rhizomatous perennial with fleshy, underground stems that exude red sap when cut. H 6in (15cm), S 1–1½ft (30–45cm). Produces short-lived, rounded, fully double, white flowers in spring, followed by large, rounded to heart-shaped, scalloped, gray-green leaves with glaucous undersides. Z3–8

SANGUISORBA

BURNET ROSACEAE

Genus of rhizomatous perennials, grown for their bottlebrushlike flower spikes. Fully hardy. Requires sun and moist soil. Propagate by division in spring or by seed in fall. **S. canadensis** (Canadian burnet) illus. p.437. **S. menziesii.** Clump-forming perennial. H 30in (75cm), S 2ft (60cm). In mid- to late summer, slender, arching stems bear spikes of purple-red flowers. Grey-green leaves are deeply divided and tinted red. Z4–8 **S. obtusa.** Clump-forming perennial. H 3–4ft (1–1.2m), S 2ft (60cm). Arching stems bear spikes of rose-crimson flowers in midsummer. Pairs of ovate leaflets are pale green above, blue-green beneath. Z4–8 **S. officinalis.** Clump-forming, rhizomatous perennial. H to 4ft (1.2m), S 2ft (60cm). Has pinnate basal leaves, with 7–25 oblong-elliptic leaflets; leaves on the erect, branching, often red stems are smaller. Small, red-brown to maroon flowers are borne in erect, very short, dense spikes from early summer to mid-fall. Z4–8 **S. ‘Tanna’.** Spreading, clump-forming perennial. H 2ft (60cm), S 20in (50cm). Produces short spikes of dark red flowers in mid- to late summer above mounds of divided, blue-green leaves. Tolerant of drier soil than other sanguisorbas and good at the front of a border. Z4–8 **S. tenuifolia** var. *alba* illus. p.216.

Sanicula epipactis. See *Hacquetia epipactis*.

SANSEVIERIA

ASPARAGACEAE

Genus of evergreen, rhizomatous perennials, grown for their rosettes of stiff, fleshy leaves. Frost tender. Tolerates sun and shade and is easy to grow in most soil conditions if not overwatered. Propagate by leaf cuttings or division in summer. **S. cylindrica.** Evergreen, stemless, rhizomatous perennial. H 1½–4ft (45cm–1.2m), S 4in (10cm). Has a rosette of 3–4 cylindrical, stiff, fleshy, erect leaves, to 4ft (1.2m) long, in dark green with paler horizontal bands. Occasionally bears racemes of small, tubular, 6-lobed, pink or white flowers. Z11–12 (min. 55°F/13°C) **S. trifasciata** (Mother-in-law’s tongue). Evergreen, stemless, rhizomatous perennial. H 1½–4ft (45cm–1.2m), S 4in (10cm). Has a rosette of about 5 lance-shaped, pointed, stiff, fleshy, erect leaves,