

SCHEFFLERA

down beneath. In late fall, bears downy, terminal panicles, composed of numerous spikes, to 1ft (30cm) long, of small, white flowers; these are followed by rounded, fleshy, black fruit. Z7–11

S. taiwaniana. Broad, rounded, evergreen shrub or small tree. H and S 6–12ft (2–4m). Reddish purple stalks, 16–20in (40–50cm) long, bear elegant leaves with 7–11 dark gray-green leaflets. In late summer–fall, bears terminal panicles, 10–20in (25–50cm) long, composed of numerous racemes or umbels of small, greenish flowers, followed by spherical, green fruit, which ripen to purple over winter. Z7–11

SCHIMA

THEACEAE

Genus of variable, evergreen trees or shrubs, grown for their foliage and flowers. Related to *Camellia*. Frost hardy to half hardy. Prefers humus-rich, well-drained, neutral to acidic soil and a sunny or partially shaded position. Water potted plants freely in full growth, moderately at other times. Pruning is tolerated if necessary. Propagate by seed as soon as ripe or by semiripe cuttings in summer.

S. argentea. Broadly conical tree or shrub. H 30ft (10m), S 20ft (6m). Oblong, lance-shaped, ovate, or obovate, tapered leaves are entire, shallowly scalloped, or toothed, papery or leathery in texture, and glossy, dark green, with red veins, often reddish beneath. From late summer to fall, red-tinged buds open to solitary, cup-shaped, fragrant white flowers, to 3in (7cm) across, with 5 or 6 rounded petals. Z9–11

SCHISANDRA

SCHISANDRACEAE

Genus of deciduous or evergreen, woody-stemmed, twining climbers. Male and female flowers are borne on separate plants, so grow plants of both sexes if fruits are required. Useful for growing against shady walls and training up pillars and fences. Fully hardy to frost hardy. Grow in sun or partial shade and rich, well-drained soil. Propagate by semiripe or greenwood cuttings in summer.

S. grandiflora. Twining, woody, deciduous climber. H 22ft (7m). Shoots are brown, almost cylindrical, and bear elliptic-oblong, pointed, prominently veined, leathery, matte, dark green leaves, paler beneath. In late spring or early summer, bears nodding, scented, white, waxy white, or pale pink flowers, each with 7–8 rounded petals, followed, on female plants, by pendent spikes of spherical, scarlet-red berries. Z7–10. **var. rubriflora** of gardens. See *S. rubriflora*.

S. rubriflora, syn. *S. grandiflora* var. *rubriflora* of gardens, illus. p.202.

SCHIZANTHUS

Butterfly flower, Poor man’s orchid

SOLANACEAE

Genus of annuals and some biennials, grown for their showy flowers. Excellent as potted plants. Frost hardy to frost tender. Grow in a sunny, sheltered position and in fertile, well-drained soil. Pinch out

growing tips of young plants to ensure a bushy habit. Propagate by seed sown under glass in early spring for summer-fall flowers and in late summer for plants to flower in pots in late winter or spring. Prone to damage by aphids.

S. ‘Dwarf Bouquet’ illus. p.304.

S. pinnatus. Moderately fast-growing, upright, bushy annual. H 1–4ft (30cm–1.2m), S 1ft (30cm). Has feathery, light green leaves. In summer–fall, bears rounded, lobed, multicolored flowers in shades of pink, purple, white or yellow. Z10–12 (min. 41°F/5°C). **‘Hit Parade’** illus. p.305. **‘Star Parade’** is compact with a distinctive pyramidal habit; in spring–fall, bears tubular, then flared, 2-lipped, white, yellow, pink, purple, or red flowers.

Schizocentron elegans. See *Heterocentron elegans*.

SCHIZOPHRAGMA

HYDRANGEACEAE

Genus of deciduous, woody-stemmed, root climbers, useful for training up large trees. Fully to frost hardy. Flowers best in sun, but will grow against a north-facing wall. Needs well-drained soil. Tie young plants to supports. Propagate by seed in spring or by greenwood or semiripe cuttings in summer.

S. hydrangeoides illus p.197.

var. concolor ‘Moonlight’ is a deciduous, woody-stemmed, root climber. H to 40ft (12m). Has broadly ovate, silvery, blue-green leaves, turning yellow in fall. Small, white or creamy-white flowers, in flat heads 8–10in (20–25cm) across, are borne on pendent side-branches in summer, and are surrounded by marginal, sterile flowers. **var. hydrangeoides ‘Roseum’** has bractlike, pink-flushed, pale yellow sepals. Z5–9.

S. integrifolium illus. p.197.

S. viburnoides. See *Pileostegia viburnoides*.

Schizostylis. See *Hesperantha*.

SCHLUMBERGERA

CACTACEAE

Genus of bushy, perennial cacti with erect, then pendent stems and flattened, oblong stem segments with indented notches at margins—like teeth in some species. Stem tips bear flowers with prominent stigmas and stamens and with petals of different lengths set in 2 rows. Frost tender. Requires a partially shaded position and rich, well-drained soil. Propagate by stem cuttings in spring or early summer.

S. ‘Bristol Beauty’ illus. p.488.

S. x buckleyi (Christmas cactus). Erect, then pendent, perennial cactus. H 6in (15cm), S 3ft (1m). Has glossy, green stem segments and red-violet flowers in midwinter. Z11–12 (min. 50°F/10°C)

S. ‘Gold Charm’ illus. p.486.

S. truncata, syn. *Zygocactus truncatus* (Crab cactus, Lobster cactus), illus. p.487.

S. truncata ‘Wintermärchen’. Erect, then pendent, perennial cactus. H 6in (15cm), S 1ft (30cm). Has glossy, green stem segments. In early fall, bears white flowers that become pink-and-white in winter. Z11–12 (min. 50°F/10°C)

S. ‘Zara’. Erect, then pendent, perennial cactus. H 6in (15cm), S 1ft (30cm). Has glossy, green stem segments. Deep orange-red flowers are produced in early fall and winter. Z11–12 (min. 50°F/10°C)

SCHOENOPLECTUS

CYPERACEAE

See also GRASSES, BAMBOOS, RUSHES, and SEDGES.

S. lacustris subsp. tabernaemontani ‘Zebrinus’, syn. *Scirpus lacustris* var. *tabernaemontani* ‘Zebrinus’, *Scirpus tabernaemontani* ‘Zebrinus’, illus. p.436.

SCHWANTESIA

AIZOACEAE

Genus of cushion-forming, perennial succulents with stemless rosettes of pairs of unequal-sized, keeled leaves, and daisylike, yellow flowers. Frost tender. Needs sun and well-drained soil. Propagate by seed or stem cuttings in spring or summer.

S. ruedeuschii illus. p.491.

SCIADOPITYS

SCIADOPITYACEAE

See also CONIFERS.

S. verticillata (Japanese umbrella plant) illus. p.101.

SCILLA

SYN. CHIONODOXA, x CHIONOSCILLA

ASPARAGACEAE

Genus of mainly spring- and summer-flowering bulbs, with basal clusters of leaves and spikes of small, often blue flowers. Fully to frost hardy. Needs an open site, sun or partial shade and well-drained soil. Naturalizes under trees and shrubs or in grass. Propagate by division in late summer or by seed in fall.

S. adlamii. See *Ledebouria cooperi*.

S. x allenii illus. p.419.

S. bifolia. Early spring-flowering bulb. H 2–6in (5–15cm), S 1–2in (2.5–5cm). Has 2 narrowly strap-shaped, semierect, basal leaves that widen toward tips. Stem bears one-sided spike of up to 20 star-shaped, purple-blue, pink or white flowers. Z4–8

S. chinensis. See *S. scilloides*.

S. cooperi. See *Ledebouria cooperi*.

S. forbesii, syn. *Chionodoxa forbesii*, *S. luciliae* of gardens, *S. tmolusi*, illus. p.419. **‘Pink Giant’** see *S. ‘Pink Giant’*.

S. gigantea. See *S. luciliae*.

S. italica. See *Hyacinthoides italica*.

S. japonica. See *S. scilloides*.

S. litardierei, syn. *S. pratensis*. Clump-forming, early summer-flowering bulb. H 4–10in (10–25cm), S 2–3in (5–8cm). Bears up to 5 narrowly strap-shaped, semierect, basal leaves. Stem has a dense spike of flat, star-shaped, violet flowers, ½–⅝in (1–1.5cm) across. Z4–8

S. luciliae, syn. *Chionodoxa gigantea*, illus. p.420. **‘Pink Giant’** see *S. ‘Pink Giant’*.

S. luciliae of gardens. See *S. forbesii*.

S. mischtschenkoana, syn. *S. tubergeniana*, *S. ‘Tubergeniana’*, illus. p.420.

S. natalensis. See *Mervilla plumbea*.

S. non-scripta. See *Hyacinthoides non-scripta*.

S. nutans. See *Hyacinthoides non-scripta*.

S. peruviana illus. p.423.

S. ‘Pink Giant’, syn. *S. forbesii* ‘Pink Giant’, *S. luciliae* ‘Pink Giant’, illus. p.416.

S. pratensis. See *S. litardierei*.

S. sardensis, syn. *Chionodoxa sardensis*. Early spring-flowering bulb. H 4–8in (10–20cm), S 1–2in (2.5–5cm). Has 2 narrowly lance-shaped, semierect, basal leaves. Leafless stem bears 4–15 flattish, slightly pendent or outward-facing, deep rich blue flowers, with or without an indistinct, white eye. Z4–8

S. scilloides, syn. *S. chinensis*, *S. japonica*, illus. p.413.

S. siberica (Siberian squill). **‘Alba’** illus. p.416. **‘Atrocoerulea’** illus. p.420.

S. tmolusi. See *S. forbesii*.

S. tubergeniana. See *S. mischtschenkoana*.

S. ‘Tubergeniana’. See *S. mischtschenkoana*.

S. violacea. See *Ledebouria socialis* ‘Violacea’.

SCINDAPSUS

ARACEAE

Genus of evergreen climbers, closely related to *Epipremnum*, which are grown for their attractive leaves with pointed tips. Frost tender. In frost-prone regions, grow under glass or as house plants and provide a moss pole for support. In warmer areas, grow against a wall, over a pergola, or through a tree. Outdoors, requires fertile, moist, but well-drained soil and partial shade. Indoors, needs bright, filtered light and plenty of water in the growing season; water sparingly during winter. Prune in early spring and propagate by stem-tip cuttings in summer with bottom heat, or by layering in spring and summer.

S. aureus ‘Marble Queen’. See *Epipremnum aureum* ‘Marble Queen’.

S. pictus ‘Argyraeus’, syn. *Epipremnum pictum* ‘Argyraeum’ (Silver vine). Slow-growing, evergreen, woody-stemmed, root climber. H 6–10ft (2–3m) or more. Produces satin-textured, heart-shaped, deep green leaves with silver margins and irregular silver blotches on the upper surface. Z12 (min. 59°F/15°C)

SCIRPOIDES

CYPERACEAE

See also GRASSES, BAMBOOS, RUSHES, and SEDGES.

S. holoschoenus, syn. *Scirpus holoschoenus* (Round-headed club-rush). **‘Variegatus’** is an evergreen, tuft-forming, perennial rush. H 3ft (1m), S 1½ft (45cm). Rounded, leafless, green stems are striped horizontally with cream and bear long-stalked, dense, spherical heads of egg-shaped, awned, brown spikelets, from midsummer to early fall. Z6–9

Scirpus holoschoenus. See *Scirpoides holoschoenus*.

Scirpus lacustris ‘Spiralis’. See *Juncus effusus* ‘Spiralis’.

Scirpus lacustris subsp. tabernaemontani ‘Zebrinus’. See *Schoenoplectus lacustris* subsp. *tabernaemontani* ‘Zebrinus’.

Scirpus setaceus. See *Isolepis setaceus*.