

Scirpus tabernaemontani
‘Zebrinus’. See *Schoenoplectus lacustris* subsp. *tabernaemontani* ‘Zebrinus’.

SCLEROCACTUS

SYN. ANCISTROCACTUS

CACTACEAE

Genus of perennial cacti, grown for their depressed-spherical to club-shaped or columnar stems, each with a long, fleshy tap root, and deeply notched or warty ribs. Frost tender. Needs full sun with some midday shade and very well-drained soil. Propagate by seed in spring.

S. scheeri, syn. *Ancistrocactus megarhizus*, *A. scheeri*, *Echinocactus scheeri*, illus. p.495.

S. uncinatus, syn. *Ancistrocactus uncinatus*, *Echinocactus uncinatus*, *Glandulicactus uncinatus*, *Hamatocactus uncinatus*. Globose to columnar, perennial cactus. H 8in (20cm), S 4in (10cm). Stem is blue-green. Areoles each produce 1–4 very long, hooked, reddish spines and 15–18 straight ones. In spring, has cup-shaped, brown-green or reddish flowers, ¾in (2cm) across. Z10–12 (min. 45–50°F/7–10°C)

SCOLIOPUS

LILIACEAE

Genus of spring-flowering herbaceous perennials. Usually grown in alpine houses, where the neat habit and curious flowers, which arise directly from the rootstock early in the season, may be better appreciated. Also suits rock gardens and peat beds. Frost hardy. Needs sun or partial shade and moist, well-drained soil. Propagate by seed when fresh, in summer or fall.

S. bigelowii, syn. *S. bigelovii*, illus. p.349.

Scolopendrium vulgare. See *Asplenium scolopendrium*.

SCOPOLIA

SOLANACEAE

Genus of spring-flowering perennials. Fully hardy. Prefers shade and fertile, very well-drained soil. Propagate by division in spring or by seed in fall. ☉ All parts are highly toxic if ingested.

S. carniolica illus. p.260.

SCUTELLARIA

Skullcap

LAMIACEAE/LABIATAE

Genus of annuals, rhizomatous and clump-forming perennials, and rarely subshrubs, grown for their summer flowers. Fully hardy to frost hardy. Needs sun and well-drained soil. Smaller species are good for a rock garden; taller species for the front of a border. Propagate by softwood cuttings in summer or by seed in fall.

S. indica. Upright, rhizomatous perennial. H 6–12in (15–30cm), S 4in (10cm) or more. Leaves are ovate, toothed, and hairy. Bears dense racemes of long-tubed, 2-lipped, slate-blue, occasionally white flowers in summer. Suits a rock garden. Z5–9

S. orientalis illus. p.372.

S. scordiifolia. Mat-forming, rhizomatous perennial. H and S 6in (15cm) or more. Bears narrowly ovate, wrinkled leaves. In summer–fall, bears racemes of tubular, hooded, purple flowers, each with a white-streaked lip. Propagate by division in spring. Z4–8

SEDUM

SYN. PHEDIMUS, PETROSEDUM

Stonecrop

CRASSULACEAE

Genus of often fleshy or succulent annuals, evergreen biennials, mostly evergreen or semievergreen perennials, and evergreen shrubs and subshrubs, suitable for rock gardens and borders. Many species are also used in green roof planting. Fully hardy to frost tender. Needs sun. Does best in fertile, well-drained soil. Propagate perennials, subshrubs, and shrubs by division, or by softwood cuttings of non-flowering shoots from spring to midsummer, or by seed in fall or spring. Propagate annuals and biennials by seed, sown under glass in early spring or outdoors in mid-spring. ☉ All parts may cause mild stomach upset if ingested; contact with the sap may irritate skin.

S. acre (Biting stonecrop, Common stonecrop) illus. p.371. **‘Aureum’** illus. p.371.

S. aizoon, syn. *Phedimus aizoon*. Evergreen, erect perennial. H and S 1½ft (45cm). Mid-green leaves are oblong to lance-shaped, fleshy, and toothed. In summer, bears flat heads of star-shaped bright yellow flowers. Z5–8. **‘Aurantiacum’** has rounded heads of dark yellow flowers, followed by red seed capsules.

S. anacampseros. See *Hylotelephium anacampseros*.

S. ‘Autumn Joy’. See *Hylotelephium* ‘Herbstfreude’.

S. ‘Bertram Anderson’. See *Hylotelephium* ‘Bertram Anderson’.

S. caeruleum illus. p.315.

S. cauticola. See *Hylotelephium cauticola*. **S. erythrostictum**. See *Hylotelephium erythrostictum*. **‘Frosty Morn’** see *H.e.* ‘Frosty Morn’. **‘Mediovariegatum’** see *H.e.* ‘Mediovariegatum’.

S. ewersii. See *Hylotelephium ewersii*.

S. ‘Herbstfreude’. See *Hylotelephium* ‘Herbstfreude’.

S. heterodontum. See *Rhodiola heterodonta*.

S. kamtschaticum, syn. *Phedimus kamtschaticus*. Semievergreen, prostrate perennial with overwintering foliage rosettes. H 2–3in (5–8cm), S 8in (20cm). Has narrowly ovate, toothed, fleshy, mid-green leaves. Spreading, terminal clusters of star-shaped, orange-flushed, yellow flowers are borne in summer–fall. H6. **‘Variegatum’** illus. p.377.

‘Weihenstephaner Gold’ bears golden yellow flowers on red stems.

S. lydium illus. p.374.

S. makinoi. Mat-forming, evergreen perennial. H 2in (5cm), S to 1ft (30cm). Has rounded green leaves and produces small, star-shaped, bright yellow flowers in summer. Tolerates some shade, but will not survive prolonged frost. Z10–11. The golden-leaved **‘Ogon’** can be grown as a house plant.

S. ‘Matrona’. See *Hylotelephium* ‘Matrona’.

S. morganianum (Burro’s tail, Donkey-tail). Evergreen, prostrate, succulent perennial. H 1ft (30cm) or more, S indefinite. Has oblong to lance-shaped, almost cylindrical, fleshy, waxy, white leaves. Bears terminal clusters of star-shaped, rose-pink flowers in summer. Z10–11

S. obtusatum illus. p.374.

S. palmeri. Evergreen, clump-forming perennial. H 8in (20cm), S 1ft (30cm). Bears sprays of star-shaped, yellow or orange flowers in early summer above oblong-ovate to spoon-shaped, fleshy, gray-green leaves. Z7–10

S. polytrichoides ‘Chocolate Ball’. Evergreen, tufted perennial. H 5in (13cm), S 1ft (30cm). Stems are densely covered in narrow leaves that become reddish-brown in strong light, and dark green in shade. Small yellow flowers may be produced in summer. Best overwintered as rooted cuttings in an alpine house. Z8–10

S. populifolium. See *Hylotelephium populifolium*.

S. ‘Red Cauli’. See *Hylotelephium* ‘Red Cauli’.

S. reflexum. See *S. rupestre*.

S. rosea. See *Rhodiola rosea*. **var.**

heterodontum see *Rhodiola heterodonta*.

S. x rubrotinctum. Evergreen subshrub. H 9½in (24cm), S 8in (20cm). Bean-shaped succulent red leaves are spirally arranged on upright stems. Small clusters of yellow star-shaped flowers are borne in early summer. Z9–11

S. ‘Ruby Glow’. See *Hylotelephium* ‘Ruby Glow’.

S. rupestre, syn. *S. reflexum*, *Petrosedum reptre* (Reflexed stonecrop), illus. p.345.

S. sedoides var. album, syn. *Rosularia sedoides* var. *alba*. Mat-forming, succulent perennial. H 4in (10cm), S 8in (20cm). Has numerous red stolons and small rosettes of hairy, spatulate, light green, fleshy leaves. In summer, bears short-stemmed clusters of white, star-shaped flowers. Needs moist but well-drained soil. Z6–9

S. sempervivoides. See *Prometheum sempervivoides*.

S. sieboldii ‘Folius Medio-variegatis’. See *Hylotelephium sieboldii* ‘Misebaya-nakafu’. **‘Mediovariegatum’** see *H.s.* ‘Misebaya-nakafu’.

S. spathulifolium illus. p.374.

‘Cape Blanco’ (syn. *S.s.* ‘Cappa Blanca’) illus. p.375.

S. spectabile. See *Hylotelephium spectabile*. **‘Brilliant’**. See *H.s.* Brilliant Group ‘Brilliant’. **‘Iceberg’**. See *H.s.* ‘Iceberg’. **‘Stardust’**. See *H.s.* ‘Stardust’.

S. spurium, syn. *Phedimus spurius*. Semievergreen, mat-forming, creeping perennial. H 4in (10cm) or more, S indefinite. Has hairy stems and oblong to ovate, toothed leaves. In summer, bears large, slightly rounded heads of small, star-shaped flowers. Flower color varies from deep purple to white. H6. **‘Atropurpureus’** is one of several similar clones with dark red leaves. **‘Tricolor’** is variegated, with a cream margin to the green centered leaves, and red stems.

S. ‘Stewed Rhubarb Mountain’. See *Hylotelephium* ‘Stewed Rhubarb Mountain’.

S. tatarinowii. See *Hylotelephium tatarinowii*.

S. telephium. See *Hylotelephium telephium*. **Atropurpureum Group** see *H.t.* Atropurpureum Group. **‘Gooseberry Fool’** see *H.t.* subsp. *maximum* ‘Gooseberry Fool’. **‘Purple Emperor’** see *H.t.* Atropurpureum Group ‘Purple Emperor’. **‘Strawberries and Cream’** see *H.t.* ‘Strawberries and Cream’.

S. tetractinum ‘Coral Reef’. Evergreen, mat-forming perennial. H 3in (8cm), S 1ft (30cm) or more. Produces stems with round, thin, reddish-green leaves, that turn deeper red in full sun, and bears sporadic yellow flowers in summer. Z5–8

SELAGINELLA

SELAGINELLACEAE

Genus of evergreen, mosslike perennials, grown for their foliage. Frost tender. Prefers partial shade and needs moist but well-drained, peaty soil. Remove faded foliage regularly. Propagate from pieces that have been broken off plant, with roots attached, in any season.

S. kraussiana illus. p.478. **‘Aurea’** is an evergreen, mosslike perennial. H ½in (1cm), S indefinite. Spreading, filigreed, bright yellowish-green fronds are much-branched, denser toward the growing tips, and easily root on soil surface. **‘Brownii’**, H 2in (5cm), S 6in (15cm), forms small cushions. Z10–11 (min. 41–45°F/5–7°C)

S. lepidophylla (Resurrection plant, Rose of Jericho). Evergreen, mosslike perennial. H and S 4in (10cm). Bluntly rounded, emerald-green fronds, aging red-brown or gray-green, are produced in dense tufts. On drying, fronds curl inward into a tight ball; they unfold when placed in water. Z10–11 (min. 41–45°F/5–7°C)

S. martensii illus. p.478.

SELENICEREUS

CACTACEAE

Genus of summer-flowering, mostly scandent or semipendulous, perennial cacti with climbing, 4–10-ribbed, green stems, to ¾in (2cm) across. Nocturnal, funnel-shaped flowers eventually open flat. Frost tender. Needs sun or partial shade and rich, well-drained soil. Propagate by seed or stem cuttings in spring or summer.

S. grandiflorus (Queen-of-the-night) illus. p.479.

SELINUM

APIACEAE/UMBELLIFERAE

Genus of summer-flowering perennials, ideal for informal gardens and backs of borders. Fully hardy. Prefers sun, but will grow in partial shade, and any well-drained soil. Once established, roots resent disturbance. Propagate by seed when fresh, in summer or fall.

S. tenuifolium. See *S. wallichianum*.

S. wallichianum illus p.230.

SEMELE

ASPARAGACEAE

Genus of one species of evergreen, twining, woody climber. Male and female flowers are produced on the same plant. Half hardy. Needs partial shade and