

STRELITZIA
<i>Bird-of-paradise flower</i>
STRELITZIACEAE
Genus of large, evergreen, tufted, clump-forming, palmlike perennials, grown for their showy flowers. Frost tender. Grow in fertile, well-drained soil and in bright light shaded from direct sun in summer. Reduce watering in low temperatures. Propagate by seed or division of suckers in spring. <i>S. nicolai</i>. Evergreen, palmlike perennial with a stout trunk. H 25ft (8m), S 15ft (5m). Has leaves, 5ft (1.5m) or more long, on long stalks and intermittently bears beaklike, white and pale blue flowers in boat-shaped, dark purple bracts. Z11–12 (min. 50°F/10°C) <i>S. reginae</i> illus. p.476.
<i>Streptanthera cuprea</i> . See <i>Sparaxis elegans</i> .
<i>Streptanthera elegans</i> . See <i>Sparaxis elegans</i> .
STREPTOCARPUS
GESNERIACEAE
Genus of perennials, some of which are evergreen, grown for their showy flowers. Frost tender. Grow in a humid atmosphere in humus-rich, moist soil and in bright light away from direct sunlight. Avoid wetting leaves when watering; water less during cold periods. Propagate by seed in spring, by division after flowering, or by tip cuttings from bushy species or leaf cuttings from stemless species, in spring or summer. <i>S. ‘Bethan’</i> illus. p.473. <i>S. caulescens</i>. Erect perennial. H and S 1½ft (45cm) or more. Has small, narrow to ovate, fleshy, dark green leaves. Stalked clusters of small, tubular, violet-striped, violet or white flowers are borne in leaf axils intermittently. Z10–12 (min. 50°F/10°C) <i>S. ‘Constant Nymph’</i>. Evergreen, stemless perennial. H 10in (25cm), S 20in (50cm). Has a rosette of strap-shaped, wrinkled leaves. Funnel-shaped, purplish-blue flowers, darker veined and yellow-throated, are intermittently produced in small clusters. Z10–12 (min. 41°F/5°C) <i>S. ‘Crystal Ice’</i> illus. p.465. <i>S. kentaniensis</i>. Herbaceous, stemless perennial. H 10in (25cm), S 8in (20cm). Has loose whorls of narrowly lance-shaped, wrinkled, hairy, dark green leaves, with a prominent mid-vein, held semiect. Clusters of 2–5 small, white flowers, with a radiating, violet vein pattern, are borne mainly in winter, but can bloom all year in ideal conditions. Z10–12 (min. 41°F/5°C) <i>S. ‘Nicola’</i> illus. p.469. <i>S. rexii</i> (Cape primrose). Stemless perennial. H to 10in (25cm), S to 20in (50cm). Has a rosette of strap-shaped, wrinkled, green leaves. Stems, 6in (15cm) or more long, bear loose clusters of funnel-shaped, pale blue or mauve flowers, 2in (5cm) long and with darker lines, intermittently at any time of year. Z10–12 (min. 41°F/5°C) <i>S. saxorum</i> (False African violet). Evergreen, rounded, woody-based perennial. H and S 1ft (30cm) or more. Has small, ovate, hairy leaves in whorls. Lilac flowers with white tubes arise from leaf axils in summer–fall. Z10–12 (min. 50°F/10°C).

STREPTOSOLEN
SOLANACEAE
Genus of one species of evergreen or semievergreen, loosely scrambling shrub, grown for its flowers. Frost tender. Needs full sun and humus-rich, well-drained soil. Water freely when in full growth, less at other times. After flowering or in spring, remove flowered shoots and tie in new growths. Propagate by softwood or semiripe cuttings in summer. <i>S. jamesonii</i> (Marmalade bush) illus. p.464.

STROBILANTHES
ACANTHACEAE
Genus of perennials and evergreen subshrubs, grown for their flowers. Frost hardy to frost tender. Grow in partial shade in fertile, well-drained soil. Propagate by seed, basal stem cuttings, or division in spring. <i>S. atropurpurea</i>. See <i>S. wallichii</i>. <i>S. dyeriana</i> (Purple Shield) illus. p.311. <i>S. wallichii</i>, syn <i>S. atropurpurea</i>, illus. p.250.

STROMANTHE
MARANTACEAE
Genus of evergreen, creeping perennials, grown mainly for their foliage but also for their showy flower bracts. Frost tender. Prefers high humidity, partial shade, and open soil or compost. Use soft water if possible and do not allow to dry out. Propagate by division in spring. <i>S. sanguinea</i>. Strong-growing, evergreen, erect perennial. H and S to 5ft (1.5m). Lance-shaped leaves are glossy, green above with paler midribs, reddish below. Bears panicles of small, 3-petaled, white flowers in the axils of showy, bright red bracts, usually in spring but also in summer–fall. Z11–12 (min. 50°F/10°C)

STROMBOCACTUS
CACTACEAE
Genus of one species of extremely slow-growing, hemispherical to cylindrical, perennial cactus. Takes 5 years from seed to reach ½in (1cm) high. Funnel-shaped flowers are 1½in (4cm) across. Frost tender. Needs sun and very well-drained soil. Susceptible to overwatering. Propagate by seed in spring or summer. <i>S. disciformis</i> illus. p.481.

STRONGYLODON
PAPILIONACEAE/LEGUMINOSAE
Genus of evergreen shrubs or woody-stemmed, twining climbers, grown for their large, clawlike flowers. Frost tender. Needs humus-rich, moist but well-drained soil, and partial shade in summer. Water freely when in full growth, less at other times. Provide support. If necessary, thin crowded stems in spring. Propagate by seed or stem cuttings in summer, or by layering in spring. <i>S. macrobotrys</i> (Jade vine). Fast-growing, evergreen, woody-stemmed, twining climber. H to 70ft (20m). Leaves have 3 ovate, glossy leaflets and are

pinkish-bronze, turning rich green. Pealike, luminous, blue-green flowers, 3in (8cm) long, are produced in dense, pendent spikes from winter to spring, rarely in summer. Z12 (min. 59°F/15°C)

STYLIDIUM
STYLIDIACEAE
Genus of annuals, herbaceous perennials and subshrubs with grasslike leaves, grown for their unusual flowers that have fused, “triggered” stamens adapted for pollination by insects. Frost tender. Grow in fertile soil and in bright light. Propagate by seed in spring. <i>S. graminifolium</i> (Trigger plant). Rosetted perennial. H and S to 6in (15cm) or more. Grasslike, stiff, dark green leaves, with toothed margins, rise from ground level. Bears tiny, pale pinkish-mauve flowers in narrow spikes, 1ft (30cm) or more long, in summer. Z10–12 (min. 45°F/7°C)

STYLOPHORUM
PAPAVERACEAE
Genus of spring-flowering, herbaceous perennials with large, deeply lobed leaves, nearly all as basal rosettes. Fully hardy. Needs partial shade and humus-rich, moist, peaty soil. Propagate by division in spring or by seed in fall. <i>S. diphyllum</i>. Perennial with basal rosettes of large, lobed, hairy leaves. H and S 1ft (30cm) or more. Bears open cup-shaped, golden-yellow flowers in spring, on upright, branched stems. Prefers rich, woodland conditions. Z4–6

STYPHNOLOBIUM
PAPAVERACEAE
Genus of mainly deciduous, sometimes evergreen, trees and shrubs, cultivated for their elegant habit, handsome, pinnate foliage, and fragrant, pealike flowers. Fully hardy to frost tender. Grow in a shrub border, or as specimen plants. In frost-prone areas, grow at the base of a warm, sunny wall, or in a greenhouse. They need long, hot summers to flower well. Propagate by seed in spring. <i>S. japonicum</i>, syn. <i>Sophora japonica</i> (Pagoda tree). Deciduous, spreading tree. H and S 70ft (20m). Dark green leaves consist of 9–15 ovate leaflets. On mature trees, long clusters of pealike, creamy-white flowers are borne in late summer and early fall. Does best in hot summers. Z4–8. <i>‘Pendula’</i> (syn. <i>Sophora japonica</i> ‘Pendula’), H and S 10ft (3m), has long, hanging shoots with dark green foliage.

STYRAX
STYRACACEAE
Genus of deciduous or evergreen, summer-flowering trees and shrubs, grown for their foliage and flowers. Fully hardy to frost hardy. Prefers a sheltered position in sun or partial shade and moist, neutral to acidic soil. Good for a woodland garden. Propagate by softwood cuttings in summer or by seed in fall. <i>S. hemsleyanus</i>. Broadly ovate, ultimately rounded, deciduous tree. H 25ft

(8m), S 15ft (5m). Has ovate to obovate, toothed, dark green leaves, to 5in (12cm) long. Bell-shaped white flowers are borne in terminal racemes or few-branched panicles in early summer. Z5–9 <i>S. japonicus</i> illus. p.72. <i>‘Emerald Pagoda’</i> see S.j. <i>‘Sohuksan’</i>. <i>‘Purple Dress’</i> is a graceful, spreading, deciduous tree. H and S 20–33ft (6–10m). Has dark purplish leaves and bears bell-shaped, pale pink flowers. <i>‘Sohuksan’</i> (syn. S.j. ‘Emerald Pagoda’) is vigorous, with larger, leathery, dark green leaves and larger flowers, to 1in (2.5cm) across. Z5–9 <i>S. obassia</i> (Fragrant snowbell). Deciduous, spreading tree. H 40ft (12m), S 22ft (7m). Bears long, spreading clusters of fragrant, bell- to funnel-shaped, white flowers in early summer. Has elliptic to rounded, dark green leaves. Z5–9 <i>S. officinalis</i> illus. p.112.

<i>Sulcorebutia arenacea</i> .
See <i>Rebutia arenacea</i>.
<i>Sulcorebutia rauschii</i> .
See <i>Rebutia steinmannii</i>.
<i>Sulcorebutia tiraquensis</i> .
See <i>Rebutia steinmannii</i> subsp. <i>tiraquensis</i>.
<i>Sutera</i> . See <i>Chaenostoma</i> except for:
<i>S. grandiflora</i> for which see <i>Jamesbrittenia grandiflora</i>.

SUTHERLANDIA
PAPILIONACEAE/LEGUMINOSAE
Genus of evergreen shrubs, grown for their flowers and fruits. Frost tender. Requires full light and fertile, well-drained soil. Water containerized specimens freely when in full growth, moderately at other times. Remove old, twiggy stems at ground level in late winter. Propagate by seed in spring. Red spider mite may be troublesome. <i>S. frutescens</i> illus. p.456.

SWAINSONA
PAPILIONACEAE/LEGUMINOSAE
Genus of annuals, evergreen perennials, and subshrubs, grown for their flowers. Frost tender. Needs full light or partial shade and humus-rich, well-drained soil. Water freely when in active growth, moderately at other times. Propagate by seed in spring or by semiripe cuttings in summer. <i>S. galegifolia</i> (Darling pea). Evergreen, subshrub with spreading to semiscandent stems. H 2–4ft (60cm–1.2m), S 1–2ft (30–60cm). Leaves have 11–25 narrowly oblong, mid- to deep green leaflets. Pealike, red, pink, purple, blue or yellow flowers are produced in late spring and summer. Remove old, flowered shoots in late winter. Z10–12 (min. 41–45°F/5–7°C)

SYAGRUS
<i>Queen palm</i>
ARECACEAE/PALMAE
Genus of evergreen palms, grown for their majestic appearance. Frost tender. Requires full light or partial shade and humus-rich, well-drained soil. Water containerized specimens moderately, less when temperatures are low. Propagate by