13 **Hide the happy face**

You only want Screen Pet to look really happy when you're actually stroking it. Add a new function, **hide_happy()**, below the code for **show_happy()**. This new code will set Screen Pet's expression back to normal.

Don't forget to save your work.

```
def hide_happy(event):
    c.itemconfigure(cheek_left, state=HIDDEN)
    c.itemconfigure(cheek_right, state=HIDDEN)
    c.itemconfigure(mouth_happy, state=HIDDEN)
    c.itemconfigure(mouth_normal, state=NORMAL)
    c.itemconfigure(mouth_sad, state=HIDDEN)
    return
```

Hide the pink cheeks.

Hide the happy mouth.

Show the normal mouth.

Hide the sad mouth.

14 **Call the function**

Type this line to call **hide_happy()** when the mouse-pointer leaves the window. It links **Tkinter**'s **<Leave>** event to **hide_happy()**. Now test your code.

```
c.bind('<Motion>', show_happy)
c.bind('<Leave>', hide_happy)

root.after(1000, blink)
```

What a cheek!

So far, your pet has been very well behaved. Let's give it a cheeky personality! You can add some code that will make Screen Pet stick its tongue out and cross its eyes when you tickle it by double-clicking on it.



15 **Draw the tongue**

Add these lines to the code that draws Screen Pet, under the line that creates the sad mouth. The program will draw the tongue in two parts, a rectangle and an oval.

```
mouth_sad = c.create_line(170, 250, 200, 232, 230, 250, smooth=1, width=2, state=HIDDEN)
tongue_main = c.create_rectangle(170, 250, 230, 290, outline='red', fill='red', state=HIDDEN)
tongue_tip = c.create_oval(170, 285, 230, 300, outline='red', fill='red', state=HIDDEN)

cheek_left = c.create_oval(70, 180, 120, 230, outline='pink', fill='pink', state=HIDDEN)
```