

Papio ursinus

Chacma baboon



Length 20–39 in (51–100 cm)
Tail 14½–33 in (37–84 cm)
Weight 55–97 lb (25–44 kg)
Location Southern Africa
Social unit Group
Status Least concern

The largest baboon, the chacma has a drooping snout and protruding nostrils. Fur color varies from yellow-gray to black, paler on the muzzle. This intelligent, adaptable primate enjoys very fluid troop composition in some parts of its range. Its wide diet ranges from roots and seeds to insects and young gazelles. In the wild, it is known to use tools such as sticks.



Theropithecus gelada

Gelada



Length 20–30 in (50–75 cm)
Tail 13–20 in (33–50 cm)
Weight 26–66 lb (12–30 kg)
Location E. Africa
Social unit Group
Status Least concern

A close cousin of baboons, the pink-chested gelada is restricted to the windy, grassy Ethiopian highlands. Its limited diet of grass blades, stems, and seeds is picked by rapid, dextrous hand movements as it sits and shuffles along. Small groups of females and young led by a male may band into huge but loose troops.




Nasalis larvatus

Proboscis monkey



Length 24–30 in (61–76 cm)
Tail 22–26 in (55–67 cm)
Weight 22–53 lb (10–24 kg)
Location S.E. Asia
Social unit Group
Status Endangered

Among the most specialized and distinctive of mammals, the proboscis monkey occupies very restricted habitats near water in lowland rainforest, mangrove swamps, and coasts on the island of Borneo. The average troop is one male with 6–10 females and their young. The male defends his group, honks loudly, bares his teeth, and waves his erect penis at an aggressor.



partly webbed feet

CHANGING FACE



At birth, the young have a blue face, dark fur, and a “normal” monkey nose. The coloration changes and the nose grows with age. In females, the nose is much smaller than in the male, but it is still large compared to related species.

LARGE NOSE

The proboscis monkey's defining feature is its large nose. In mature males, it is long and pendulous, and may play a role in attracting a mate.




Semnopithecus entellus

Northern plains gray langur



Length 18–31 in (45–78.5 cm)
Tail 32–43 in (80–112 cm)
Weight 21–43 lb (9.5–19.5 kg)
Location India
Social unit Group
Status Least concern

This langur is found throughout the Indian subcontinent, except rainforest areas. Coloration varies from dark brown in individuals from the Himalayas to pale fawn in those furthest south. Groups of females and young may be led by one or several males, while other males form bachelor troops.



MIXED DIET

The northern plains gray langur feeds mostly on leaves, fruit, buds, and shoots, which it digests easily in its compartmentalized stomach. Like many wild creatures, these monkeys supplement their diet by licking salt or eating mineral-rich soil. Troops that live around villages also often benefit from leftovers and offerings from local people, who hold the species sacred, identifying it with the Hindu deity Hanuman.

Colobus guereza

Guereza



Length 20½–22½ in (52–57 cm)
Tail 21–33 in (53–83 cm)
Weight 18–30 lb (8–13.5 kg)
Location C. and E. Africa
Social unit Group
Status Least concern

Also known as the eastern black and white colobus, this monkey has a black and white face border, “veils” down its flanks and rump, and a bushy tail tip,

but is otherwise black. Each male leads a small troop of 6–10 females and young, defending his territory with roars and tremendous leaps. The 3-part stomach houses gut microbes that break down cellulose-based plant food, enabling this species to gain twice as much nutrition than other monkeys from such a leaf-rich diet.

black with a white beard and ear tufts, and probably has a total population of only 260 to 330 individuals that are apparently segregated into 3 groups. Five species of snub-nosed monkeys from Asian mountain forests get their name from their stump-noses; reputedly, they avoid getting rain in their nostrils by sitting out rainstorms with their heads facing downward between their knees. Nevertheless, according to local sources, the snub-nosed monkey of rain-soaked Myanmar is often heard sneezing during downpours. Snub-nosed monkeys are entirely vegetarian. In winter, heavy snowfall forces them to descend to lower elevations in search of food—which may bring them closer to villages.

Rhinopithecus strykeri

Myanmar snub-nosed monkey



Length 21 in (56 cm)
Tail 27–31 in (68–78 cm)
Weight 19–31 lb (8.5–14 kg)
Location S. Asia
Social unit Group
Status Critically endangered

This species was described in 2010 from specimens secured from hunters, and lives in the temperate forests of northern Myanmar in the eastern Himalaya. It is

