

Flowers

Insect-pollinated

F



Bramble pollinators include beetles and bees.



Bell heather is pollinated by short-tongued bees.



Primrose flowers appear in the spring.




Hollow-stemmed asphodel has hollow stems and leaves.



Red clover has a head of tubular flowers.



Greater periwinkle is pollinated by bees.



Mirror orchid has pollen in clumps called pollinia.



Anemone pavonina is pollinated by insects.



Magnolia flowers have thick, waxy petals.



Corn marigold flowerhead has many tiny flowers.



Fox and cubs has strap-shaped ray florets.



Bastard balm attracts bees with its large petal.



Dwarf elder has small flowers clustered together.



Early dog violet has dark veins, which guide insects.



Wild pansy is pollinated by long-tongued bees.



Foxglove is pollinated by bumblebees.



Thorow-wax has clusters of flowers called umbels.



Marsh cinquefoil has much larger sepals than petals.



Red valerian has tiny tubular flowers pollinated by moths and butterflies.



Carline thistle has yellow flowers surrounded by stiff, spiny bracts.



Honeysuckle has scented flowers which attract honeybees and hawk moths.



Cornflower has scented flowers and is pollinated by flies and bees.



Common rockrose is pollinated by insects, but can be self-pollinating.



Red campion is pollinated by long-tongued bees and also by hoverflies.



Fuchsia is pollinated mostly by birds.



Passionflower is pollinated by nectar-drinking birds.



Silver wattle flowers attract birds and possums.



Nasturtium flowers are pollinated by birds.



Hibiscus dusts hawk moths and birds with pollen.



Urn plant flowers are surrounded by spiny bracts.

Bird- and mammal-pollinated



Broad-leaved pondweed has a dense spike of flowers.



Greater plantain has purple anthers.



Armenian oak has male flowers in yellow catkins.



Sand couch has flowers in stalkless spikelets.



Alder has male flowers in long, dangling catkins.



Stinging nettle has catkins of male or female flowers.

Wind-pollinated