

5 Start Tkinter

This command starts **Tkinter** and creates a **Tkinter** window. Type it below the function you made in Step 4.

```
root = Tk()
```

If you find the **Tkinter** window distracting, add the `root.withdraw` line you used in Ask the Expert.

6 Start the loop

Now that you've created your interface functions, add this infinite **while** loop to call (run) them in the correct order. Insert this code under the command you typed in Step 5.

```
while True:
    task = get_task()
    if task == 'encrypt':
        message = get_message()
        messagebox.showinfo('Message to encrypt is:', message)
    elif task == 'decrypt':
        message = get_message()
        messagebox.showinfo('Message to decrypt is:', message)
    else:
        break
root.mainloop()
```

Find out what the user wants to do.

Get the secret message for encryption.

Show the message in an info box.

Gets the secret message for decryption

Show the message in an info box.

Stop looping if the user doesn't type "encrypt" or "decrypt".


Keep Tkinter working.

7 Test the code


Try running the code. It will first show an input box asking if you want to encrypt or decrypt. Then another input box will appear so that you can type in the secret message. Lastly, it will show the encrypted or decrypted message in an info box. If there's a problem, check your code carefully.



If you can't see the input box, look behind the code and shell windows.



Avoid using capitals so it's tougher to guess the encrypted message.



Check that the message is correct before clicking OK.