


3 Decrypt

Decrypting the message is quite easy. In the encrypted version of your message, all the letters in even positions are letters from the original message. So you can use the `get_even_letters()` function to get them.



```
def decrypt(message):
```

```
    even_letters = get_even_letters(message)
```

```
    new_message = ''.join(even_letters)
```


```
    return new_message
```

Get the original message's letters.

Join the letters in `even_letters` into a string.

4 Use the new functions

Now you need to update the infinite loop section of your program to use the new `encrypt()` and `decrypt()` functions, instead of `swap_letters()`. To do this, make these changes to your code.



```
while True:
    task = get_task()
    if task == 'encrypt':
        message = get_message()
        encrypted = encrypt(message)
        messagebox.showinfo('Ciphertext of the secret message is:', encrypted)
    elif task == 'decrypt':
        message = get_message()
        decrypted = decrypt(message)
        messagebox.showinfo('Plaintext of the secret message is:', decrypted)
    else:
        break
root.mainloop()
```

The new `encrypt()` function replaces `swap_letters()`.

The new `decrypt()` function replaces `swap_letters()`.

► Multi-encryption

To make things even more complex, you can modify your code so that it combines all the different hacks and tweaks from this section. For example, it could add fake letters, swap the letters, and then reverse them!

