


3 Finally, add this just above the last line in the main part of the program to get `mainloop()` to call `change_color()` 5 seconds (5,000 milliseconds) after the program starts.

```
root.after(5000, change_color)
```

Your pet will begin changing colour 5 seconds after the program starts.


4 You might want to alter the values in the code so that Screen Pet changes colour less rapidly. You could also change the colours in the list to ones you like better, or add extra colours.



Feed me!

Pets need food, as well as stroking and tickling. Can you figure out ways to feed your pet and keep it healthy?

1 Perhaps try adding a "Feed me!" button to Screen Pet's window and a `feed()` function that's called when you click the button.



A growing Screen Pet needs plenty of healthy food to eat!

2 You could even make Screen Pet grow if you click "Feed me!" a certain number of times. This line of code makes its body bigger.


This code reshapes the oval that makes up Screen Pet's body.

```
body = c.create_oval(15, 20, 395, 350, outline=c.body_color, fill=c.body_color)
```

3 Then try writing some code so that your pet's body shrinks back to its original size again if it doesn't get enough food.

▷ Clean that up!

The problem with feeding Screen Pet is that it will need to poo as well! Write some code that makes it poo a while after you feed it. Then add a "Clean up" button. Clicking "Clean up" should call a handler function that removes the poo.



EXPERT TIPS

A bigger window

If you add buttons or other extra features to Screen Pet's window, it might get a bit crowded and uncomfortable for your pet. If so, you can enlarge the Tkinter window. To do this, change the values for width and height in the command that creates the canvas at the start of the main program.