

18 Is it a snap?

To complete the game, create your last function: `snap()`. This function will check which player has hit their key and whether the snap is valid (correct). It will then update the scores and show a message. Add this code beneath the `next_shape()` function.



Don't forget to save your work.

```
def snap(event):
    global shape
    global player1_score
    global player2_score
    valid = False

    c.delete(shape)

    if previous_color == current_color:
        valid = True

    if valid:
        if event.char == 'q':
            player1_score = player1_score + 1
        else:
            player2_score = player2_score + 1
        shape = c.create_text(200, 200, text='SNAP! You score 1 point!')
    else:
        if event.char == 'q':
            player1_score = player1_score - 1
        else:
            player2_score = player2_score - 1
        shape = c.create_text(200, 200, text='WRONG! You lose 1 point!')

    c.pack()
    root.update_idletasks()
    time.sleep(1)
```

Label these variables as global so the function can change them.

Check if it's a valid snap (if the colour of the previous shape matches the colour of the current shape).

If the snap is valid, check which player snapped and add 1 to their score.

This line shows a message when a player makes a valid snap.

Otherwise (else), take away one point from the player that snapped.

This line shows a message when a player snaps at the wrong time.

This line forces the program to update the GUI with the snap message immediately.

Wait 1 second while players read the message.

19 Test your code

Now run the program to check it works. Remember you need to click on the Tkinter window before it will respond to the "q" and "p" keys.

Wait 1 second while players read the message.