

FAGALES

The seven families in this order include some of the world's best-known trees, which dominate the woodlands in which they grow: beech trees in the Fagaceae, birches in the Betulaceae, southern beeches in the Nothofagaceae, walnut trees in the Juglandaceae, and Australian she-oaks in the Casuarinaceae. Most have simple leaves and small, wind-pollinated flowers.



20 m
65 ft

FOREST OAK

Allocasuarina torulosa
F: Casuarinaceae

The timber of this W. Australian tree is prized by wood-turners. Its pendulous branches carry needle-like, green twigs with tiny leaves and warty cones.

fruit and
seed develop
from catkins




25 m
80 ft

**JAPANESE HOP
HORNBEAM**

Ostrya japonica
F: Betulaceae


This species from the Far East has grey-brown scaly bark. Its nutlet seeds are enclosed in husks, like hops, and hang in long clusters.

30 m
100 ft

**RED
ALDER**

Alnus rubra
F: Betulaceae

A native of western N. America, this tree prefers damp slopes and margins of watercourses. It has pale grey bark that becomes red when bruised or scraped.



25 m
80 ft

COMMON HORNBEAM

Carpinus betulus
F: Betulaceae

Frequenting hedgerows, this European native has small, green, male and female catkin flowers that develop into nuts surrounded by three-lobed bracts.

male catkin




leaf bud

female
flower

HAZEL

Corylus avellana
F: Betulaceae

This European shrubby tree is harvested for its edible nuts. Its male catkins and female flowers appear in early spring.



13 m
43 ft

catkin is a
cylindrical cluster
of male flowers



25 m
80 ft

RAULI

Nothofagus alpina
F: Nothofagaceae

A timber tree, rauli is native to Argentina and Chile. The young leaves are bronze. Greenish female flowers grow in clusters and form bristly husks enclosing small nuts.



RIPE
PECAN



PINNATE
LEAVES

40 m
130 ft

PECAN

Carya illinoensis
F: Juglandaceae

The pecan is native to N. America and cultivated for its edible nuts. The nuts are enclosed in a husk that splits four ways when ripe.

BUTTERNUT

Juglans cinerea
F: Juglandaceae

This deciduous tree, native to N. America, has yellow-green catkins. Small bunches of egg-shaped nuts contain sweet seeds.



**PLATYCARYA
STROBILACEA**
F: Juglandaceae

Native to E. Asia, this tree has clusters of erect male catkins and a fruit, like a conifer cone, with winged seeds.


15 m
50 ft

**ERMAN'S BIRCH**

Betula ermanii
F: Betulaceae

Native to mountain areas from Siberia to Japan, this tree is widely planted in parks and gardens. It has peeling, whitish bark.

30 m
100 ft



RIPE
WALNUT


30 m
100 ft

COMMON WALNUT

Juglans regia
F: Juglandaceae

A species from the mountains of S.W. Asia, the walnut tree is valued for its fruits and timber. It has smooth grey bark and male catkins up to 15 cm (6 in) long.

LEAF SPRIG WITH
UNRIPE FRUITS



nut clusters form
in leaf axil

2 m
6½ ft

BOG MYRTLE

Myrica gale
F: Myricaceae

This sweet-smelling shrub, traditionally used as an insect repellent, grows in peat bogs in northern temperate zones. It has either male or female reddish catkins.