


» ROSALES



HACKBERRY
Celtis occidentalis
F: Cannabaceae

Native to N. America, hackberry has bright green, elm-like leaves, and red fruits eaten by many birds and mammals.

40 m
130 ft

JAPANESE ZELKOVA
Zelkova serrata
F: Ulmaceae

In the USA elms killed by Dutch Elm Disease are sometimes replaced by this valuable Asian timber tree. The Japanese grow it in bonsai form.

30 m
100 ft

toothed leaf



30 cm
12 in

FRIENDSHIP PLANT
Pilea involucrata
F: Urticaceae

Several *Pilea* species make valuable houseplants, including this species from C. and S. America with strongly veined leaves.



2 m/6½ ft

EUROPEAN FIELD ELM
Ulmus minor
F: Ulmaceae

This tree used to be a major feature in European landscapes, but was decimated by Dutch Elm Disease.


36 m
120 ft

STINGING NETTLE
Urtica dioica
F: Urticaceae

Stinging hairs discourage animals from eating nettle leaves. This species grows in disturbed ground in Europe, Asia, N. Africa, and N. America.

BRASSICALES

The order Brassicales has 17 families. Many members have bitter or fragrant oils in their leaves, stems, or swollen roots. Although these oils evolved to deter grazers, they make many species pleasantly edible for humans, and have culinary, perfumery, or herbal uses. The cabbage family (Brassicaceae), is the largest group, with 3,300 species.



PAPAYA
Carica papaya
F: Caricaceae

This C. and S. American tree-like plant produces yellow flowers. The female flowers develop into large orange-fleshed fruits of the same name.

10 m
30 ft



HORSERADISH TREE LEAF

FLOWER STEM

10 m/30 ft

HORSERADISH TREE
Moringa oleifera
F: Moringaceae

This tropical Asian tree has corky grey bark and fernlike leaves. A condiment can be made from its crushed roots.

1.5 m
5 ft



WILD CABBAGE
Brassica oleracea
F: Brassicaceae

Humans have grown this W. European plant for millennia. Cauliflower, broccoli, and brussels sprouts are cultivated forms of the same species.

FLOWERHEAD

STALKLESS BLUE-GREEN LEAF




60 cm
23½ in

NASTURTIUM
Tropaeolum majus
F: Tropaeolaceae

A colourful annual from C. and S. America, this is a popular garden plant. The flowers and leaves can be eaten in salads.

3 m/10 ft



CAPER
Capparis spinosa
F: Capparaceae

A perennial spiny bush, caper is native to the Mediterranean. Its flower buds are used salted and pickled for culinary use.

COMMON MIGNONETTE
Reseda odorata
F: Resedaceae

Originally from N. Africa, common mignonette is grown in gardens across S. Europe. An oil from its fragrant flowers is used in perfumery.

50 cm/20 in



WALLFLOWER
Erysimum x cheiri
F: Brassicaceae

Probably first developed as a hybrid in Greece, this species has been cultivated throughout Europe since medieval times.

