

» CARYOPHYLLALES



DEPTFORD PINK
Dianthus armeria
F: Caryophyllaceae

Inhabiting dry grassland, especially on light sandy soils in much of Europe, Deptford pink has starry flowers with toothed petals.



CORNCOCKLE
Agrostemma githago
F: Caryophyllaceae

A native of E. Mediterranean countries, corncockle was formerly a widespread cornfield weed, but is now much rarer.



COW BASIL
Vaccaria hispanica
F: Caryophyllaceae

An increasingly rare weed of grain fields in Europe and Asia, this annual herb has pink flowers and bluish green leaves.



SEA SANDWORT
Honckenya peploides
F: Caryophyllaceae

A fleshy prostrate species, sea sandwort is found on coastal sand and shingle in Europe, Asia, and N. America.



THYME-LEAVED SANDWORT
Arenaria serpyllifolia
F: Caryophyllaceae

Found in bare or disturbed ground in Europe, temperate Asia, and N. America, this species gets its common name from its tiny leaves.



ALPINE CAMPION
Viscaria alpina
F: Caryophyllaceae

This native of the European Alps, Pyrenees, and subarctic areas of Europe, W. Asia, and N. America grows on mineral-rich rocks.



RAGGED ROBIN
Silene flos-cuculi
F: Caryophyllaceae

Divided petals give ragged robin its name. It is a European species found in marshy fields and damp ground.



FIELD MOUSE-EAR
Cerastium arvense
F: Caryophyllaceae

This is a native of dry grassland in Europe, N. Africa, N. America, and W. temperate Asia.



MOSS CAMPION
Silene acaulis
F: Caryophyllaceae

Cushion-forming and moss-like, moss campion grows on mountains in W., C., and N. Europe, as well as Asia, and N. America.



BLADDER CAMPION
Silene vulgaris
F: Caryophyllaceae

Named for its inflated calyx, bladder campion inhabits open grassy places in Europe, N. Africa, and temperate regions of Asia.

central cushion has long tap root

pink, or occasionally white, flower

flower stalk lengthens as flower matures

four or five small green leaves per shoot

FIVE-PETALLED FLOWER

LANCEOLATE LEAVES

inflated calyx