




flower with
five petals



30 cm
12 in

MOSQUITO BILLS
Primula hendersonii
F: Primulaceae

One of a group of North American primroses called "shooting stars" from their rocket or dart shapes, this species has magenta to white flowers.

WILD PRIMROSE
Primula vulgaris
F: Primulaceae

Supposedly the *prima rosa*, or "first flower" of spring, this perennial grows in woodland clearings and hedgebanks throughout W. and S. Europe.



15 cm
6 in

NORTHERN PRIMROSE
Primula scandinavica
F: Primulaceae

Growing on mountain slopes in Norway and Sweden, this resembles the commoner European bird's-eye primrose, but is much smaller.



15 cm
6 in

COWSLIP
Primula veris
F: Primulaceae

A typical primrose, with a head of up to 30 nodding flowers, cowslip grows in lime-rich meadows in S. Europe and temperate Asia.



30 cm
12 in




10 cm
4 in

HARDY CYCLAMEN
Cyclamen hederifolium
F: Primulaceae

Cyclamen leaves grow from underground stems, and their tubular autumn flowers have back-folded petals. This species grows in bushy shady places in S. Europe.

BORAGINALES

Because of uncertainties over how the forget-me-not family (Boraginaceae) relates to other families, a new order, Boraginales, was proposed in 2016, just for this one family of around 2,700 species. They range from small annual herbs to large trees, often with conspicuous hairs and swollen bases on their stems or leaves. Some species are edible, and dyes are produced from others.



30 cm
12 in

COMMON LUNGWORT
Pulmonaria officinalis
F: Boraginaceae

With blotched leaves supposedly resembling unhealthy lungs, and once thought to be efficacious against tuberculosis, this perennial grows in shady places throughout C. Europe.



70 cm
28 in

WATER FORGET-ME-NOT
Myosotis scorpioides
F: Boraginaceae

This surface-breaking plant of streams and ponds is widely distributed in Eurasia, and introduced to the Americas and New Zealand.



60 cm
23½ in

BORAGE
Borago officinalis
F: Boraginaceae

Stiff hairs cover the stem and leaves of this S. European wayside plant, also cultivated for ornament and its oil-rich seeds.



60 cm
23½ in

PURPLE GROMWELL
Lithospermum purpureocaeruleum
F: Boraginaceae


Upright flower stems grow from creeping ground stems in this woodland perennial found on chalky soils in S. Europe and S.W. Asia.



1 m
3¼ ft

TANSY PHACELIA
Phacelia tanacetifolia
F: Boraginaceae

This annual of dry places in S.W. USA flowers prolifically after rain. More than 160 members of its genus are found in N. America.



1.2 m
4 ft

COMMON COMFREY
Symphytum officinale
F: Boraginaceae

Symphytum means "growing together", named because this perennial of damp ground across Eurasia was traditionally used in the treatment of injuries.

VIPER'S-BUGLOSS
Echium vulgare
F: Boraginaceae

Widespread in grassy places in Europe and temperate Asia, this rough-haired biennial has pinkish flower buds but deep blue flowers.

rough, hairy,
lanceolate leaves



1 m
3¼ ft

GARRYALES

Any classification system raises anomalies, and the order Garryales is one of these. Once placed in the Cornales, modern genetic investigation separated this order of two families and around 20 species. The silky tassel family (Garryaceae) includes two genera: *Garrya* from N. America and *Aucuba* from E. Asia. The Eucommiaceae covers just one species: *Eucommia ulmoides*, a tree of Chinese mountain forests.



5 m/16 ft

SPOTTED LAUREL
Aucuba japonica
F: Garryaceae

Some cultivars of this ornamental Japanese shrub grow yellow-blotched leaves. Plants are either male, with upright flower spikes, or female with small, clustered flowerheads.

SILK-TASSEL BUSH
Garrya elliptica
F: Garryaceae

Growing in coastal scrub in California and Oregon, USA, this small tree has showy, grey-green male catkins and shorter, silvery female catkins.

5 m
16 ft

