



2.5 m
8 ft

MILK THISTLE
Silybum marianum
F: Asteraceae

This weakly spiny biennial, with white-blotched leaves, grows in waste and cultivated ground around S. Europe, N. Africa, and W. Asia.

CANADIAN GOLDENROD
Solidago canadensis
F: Asteraceae

Native to N. America but much grown in gardens, this downy perennial has yellow flowerheads borne in curved, spreading flower spikes.



2.5 m
8 ft

GLOBE THISTLE
Echinops bannaticus
F: Asteraceae

Native to grassy places in S.E. Europe, this hairy-stemmed perennial has a spherical head of bluish, tubular "disc" florets.



1.2 m
4 ft




2 m
6 1/2 ft

CARDUON
Cynara cardunculus
F: Asteraceae

The fleshy flower base, eaten as globe artichoke, comes from the *scolymus* variety of cardoon, a wasteground perennial from the E. Mediterranean.

DEEPLY CUT
LEAF



2 m
6 1/2 ft

BUTTERBUR
Petasites hybridus
F: Asteraceae

Plants of butterbur have stems with either male or female flowers. It grows in wet meadows and beside streams throughout Europe to Iran.

RHUBARB-
LIKE LEAF



50 cm
20 in

COTTONWEED
Otanthus maritimus
F: Asteraceae

This shrubby perennial grows in coastal habitats in S. Europe, N. Africa, and S.W. Asia. The common name derives from its woolly stems and leaves.



1.8 m
6 ft

DENSE BLAZING STAR
Liatris spicata
F: Asteraceae

A plant of damp ground in eastern N. America, this plant is named after its dense, elongated, spike of rose-purple flowerheads.



1.5 m
5 ft

SPEAR THISTLE
Cirsium vulgare
F: Asteraceae

Common in disturbed ground in Europe and W. Asia, this robust perennial with spine-tipped leaves has been carried worldwide by agriculture.



50 cm
20 in

GARDEN MARIGOLD
Calendula officinalis
F: Asteraceae

This species has been cultivated so long that its origins are unknown. Marigold extract from the flowers is used to treat skin problems.




60 cm
23 1/2 in

YARROW
Achillea millefolium
F: Asteraceae

Found in grassy places throughout Europe, W. Asia, and N. America, this feathery-leaved perennial has been introduced to Australia and New Zealand.

leaf is hairy
on both sides



1.2 m
4 ft

CHICORY
Cichorium intybus
F: Asteraceae

Introduced almost worldwide from Europe, W. Asia and N. Africa, chicory is cultivated for salad leaves and for a coffee substitute from its roots.



2 m/6 1/2 ft

FRENCH TARRAGON
Artemisia dracunculifolia
F: Asteraceae

Leaves of this bushy, aromatic herb from S.E. Europe, Asia, and N. America are used to flavour fish and other foods.



60 cm
23 1/2 in

COTTON LAVENDER
Santolina chamaecyparissus
F: Asteraceae

Widely grown in gardens, this strongly aromatic, dwarf, evergreen shrub with grey-hairy leaves is native to rocky places around the W. Mediterranean.



50 cm
20 in

GARDEN GAZANIA
Gazania sp.
F: Asteraceae

Seventeen species of *Gazania* grow in southern Africa, most in dry habitats. Cultivars like these can survive in gardens with little watering.



20 cm/8 in

STRAND GAZANIA
Gazania rigens
F: Asteraceae

This sprawling, mat-forming perennial often flowers prolifically on dunes and rocky outcrops along the southern Cape coast of South Africa.