



5–50 cm
2–20 in

BLACK TAR LICHEN

Verrucaria maura
F: Verrucariaceae

Occurring on rocks along seashores in Eurasia and N. America, this species has a dark grey, cracked crust that contains apothecia.



20–30 cm
8–12 in

DOG LICHEN

Peltigera praetextata
F: Peltigeraceae

Found on rocks in Eurasia and N. America, this lichen has large grey-black lobes, with paler margins and reddish brown apothecia.




2.5–5 cm
1–2 in

BLISTERED JELLY LICHEN

Collema furfuraceum
F: Collemaaceae

This lichen has flat, gelatinous, wrinkled lobes. It is found on rocks and trees in areas with high rainfall in Eurasia and N. America.



5–15 cm
2–6 in

TREE LUNGWORT

Lobaria pulmonaria
F: Lobariaceae

Mainly found on tree bark in coastal areas in Eurasia, N. America, and Africa, this species is declining due to habitat loss. The branching lobes are pale orange underneath.



5–20 cm
2–8 in

ROCK TRIPE

Lasallia pustulata
F: Umbilicariaceae

This Eurasian and N. American lichen forms colonies on nutrient-rich rocks in coastal or upland areas. It has a grey-brown upper surface with many oval pustules.



2.5–7.5 cm
1–3 in

PETALLED ROCK-TRIPE

Umbilicaria polyphylla
F: Umbilicariaceae

A common species on rocks in mountains in Eurasia and N. America, it has smooth, broad lobes that are dark brown above and black beneath.



5–10 cm
2–4 in

COMMON SCRIPT LICHEN

Graphis scripta
F: Graphidaceae

Often seen on tree bark in N. America and Eurasia, this lichen forms a thin, grey-green crust with slit-like openings.

green lobes spread out from centre

black, slit-like openings release spores



2.5–10 cm
1–4 in

PERTUSARIA PERTUSA

F: Pertusariaceae

Common on tree bark in Eurasia and N. America, this lichen forms grey crusts with a pale margin. The crusts are covered with groups of warts with tiny openings.

LECIDEA LICHEN

Lecidea fuscoatra
F: Lecideaceae

This species is common on siliceous rocks and old brick walls in N. America and Eurasia. It forms a grey, cracked crust, with sunken, black apothecia.



5–65 mm
3/16–2 1/2 in

MAP LICHEN

Rhizocarpon geographicum
F: Rhizocarpaceae

Common on rocks in mountains in northern regions and Antarctica, this lichen forms a flat patch bordered by a black line of spores. Groups of these lichens have a patchwork appearance.



5–20 cm
2–8 in

2.5–7.5 cm
1–3 in

CRAB-EYE LICHEN

Ochrolechia parella
F: Ochrolechiaceae

This lichen forms patches on walls and rocks in N. America and Eurasia. Its surface usually has many pink-brown apothecia.

dome-shaped apothecia



2.5–12.5 cm
1–5 in

BAEOMYCES RUFUS

F: Baeomycetaceae

Forming grey-green crusts on sandy soil and rocks, this lichen has brown ball-like apothecia on stalks a few millimetres high. It is found in Eurasia and N. America.