




SMALL WHITE
Pieris rapae
F: Pieridae

This butterfly can now be found worldwide. The caterpillars feed on wild and cultivated cabbages and mustards, and can be pests.

3.5–5 cm
1½–2 in


pointed front wing



4–6.5 cm
1½–2½ in

CALIFORNIA DOG-FACE
Zerene eurydice
F: Pieridae


This butterfly is restricted to parts of California and, sometimes, western Arizona. It breeds on a shrub called Napa False Indigo.



4–5 cm
1½–2 in

ORANGE TIP
Anthocharis cardamines
F: Pieridae


This butterfly can be found in meadows across temperate Europe and Asia as far as Japan. The caterpillars feed on lady's smock and garlic mustard.



7–8.5 cm
2¾–3¼ in

ORANGE-BARRED SULPHUR
Phoebis philea
F: Pieridae


The distribution of this butterfly extends from S. Brazil to C. America, S. USA, and sporadically further north. The caterpillars feed on sennas.



5–7 cm
2–2¾ in

TIGER PIERID
Dismorphia amphione
F: Pieridae

This colourful butterfly, which mimics unpalatable butterfly species for protection from predators, is widespread and common from Mexico southwards to S. America.



6–8 cm
2¼–3¼ in

SMALL POSTMAN
Heliconius erato
F: Nymphalidae

This butterfly is common along forest edges and open ground from C. America to S. Brazil. The caterpillars eat passionflower foliage.




10–15 cm
4–6 in

UNDERSIDE

OWL BUTTERFLY
Caligo idomeneus
F: Nymphalidae


The underside of this large species, native to S. America, has prominent owl-like eyespots to deter predators when the butterfly is at rest.



5.5–7.5 cm
2¼–3 in

BLACK-VEINED WHITE
Aporia crataegi
F: Pieridae

Occurring across Europe, N. Africa, and Asia as far as Japan, this distinctive butterfly breeds on hawthorn and blackthorn.



5–7 cm
2–2¾ in

CLEOPATRA
Gonepteryx cleopatra
F: Pieridae

This butterfly is common in countries around the Mediterranean, particularly in lightly wooded coastal areas and scrubland. The caterpillars feed on species of buckthorn.