


MILKFISH AND RELATIVES

With only two exceptions, including the milkfish itself, the Gonorynchiformes live in fresh water. They have a pair of pelvic fins that are set well back on the belly.



MILKFISH
Chanos chanos
F: Chanidae

This fast swimmer has a large forked tail. Feeding solely on plankton, it is farmed in S.E. Asia.

1.8 m
6 ft

pelvic fins

BEAKED SALMON
Gonorynchus greyi
F: Gonorynchidae

Native to Australia and New Zealand, this fish lives in shallow bays and dives headfirst into the sand if threatened.

50 cm
20 in



SARDINES AND RELATIVES

This predominantly marine order includes many commercially important species. The Clupeiformes are silvery, with loose scales, one dorsal fin, a forked tail, and a keel-shaped belly. Most live in large schools and are preyed on by sharks, tuna, and other large fish.

PERUVIAN ANCHOVETA
Engraulis ringens
F: Engraulidae

This tiny plankton-eater lives in enormous shoals along the western coast of S. America, where it is a major source of food for humans, pelicans, and larger fish.



20 cm
8 in



ALLIS SHAD
Alosa alosa
F: Clupeidae

In spring, adults of this migratory species swim from the sea into European rivers to spawn, often swimming very long distances.

83 cm
33 in




45 cm
18 in

ATLANTIC HERRING
Clupea harengus
F: Clupeidae

Huge shoals of these silvery fish swim in unison eating planktonic copepods. Highly prized, many N.E. Atlantic stocks are very heavily fished.

CARP AND RELATIVES

This is one of the largest freshwater fish orders, with over 4,000 species worldwide. The Cypriniformes have the standard "fish shape", with a single dorsal fin. They typically have large scales. The teeth are in the throat instead of the jaws. Many are familiar aquarium fish, including loaches, minnows, and carp.



30 cm
12 in

CLOWN LOACH
Chromobotia macracanthus
F: Cobitidae

Native to wetlands in S.E. Asia, this loach is a bottom-feeder. It has sharp spines by its eyes, which it uses to defend itself.



BITTERLING
Rhodeus amarus
F: Cyprinidae

This European fish lays its eggs inside the mantle cavity of a freshwater mussel, where they eventually hatch and the fry escape.

11 cm
4 1/4 in



red-edged dorsal fin

tiger-like black stripes

deeply forked tail

TIGER BARB
Puntigrus tetrazona
F: Cyprinidae

Native to the Indonesian islands of Sumatra and Borneo, this fish has been widely introduced elsewhere and is bred for the aquarium trade.

7 cm
2 3/4 in



1.5 m
5 ft

GRASS CARP
Ctenopharyngodon idella
F: Cyprinidae

A native of Asia, this species feeds on aquatic plants. For this reason, it has been introduced in Europe and the USA to keep drainage channels clear of weeds.



10 cm
4 in

GOLDFISH
Carassius auratus
F: Cyprinidae

Originally native to C. Asia and China, the goldfish has been introduced all over the world and there are now many varieties.



1.2 m
4 ft

large, silvery scales

protrusible mouth

COMMON CARP
Cyprinus carpio
F: Cyprinidae

With a mouth that can be thrust out and sensory barbels, a carp finds food by grubbing through the bottom mud. Now introduced worldwide, it was originally from China and C. Europe.



6 cm
2 1/4 in

ZEBRAFISH
Danio rerio
F: Cyprinidae

This active little fish spawns frequently and is common in ponds and lakes in S. Asia. It is bred in aquaria and laboratories.