

**EMPEROR ANGELFISH**

Pomacanthus imperator
F: Pomacanthidae

This species lives on coral reefs in the Indo-Pacific. Juveniles and adults have different patterns, which protects juveniles from territorial aggression by adults.

40 cm
16 in

**ROYAL ANGELFISH**

Pygoplites diacanthus
F: Pomacanthidae

The striking colours of the royal angelfish and of other coral reef fish help recognition and communication between species.

bold striped pattern

25 cm
10 in



single, long dorsal fin

AMAZON LEAFFISH

Monocirrhus polyacanthus
F: Polycentridae

With its large mouth and habit of drifting like a dead leaf, this S. American freshwater predator can quickly engulf unsuspecting prey.


10 cm
4 in

**WRECKFISH**

Polyprion americanus
F: Polyprionidae

Young wreckfish live a nomadic life among surface-drifting debris, while the adults favour shipwrecks, caves, and rocky areas. They are found throughout the world's oceans.


2 m
6½ ft

**SILVER MOONY**

Monodactylus argenteus
F: Monodactylidae

This flattened Indo-Pacific species is most at home in brackish-water estuaries, where it swims in small shoals.

25 cm
10 in

**SEA GOLDIE**

Pseudanthias squamipinnis
F: Serranidae

This small fish gathers plankton from the waters near steep coral cliffs and ledges. The males defend a harem of females.

15 cm
6 in

**BROWN MEAGRE**

Sciaenidae
F: Sciaenidae

Belonging to a family known as drums and croakers, this fish of the N.E. Atlantic and Mediterranean communicates with loud sounds generated by its swim bladder.

70 cm
28 in

HUMPBACK GROUPE

Cromileptes altivelis
F: Serranidae

Like most other groupers, this increasingly rare Indo-Pacific coral-reef species changes sex from female to male as it matures.

70 cm
28 in

**MALABAR GROUPE**

Epinephelus malabaricus
F: Serranidae

This Indo-Pacific species is found in a variety of habitats from reefs to estuaries. Like many groupers, it changes sex from female to male, at about 10 years old.


1.2 m
4 ft

JACK-KNIFE FISH

Equetus lanceolatus
F: Sciaenidae

Deep coral reefs in the tropical W. Atlantic are home to this unusually shaped fish. Its shape and colour provide camouflage.

high dorsal fin




25 cm
10 in

**COMMON BLUESTRIPE SNAPPER**

Lutjanus kasmira
F: Lutjanidae

This fast-swimming snapper forms shoals in coral reefs during the day, dispersing at night to feed.

40 cm
16 in

**GREY TILEFISH**

Caulolatilus microps
F: Malacanthidae

Living in mud and sand off the east coast of N. America, this fish mostly remains within a depth of 200 m (655 ft) to avoid very cold water.

1.2 m
4 ft